

KANSAS

FORM CP-3
Rev. 11-3-80

STATE CORPORATION COMMISSION

CONSERVATION DIVISION AGENT REPORT

API Number 15-007-21, 175-00-00

200 Colorado Derby Bldg.
Wichita, KS 67202

Operator's Full Name Pickrell Drilling Co.

Complete Address Litwin Building, Suite 205 Wichita, Kansas 67202

Lease Name Allen "C" Well No. #1

Location E/2 SE SE Sec. 23 Twp. 34 Rge. 13W (East) (West)

County Barber Total Depth 4845'

Abandoned Oil Well Gas Well Input Well SWD Well D & A

Other well as hereafter indicated _____

Plugging Contractor Pickrell

Address Shown above License No. _____

Operation Completed: Hour: 10:30PM Day: 20 Month: 5 Year: 19 81

The above well was plugged as follows:

264' of 8 5/8 SP W/250 sks
Total 70 sks of 50/50 poz-mix 4% gel
50 sks @ 250'
Bridge & 10 sks @ 40'
10 RH Cemented by Allied
Elevation-KB-1484'

RECEIVED
STATE CORPORATION COMMISSION
MAY 26 1981
CONSERVATION DIVISION
Wichita, Kansas

I hereby certify that the above well was plugged as herein stated.

INVOICED

Signed: MU [Signature]
Conservation Division Agent

DATE 6-25-81

INV. NO. 5672-w

KANSAS

WELL COMPLETION REPORT AND DRILLER'S LOG

S. 23 T. 34S R. 13W^E_W

Loc. E/2 SE SE

API No. 15 — 007 — 21,175-00-00
County Number

County Barber

Operator
Pickrell Drilling Company

Address
205 Litwin Building, 110 North Market, Wichita, KS 67202


Well No. 1 Lease Name Allen 'C'

Footage Location
feet from (N) (S) line feet from (E) (W) line

Principal Contractor Geologist
Pickrell Drilling Company Claud Sheats, Jr.

Spud Date Date Completed Total Depth P.B.T.D.
5-11-81 5-20-81 4845'

Directional Deviation Oil and/or Gas Purchaser



Elev.: Gr. 1479'
DF 1482' KB 1484'

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
		8 5/8"		264' KB		250 sx	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

RECEIVED
STATE CORPORATION COMMISSION

INITIAL PRODUCTION

Date of first production Producing method (flowing, pumping, gas lift, etc.)

NOV 2 1981
CONSERVATION DIVISION
Wichita, Kansas

RATE OF PRODUCTION PER 24 HOURS
Oil Gas Water
bbls. MCF bbls. CFPB

Disposition of gas (vented, used on lease or sold) Producing interval (s)

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on an open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator
Pickrell Drilling Company

DESIGNATE TYPE OF COMP.: OIL, GAS,
DRY HOLE, SWDW, ETC.:
Dry Hole

Well No. 1 Lease Name Allen 'C'

S 23 T 34 S R 13 W E W


WELL LOG
Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
DST #1, 4674'-4750' 30"-30"-30"-30" wk blow, Rec. 20' Mud, IFP 60#-60#, FFP 80#-80#, ISIP 70#, FSIP 90#.			Heebner Lansing Kansas City Stark Cherokee Mississippian	3854(-2370) 4043(-2559) 4338(-2854) 4499(-3015) 4707(-3223) 4726(-3242)
DST #2, 4757'-4795' 30"-30"-30"-30" Rec. 20' mud, IFP-NG, FFP 40#-50#, ISIP NG, FSIP 80#.				

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received


Signature

C. W. Sebitts - Partner
Title

May 27, 1981
Date