RECEIVED

## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	•			(,		, o, , o , o , o , o ,	verse Side	7				
Ор	en Flow			Tont Date				A DLA	lo 15	•	•	
<b>√</b> De	✓ Deliverabilty			Test Date: 11/21/13					No. 15 75-20594-(	00-00		
Company Linn Operating Inc					Lease HCU					3020	Well Number	
County Location Hamilton SWSWNENW				Section 30		TWP 22S		RNG (E/W) 40W			Acres Attributed 640	
					Reservoir Winfield				ering Conni ield Servic			
Completion Date 6/2/96				Plug Back 2801	k Total Dept	h	,	Packer Set at				
Casing S 4.5	asing Size Weight 5 10.5			Internal D 4.052	Diameter	Set at 2843'		Perforations 2618'		то 2638	то 2638'	
Tubing Size Weight 2 3/8 4.7			Internal D	Diameter	Set at 2784'		Perforations		То	То		
Type Completion (Describe) Single Gas				Type Flui	Type Fluid Production Gas - Water				t or Traveling	Plunger? Ye	s / No	
Producing Thru (Annulus / Tubing)				% C	% Carbon Dioxide				n ,		Gas Gravity - G <sub>g</sub>	
Annulus Vertical D				* *		sure Taps			·		r Run) (Prover) Size	
2628 Pressure	Buildun:	Shut in	/20	13 <sub>at</sub> 1	Fland 1:00 AM		Taken 11	1/21	20		O AM (AM) (PM)	
Well on L	4		1								(AM) (PM)	
			<u>.</u>		OBSERVE	D SURFACI	E DATA			Duration of Shu	ut-in 24 Hours	
Static / Dynamic Property	Orifice Size (inches)	Circle one. Meter Prover Press	Differential in	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In	, , , , ,	psig (Pm	) Inches H <sub>2</sub> 0			psig 32	psia 46.4	psig Pump	psia	24		
						1. 1		1				
Flow						,			,			
Flow					FLOW STR	REAM ATTR	IBUTES					
Plate Coeffiec (F <sub>b</sub> ) (F	ient	Circle one: Meter or rover Pressure psia	Press Extension  Pmxh	Grav Fact F <sub>c</sub>	vity T	Flowing Femperature Factor F <sub>11</sub>	Dev Fa	iation ictor = pv	Metered Flor R (Mcfd)	w GO (Cubic Barre	Feet/ Fluid	
Plate Coeffiec (F <sub>b</sub> ) (F	ient	Meter or rover Pressure	Extension	Fact F <sub>s</sub>	vity T	Flowing Femperature Factor F <sub>11</sub>	Dev Fa F	ictor . = pv	R	(Cubic	Feet/ Fluid Gravity	
Plate Coeffiec (F <sub>b</sub> ) (F	ient	Meter or rover Pressure	Extension  √ P <sub>m</sub> x h	Fact F <sub>s</sub>	ovity tor	Flowing Femperature Factor F <sub>11</sub>	Dev Fa F	ATIONS	R	(Cubic Barri	Feet/ Fluid Gravity	
Plate Coeffiec (F <sub>b</sub> ) (F Mcfd	ient (p) P(	Meler or rover Pressure psia	Extension  √ P <sub>m</sub> x h	(OPEN FLO  P <sub>d</sub> =  LOG of formula 1. or 2. and divide	ovity tor	Flowing Femperature Factor F,,  ERABILITY % (F  Backpre Slop As	Dev Fa F	ATIONS  14.4 =	R (Mcfd)	(Cubic Barri	Feet/ Fluid Gravity $G_m$ $G_m$ $G_m$	
Plate Coeffiec $(F_b)$ (F  Mcfd $(P_c)^2 = $ $(P_c)^2 \cdot ($ or	ient (p) P(	Meter or rover Pressure psia (P <sub>w</sub> ) <sup>2</sup>	Extension  P <sub>m</sub> x h  Choose formula 1 or 1  1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>c</sub> <sup>2</sup>	(OPEN FLO  P <sub>d</sub> =  LOG of formula 1. or 2. and divide	OW) (DELIV	Flowing Femperature Factor F,,  ERABILITY % (F  Backpre Slop As	Dev Fa F C - 14.4) + Ssure Curve pe = "n" - or	ATIONS  14.4 =	R (Mcfd)	(Cubic Barro (P	Feet/ Fluid Gravity $G_m$ $a_a^2 = 0.207$ $a_d^2 = 0.207$ Open Flow Deliverability Equals R x Antilog	
Plate Coeffice $(P_b)$ ( $P_c$ ) = $(P_c)^2 = (P_c)^2 - ($	: Pa)2	Meter or rover Pressure psia (P <sub>w</sub> ) <sup>2</sup>	Extension  P <sub>m</sub> x h  Choose formula 1 or a  1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> 2. P <sub>c</sub> <sup>2</sup> - P <sub>c</sub> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub>	(OPEN FLO  P <sub>d</sub> =  LOG of formula 1, or 2, and divide by:	OW) (DELIV	Flowing Femperature Factor F <sub>11</sub> ERABILITY  % (F  Backpre Slog	Dev Fa F ) CALCUL P <sub>c</sub> - 14.4) + ssure Curve pe = "n" or	ATIONS  14.4 =	R (Mcfd)	(Cubic Barre (P Antilog	Freet/ Fluid Gravity $G_m$ Open Flow Deliverability Equals R x Antilog (Mcfd)	
Plate Coeffiec $(F_b)$ (F  Mcfd $(P_c)^2 = $ $(P_c)^2 \cdot ($ or	: Pa)2	Meter or rover Pressure psia (P <sub>w</sub> ) <sup>2</sup>	Extension  P <sub>m</sub> x h  Choose formula 1 or 1  1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>c</sub> <sup>2</sup>	(OPEN FLO  P <sub>d</sub> =  LOG of formula 1, or 2, and divide by:	OW) (DELIV	Flowing Femperature Factor F,,  ERABILITY % (F  Backpre Slop As	Dev Fa F ) CALCUL P <sub>c</sub> - 14.4) + ssure Curve pe = "n" or	ATIONS  14.4 =	R (Mcfd)	(Cubic Barro (P	Freet/ Fluid Gravity $G_m$ Open Flow Deliverability Equals R x Antilog (Mcfd)	
Plate Coeffice $(F_b)$ ( $F_c$ ) $(F_c)^2 = (F_c)^2 - (F_$	eent Policy Poli	Meter or rover Pressure psia  (Pw)2  (Pc)2 - (Pw)2	Extension  P <sub>m</sub> x h   Choose formula 1 or 2  1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> Mcfd @ 14  on behalf of the	(OPEN FLC  P <sub>d</sub> =  LOG of formula 1. or 2. and divide by:  65 psia  Company, s	OW) (DELIV	Flowing Femperature Factor F <sub>11</sub> ERABILITY % (F Backpre Slop As Stand  Deliverab	Dev Fa F	ATIONS  14.4 =  n x L	R (Mcfd)	(Cubic Barri	Fluid Gravity  Gm  Pa) <sup>2</sup> = 0.207  Pa) <sup>2</sup> = Open Flow Deliverability Equals R x Antilog (Mcfd)  Desia	
Plate Coeffice $(F_b)$ ( $F_c$ ) $(F_c)^2 = (F_c)^2 - (F_$	eent Policy Poli	Meter or rover Pressure psia  (Pw)2  (Pc)2 - (Pw)2	Extension  P <sub>m</sub> x h   Choose formula 1 or z  1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> 2. P <sub>c</sub> <sup>2</sup> - P <sub>c</sub> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> Mcfd @ 14	(OPEN FLC  P <sub>d</sub> =  LOG of formula 1. or 2. and divide by:  65 psia  Company, s	OW) (DELIV	Flowing Femperature Factor F <sub>11</sub> ERABILITY % (F Backpre Slop As Stand  Deliverab	Dev Fa F	ATIONS  14.4 =	R (Mcfd)	(Cubic Barri	Freet/ Fluid Gravity G <sub>m</sub>   Ca    Cap   C	
Plate Coeffice $(F_b)$ ( $F_c$ ) $(F_c)^2 = (F_c)^2 - (F_$	eent Policy Poli	Meter or rover Pressure psia  (Pw)2  (Pc)2 - (Pw)2	Extension  P <sub>m</sub> x h	(OPEN FLC  P <sub>d</sub> =  LOG of formula 1. or 2. and divide by:  65 psia  Company, s	OW) (DELIV	Flowing Femperature Factor F <sub>11</sub> ERABILITY % (F Backpre Slop As Stand  Deliverab	Dev Fa F	ATIONS  14.4 =  n x L	e above repo	(Cubic Barri	Fluid Gravity  Gm  Pa) <sup>2</sup> = 0.207  Pa) <sup>2</sup> = Open Flow Deliverability Equals R x Antilog (Mcfd)  Desia	

	er penalty of perjury under the laws of the state of Kansas that I am authorized to request
	er Rule K.A.R. 82-3-304 on behalf of the operator Linn Operating, Inc.
_	oing pressure information and statements contained on this application form are true and
	of my knowledge and belief based upon available production summaries and lease records
• •	llation and/or upon type of completion or upon use being made of the gas well herein named.
	st a one-year exemption from open flow testing for the HCU 3020-C
gas well on the gro	ounds that said well:
(0)	
(Check	
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
<b>✓</b>	is not capable of producing at a daily rate in excess of 250 mcf/D
I foundly a manager	
_	to supply to the best of my ability any and all supporting documents deemed by Commission
statt as necessary	to corroborate this claim for exemption from testing.
10/	110
Date: 12/2/	
*	
	Signature: Mann Hiearton
	·
<i>i</i>	Title: Regulatory Compliance Advisor

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

DEC 13 2013