		11-26 15-00	7-00615-00-01
To:	1 040490	API NUMBER 15-Dri	11 Completion Date 8/16/58
STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION		NW NE . SEC. 3	5 , T 34 S, R 13 W/E
200 COLOR	ADO DERBY BUILDING		feet from S section line
TECHNICIAN'S PLUGGING REPORT			feet from E section line
Operator	License / 3048		rling Well 1
Operator: Name& Address	Bristol Resources Corporation		158.95
	6655 South Lewis, Suite 200	Well Total Depth_	4891feet
	<u>Tulsa, OK 74136</u>	Conductor Pipe: S	izefeet
		Surface Casing: S	Ize 8 5/8 feet 305
Abandoned	OII Well X Gas Well	înput Well	SWD WellD&A
	1 as hereinafter indicated		
Plugging	Contractor Clarke Corporation	L	5105 icense Number
	Medicine Lodge, KS		
Company t	o plug at: Hour: 12:45 p.m. Day:	26 Month:	11 Yess 10 90
	proposal received from Jeff (1601;19
	•		316-886-5665
	name) Clarke Corporation		
<u> </u>	2" at 4890' w/100 sx cement. PBTI		
1st plug	sand back to 4712' and dump 5 sx	cement on top of sand	bridge through baller,
2nd plug	pump down 8 5/8" surface pipe wit	th 300 lbs. hulls, 10	sx gel, 50 sx cement,
_10_sx_ge]	l, 100 lbs. hulls, release 8 5/8"	wiper plug and pump l	00 sx cement.
	Plugging Prop	osal Received by	Steve Pfeifer
		· ·	(TECHNICIAN)
Plugging	Operations attended by Agent?: A	II X Part	None
Operation	s Completed: Hour: <u>1:30 p.m</u> .Pay:_	26 Month:	11 Year:19 90
ACTUAL PL	UGGING REPORT 1st plug sanded ba	ack to 4712' and put 5	sx cement on top of
sand brid	ige through hailer.		
2nd plug	pumped down 8 5/8" surface pipe v	with 300 lbs. hulls, 1	0 sx gel, 50 sx cement,
10 sx gel	, 100 1bs. hulls, released 8 5/8'	'wiper plug and pumpe	d-100 sx cement
	pressure 400 psi and shut in 200 p		10 (7.1)
			12 - H - 90
	Used 60/40 Pozmix 6% gel by B.J. S	31-A- D1-0	POOD COLLEGE TO THE STATE OF TH
Remarks:	(If additional description is		
I AND ONE Deserve this plugging.			
is got dry	12-7-90	Signed Photos	
	30187	x exercit	TEPHNTCYANS Y GE
MG NO		6	FORM CP-2/3
			Rev.01-84