


15-057-10036-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION


WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging of formations.

- Give All Information Completely
- Make Required Affidavit
- Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittig Building
Wichita, Kansas



NORTH



Locate well correctly on above Section Plat

Location as NE 1/4 NW 1/4 SW 1/4 or footage from lines 330' N. line & 1320' W. line SW 1/4
 County. BARBER Sec. 30 Twp. 31S Rge. 11 (W)
 Lease Owner Olson Oil Company
 Lease Name R. L. Nuckolls "A" Well No. 2
 Office Address Box 588, Tulsa, Oklahoma
 Character of Well (Completed as Oil, Gas or Dry Hole) Dry hole

Date, well completed May 11, 1938
 Application for plugging filed May 12, 1938
 Application for plugging approved May 12, 1938
 Plugging Commenced May 27, 1938
 Plugging Completed June 3, 1938

Reason for abandonment of well or producing formation DRY
 If a producing well is abandoned, date of last production 193
 Was permission obtained from the Conservation Division or its agents before plugging was commenced?
Yes.

Name of Conservation Agent who supervised plugging of this well Edd Shield.
 Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 4672 Feet.

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Chat		4270	4402	12 1/2"	120'	None
Viola		4542	4634	7" OD	4270'	2022'
Simpson Sand		4666	4672			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Dumped 6 sacks Reg. cement at 4672', filled back to 4641'. Set wood plug at 4330' and dumped 6 sacks Reg. cement, filled back to 4300. Filled back to 4285 with crushed lime rock. Let set for 72 hrs. and tested shut off. Shot with 30 qts. and tested, 4273 to 4285 very slight showing of oil and gas.

Dumped 14 sacks Reg. cement, filled back to 4212'. Dumped 200-5 gallon pails of mud in hole. Cut 7" O.D. casing at 2022' and pulled. Filled to 120' with soft mud, bridged hole at 120' with 12 1/2" x 5' wood plug. Filled to 100' with 15 sacks of Reg. cement. Filled to 5' with heavy mud and capped with 5 sacks of Reg. cement in bottom of cellar.



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Olson Oil Company
 Address Box 408, Burrton, Kansas

STATE OF KANSAS COUNTY OF BARBER, ss.
C. L. Barrett (employee of owner) or ~~(owner)~~ of the above-described well,
 being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. L. Barrett

Box 408 Burrton Kansas
 (Address)


SUBSCRIBED AND SWORN TO before me this 7 day of June, 1938

My commission expires April 20, 1942.

G. J. Bryan
 Notary Public.

OLSON OIL COMPANY
 R. L. NUCKOLLS "A" 2
 330' N.L. & 1320' W.L. of SW/4
 Sec. 30 - 31S - 11W
 BARBER COUNTY, KANSAS


COMMENCED 2 - 25 - 38
 COMPLETED 3 - 10 - 38
 ELEVATION 1525
 INT. PROD. Dry hole



75	Clay & sand	3055	Broken Lime
136	Red Bed	3096	Broken lime & shale
218	Sand & red bed	3139	Lime
248	Gravel	3144	S.L.M. Correction
368	Red bed & shale	3210	Lime
515	Shale & lime shells	3237	Broken lime & shale
700	Red bed & shells	3294	Shale
953	Shale & lime shells	3319	Shale & lime shells
975	Broken lime	3350	Lime shells
1077	Shale & lime shells	3369	Shale, black
1356	Shale & salt	3419	Broken sandy shale
1480	Salt	3426	Sand ✓
1536	Broken lime & shells	3450	Lime & shale
1607	Anhydrite & Gyp.	3504	Lime
1649	Lime & shale	3551	Sandy lime & shale
1715	Shale & lime shells	3585	Sandy lime
1819	Lime & shale	3604	Broken Sand
1869	Broken lime & shale	3691	Sand
1969	Lime	3863	Lime
2003	Lime & shells	3890	Broken lime
2025	Shale, soft	3896	Lime
2038	Broken lime	3938	Broken sand & lime
2359	Lime & shale	3984	Lime
2423	Broken lime & shale	3988	Cherty lime
2444	Lime & shale	3997	Brown lime, hard
2468	Sandy shale	4066	Lime & shale
2481	Lime	4082	Broken lime, soft
2548	Lime & shale	4165	Lime
2570	Broken lime	4167	S.L.M. Correction
2603	Shale, blue & gray	4189	Lime, hard
2622	Lime shells	4220	Lime & shale
2688	Lime & shale, sticky	4257	Shale
2740	Lime & shale	4265	Shale & chert
2749	Lime	4267	Shale
2789	Shale & lime shells	4272	Chat
2910	Lime & shale	4273	S.L.M. R.U.S.T.
2941	Lime	4346	Chat
2983	Lime & Gyp	4384	Shale

PLUGGING
 FILE SEC 30-31-11W
 BOOK PAGE 20 LINE 15

OLSON OIL COMPANY
R. L. NUCKOLLS "A" 2



4402 Chat
 4445 Shale, blue
 4478 Shale
 4489 Sandy lime
 4542 Shale
 4546 Viola lime
 4619 Lime
 4632 Viola lime, hard
 4634 " " , soft
 4635 Lime
 4672 Shale, Simpson, TOTAL DEPTH

Plugged back to 4285

SAND RECORD

Top of Chat	4270
Top of Kinderhook	4402
Top of Viola	4542
Top of Simpson Shale	4634

CASING RECORD

13" O.D.	40#	L.W.	120'
7" O.D.	24#	S.S.	4265'

I hereby certify that the above is a true and correct copy of the log of the R.L. Nuckolls "A" # 2 SW/4, Sec. 30-31-11, Barber County, Kansas

C. V. Barrett

FILE SEC 30-31-11W
 BOOK PAGE 20 LINE 16

Subscribed and sworn to before me this 11th day of May, 1938

A. J. Bryant
Notary Public

My commission expires 4/20/42