


STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

WELL PLUGGING RECORD

Barber County, Sec. 30 Twp. 31 Rge. (E) 11 (W)

NORTH



Locate well correctly on above
Section Plat

Location as "NE/CNWxSWx" or footage from lines SE SW
Lease Owner Aylward Drilling Company
Lease Name Nuckolls "A" Well No. 3
Office Address 813 1st Nat'l Bank Bldg. - Wichita 2, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Oil
Date well completed June 25 1941
Application for plugging filed May 22 1959
Application for plugging approved May 26 1959
Plugging commenced May 15 1959
Plugging completed May 22 1959
Reason for abandonment of well or producing formation Formation depleted

If a producing well is abandoned, date of last production April 1959
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Bill Lackamp
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 4290 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8"	124'	None
				5 1/2"	4256'	3534'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Checked the hole to 4290' and found it open.
Filled w/sand to 4245' and dumped 5 sacks of
cement with dump bailer. Pulled 5 1/2" casing.
Cleared hole and bailed hole to 124', set
rock bridge to 116' and dumped 20 sacks of
cement. Mudded the hole to 40', set rock
bridge to 30' and ran 10 sacks of cement to
base of cellar.

PLUGGING COMPLETED

RECEIVED
STATE CORPORATION COMMISSION

OCT 17 1963
10-17-63
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor West Supply Co., Inc.
Address Chase, Kansas

STATE OF KANSAS COUNTY OF SEDGWICK, ss.
Paul W. Hesse (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Paul W. Hesse

813 1st Nat'l Bank Bldg., Wichita 2, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 25th day of May, 1959

My commission expires December 11, 1961

Duane Jessup
Notary Public.

NUCKOLLS "A" #3

Casing Record:

8-5/8" - 124'
5-1/2" - 4256'

Company: Olson Oil Company
Contractor: Olson Oil Company

Commenced: 6-3-41
Completed: 6-24-41

Location:

C SE SW Sec. 30-31S-11W.
Barber County, Kansas

Elevation: 1514

Initial Prod:
394 bbls. AS

	<u>From</u>	<u>To</u>	<u>Remarks</u>
Surface Clay and Sand	0	60	
Anhydrite and red shale	60	125	Set 124' 8-5/8" surface casing, cement with 47 sacks
Shale and shells	125	1125	
Salt and shale	1125	1490	
Anhydrite and shale	1490	1631	
Lime and shale	1631	1970	
Shale and shells	1970	2008	
Lime	2008	2028	
Shale and lime	2028	2057	
Lime and shale	2057	2222	
Shale and shells	2222	2696	
Lime and shale	2696	2833	
Shale	2833	2860	
Lime	2860	2939	
Lime and shale	2939	3092	
Shale and lime	3092	3120	
Lime	3120	3190	
Broken lime and shale	3190	3236	
Lime and shale	3236	3349	
Sandy lime and shale	3349	3445	
Lime and shale	3445	3600	
Sand	3600	3634	
Sand and shale	3634	3680	
Lime	3680	4115	
Lime and shale	4115	4205	
Lime	4205	4256	
Chat R.U.S.T.	4256	4261	
Chat - Total Depth	4261	4290	Set 5'1/2" casing at 4256 and cement with 100 sacks.

RECEIVED
STATE CORPORATION COMMISSION
OCT 17 1963
10-17-63
CONSERVATION DIVISION
Wichita, Kansas

Formation Record:

Lansing 3680 (-2167)
Mississippian 4256 (-2742)

Show of oil 4269-72 and hole filled up 1100' with oil in 1 1/2 hours at 4290'.