

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


OR  
FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plug-  
ging off formations.

All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

Barber County, Sec. 8 Twp. 33 Rge. 13 (E) (W)

NORTH



Locate well correctly on above  
Section Plat

Location as "NE1/4NW1/4SW1/4" or footage from lines  
Lease Owner: Barbara Oil Company  
Lease Name: J.H. Price  
Office Address: Home office-33-South Clark St. Chicago Ill.  
Character of Well (completed as Oil, Gas or Dry Hole): Dry Hole  
Date, well completed: Aug. 31, 1940  
Application for plugging filed: Sept. 14, 1940  
Application for plugging approved: Sept. 14, 1940  
Plugging Commenced: Sept. 16, 1940  
Plugging Completed: Sept. 18, 1940  
Reason for abandonment of well or producing formation: Dry Hole

If a producing well is abandoned, date of last production: 193...  
Was permission obtained from the Conservation Division or its agents before plugging was com-  
menced? YES

Name of Conservation Agent who supervised plugging of this well: C.T. Alexander  
Producing formation: Chat gas sand Depth to top: 4668 Bottom: 4695 Total Depth of Well: 4821 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS



CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
ard chat	59, thousand cu. ft	4668	4695	10-3/4 cemented top-bottom	314	None
				7"-O.D. cemented with 550 sks.	4668	2500

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in  
introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from...feet to  
...feet for each plug set.

Hole dry from 4668 bottom of 7" to total depth of 4821' no water at any point  
from bottom of 7" to total depth of well  
4821--4791 cement plug set with dump bailer  
4791--4638 filled with Joplin flint  
4638--4588 cement plug set with dump bailer  
4588--314 filled with heavy rotary mud, put in with steam jet.  
314 -- wood plug set with tools  
314 --289 cement plug set with dump bailer  
289-- 37 filled with heavy rotary mud, put in with steam jet.  
37 --10 cement plug, run in from top  
10 to surface of ground, cellar. cellar filled with surface soil

Complete log of well attached.



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Barbara Oil Company  
Address: Medicine Lodge Kansas

STATE OF \_\_\_\_\_, COUNTY OF \_\_\_\_\_, ss.

... (employee of owner) or (owner or operator) of the above-described well,  
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-  
described well as filed and that the same are true and correct. So help me God.

(Signature) *H.R. Rodgers*  
Medicine Lodge Kansas (Address)

SUBSCRIBED AND SWORN to before me this 25 day of September, 1940

My commission expires 8-1-42

Notary Public.

Trice #1 F  
 Cen SE $\frac{1}{4}$  Sec. 8-33S-13W  
 Barber County, Kansas

Drilled for: Barbara Oil Company  
 Drilled by: Springrose Drilling Company

Casing Record

10 3/4" 314'  
 7" 4667'

Drilling Commenced: July 16, 1940  
 Drilling Completed: August 30, 1940

<u>FORMATION</u>	<u>DEPTH</u>	<u>FORMATION</u>	<u>DEPTH</u>
red shale	300	sticky shale & lime	4450
red rock	345	lime	4486
red shale & gyp	325	broken lime	4492
red rock & shells	1250	hard lime	4500
shale & shells	1590	broken lime	4520
salt & shale	1670	lime	4545
shale & shells	1805	black slate	4550
shale & gyp	2060	sandy lime	4575
lime & sticky shale	2095	lime	4618
lime & shale	2215	broken chatty lime	4645
borken lime	2245	cherty conglomerate	4660
lime & shale	2355	sandy lime	4665
sandy lime & shale	2405	cherty lime	4667
sandy lime	2415	chert	4680
lime	2550	hard shale	4687
lime and shale	2680	broken chat & chert	4695
shale	2725	hard chert	4701
lime	2740	broken chat	4709
broken lime	2810	grey shale	4716
shale & lime	2825	chert	4720
shale & lime shells	2890	red rock	4725
lime	2905	white chert	4775
shale & lime	2940	grey shale	4810
shale & lime shells	3200	broken brown lime	4821 T. D.
sticky shale	3220		
shale & lime	3235		
lime	3265		
hard lime	3290		
lime	3435		
shale	3460		
lime	3565		
broken lime	3570		
shale	3660		
lime & shale	3740		
sticky shale	3815		
sandy shale	3860		
sticky shale	3875		
broken lime	3890		
sandy shale	3925		
shale & lime	3955		
shale	3983		
lime	4005		
broken lime	4035		
sand	4045		
shale	4090		
Core to	4108		
slate & lime	4110		
Core to	4128		
lime	4425		

8 33 13W 9-27-40  
 116 12

STATE OF KANSAS  
 COUNTY OF SEDGWICK SS

I, the undersigned, being duly sworn on oath, state that the above and within statement is a true and correct record and log of the well drilled on the location above described, to the best of my knowledge and belief.

W. D. Benson  
Ruth Maxwell  
 Notary Public

Subscribed and sworn to before me this 31st day of August 1940.

My Commission Expires:  
Dec. 19, 1942