** The person who can be reached by phone regarding any questions concerning this information.

MAR 3 0 1983

$\overline{}$	•	_		_	

SEC. 29 TWP, 325 RGE. WELL NO. FILL IN WELL INFORMATION AS REQUIRED: SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION. Show all important zones of perosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval rested, cushion used, time tool open, flowing and shut-in pressures, and recoveries. FORMATION DESCRIPTION, CONTENTS, ETC. NAME Check if no Drill Stem Tests Run. 3425 -2088 Iatan Kansas City 3692 -2355 Base Kansas City 3938/ -2601 4355 Mississippi -3018 No Log DST #1: 3696' - 3720', 30-60-45-60, Fair to good blo both op., Rec. 95' VSOCM, 180' MW (139,000 PPM) 60-90 FFP 110-160 ISIP 1360 FSIP 1340 Temp 128 If additional space is needed use Page 2, Side 2 Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used) Type and percent odditives Size hole drilled Size cosing set Weight Ibs/ft. Setting depth Purpose of string Type cement Sacks 3% CC Surface 12 1/4" 8 5/8" 310' Class A 200 2% Gel LINER RECORD PERFORATION RECORD Top, ft. Battom, ft. Socks cement Shots per ft. Size & type Depth interval TUBING RECORD Setting depth Size Packer set at ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD Amount and kind of material used Depth Interval treated Date of first production Producing method (flowing, pumping, gas lift, etc.) Gravity Gas Gas-oil ratio Estimated % -I.P. Production MCF CFPB Disposition of gas (vented, used on lease or sold) Perforations



WHITE

AND ELLIS DRILLING, Inc.

DRILLERS LOG

OPERATOR:	White & Ellis Dril	ling, Inc., 401 E	. Douglas -	Suite 500, Wic	hita, Ks. 6720;
CONTRACTOR:	White & Ellis D Wichita, Ks. 67		401 E. Do	ouglas, Suite	e 500,
Lease Name_	Greve		We	ell No. 1	
Sec. 29	T. 32S	R5W	Spot	SW SW SW	· —
County Harp	erSt	ate Kansas	Kansas Elevation_		
Casing Recor	d:				
	Surface: 8	5/8" @ 308'	with	200 sx. 3	% CC 2% Gel
Production:		e	with	sx.	·
Type Well:	D & A	Total Der	oth	4400'	
Drilling Com	menced 3-14-83	Drilling	Completed_	3-22-83	
Formation	From	1	То		s
Cellar Lime, Shal	0 7		7 . 4400	Anhydrite Kansas City Mississippi	3619

HECEIVED STATE CORPORAȚION COMMISSION

MAR 3 0 1983

CONSERVATION DIVISION Wichita, Kansas