

120

4-12-88

1 040081

To: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API NUMBER 15- 007-21,010 - 0000
SW NW SW, SEC. 34, T 34 S, R 12 W/E
1650 feet from S section line
4950 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 5042
Operator: Edmiston Oil Company, Inc.
Name & Address: 1260 Kansas State Bank Bldg.
Wichita, KS 67202

Lease Name Terwort Well # 2
County Barber 156.49
Well Total Depth 4815 feet
Conductor Pipe: Size _____ feet
Surface Casing: Size 10.3/4 feet 324

Abandoned Oil Well Gas Well _____ Input Well _____ SMD Well _____ D&A _____

Other well as hereinafter indicated _____

Plugging Contractor Kelso Casing Pulling License Number 6050

Address Box 347, Chase, KS 67524

Company to plug at: Hour: 11 a.m. Day: 12 Month: 4 Year: 19 88

Plugging proposal received from Millard Kelso

(company name) Kelso Casing Pulling (phone) 316-938-2457

were: 4 1/2" at 4814' Perfs at 4636-46'

1st plug sand back to 4575' and dump 4 sx cement on top of sand through bailer,
2nd plug pump 3 sx hulls, 10 sx gel, 50 sx cement, 10 sx gel, 1 sx hulls, release
wiper plug and pump 150 sx cement.

Plugging Proposal Received by Steve Durrant (TECHNICIAN)

Plugging Operations attended by Agent?: All Part _____ None _____

Operations Completed: Hour: 11:45 a.m. Day: 12 Month: 4 Year: 19 88

ACTUAL PLUGGING REPORT 1st plug sanded back to 4575' and dumped 4 sx cement on top of sand through bailer,

2nd plug pumped down 10 3/4" with 300 lbs. hulls, 10 sx gel, 50 sx cement, 10 sx gel, 100 lbs. hulls and 150 sx cement.

RECEIVED STATE CORPORATION COMMISSION

Maximum pressure 400 psi and shut in 300 psi.

APR 20 1988 4-20-88

Remarks: Used 60/40 Pozmix 6% gel by B.J. Titan. Recovered 3441' of 4 1/2" casing.
(If additional description is necessary, use BACK of this form.)

CONSERVATION DIVISION Wichita, Kansas

INVOICED (If additional description is necessary, use BACK of this form.) observe this plugging.

DATE 4-26-88

Signed Stephen J. Pfeifer (TECHNICIAN)

INV. NO. 20443