KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:				(See Instruct	tions on Re	verse Side))				
Op	en Flo	w			Test Date	··			ΑP	l No. 15			
De	livera	bilty			Nov 4 2					-033-21019-0	00-01		•
Company Hummor		рога	tion				Lease Acres				3-27	Well Nu	mber
County Comanche			Location NE NE		Section 27		TWP 32S		RNG (E/W) 18W			Acres Attributed 160	
Field Nescatu	nga				Reservoir Viola	•			Gas Ga Oneok	thering Conn	ection	·	
Completion		te			Plug Bac 5630'	k Total Dept	th		Packer None	Set at			
Casing Size			Weight 10.50#		Internal Diameter 3.950"		Set at 5629'		Perforations 5570'		то 5586'	то 5586'	
Tubing Size 2-3/8"			Weight 4.70#		Internal Diam 1.995"		neter Set at 5540'		Perforations		То	То	
Type Con Single	npletic	on (D				d Production			Pump U PU	nit or Traveling	Plunger? Yes	/ No	
Poducing	g Thru	ı (An	nulus / Tubing)			arbon Dioxi	de		% Nitrog	gen	Gas G	ravity - (ì,
Tubing Vertical D	Depth(H)				Pres	sure Taps				(Meter	Run) (P	over) Size
	D. Oak		Shut in Nov	3 ,	, 13 , 8	:00	/AM/ /DM/	Takan N	ov 4		13 _{at} 12:00		A44) (D84)
Well on L											at		
_						OBSERVE	D SURFAC	E DATA		<u> </u>	Duration of Shut	_in 24	Hou
Static / Dynamic	Size Reperty (inches		Circle one: Meter Prover Pressure	Pressure Differential	Flowing Temperature	Well Head	Casing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _r) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)	
Prosperty Start-In			psig (Pm)	Inches H ₂ 0	t	t	psig 250	psia 264.4	psig	psia	(33.3)		
Flow							250	204.4					
_				İ		FLOW STR	EAM ATTR	IBUTES					
Plate Coefficcient (F _b) (F _p) Mcfd		Pro	Circle one: Meter or over Pressure psia	Press Grav Extension Fact ✓ P _m x h F _c		tor Temperatur		Deviation Factor F _{pv}		Metered Flow R (Mcfd)	v GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m
							<u>-</u>						
(P _s) ² =		:	(P _w) ² =	:	(OPEN FLO	OW) (DELIV) CALCUL 		:	(P _a ; (P _d ;	$0^2 = 0.2$	07
(P _c) ² - (I or (P _c) ² - (I	P _a) ²	(1	Ch Ch (P _w) ²	1. P _c ² · P _s ² 2. P _c ² · P _d ² rided by: P _c ² · P _d ²	LOG of formula 1, or 2, and divide	P _c ² -P _w ²	Backpre Slo As	ssure Curve pe = "n" - or signed lard Slope	, n x	rog [Antilog	Deli Equals	en Flow verability R x Antitog Mcfd)
				- c w									
Open Flo	w			Mcfd @ 14.	65 psia		Deliverat	oility			Mcfd @ 14.65 ps	 ia	
The	under		d authority, on	behalf of the	Company, s		e is duly au	uthorized t	o make the	he above repo	rt and that he ha		edge of
			Witness (if a			27 20		W	ta	L X L	Company	nex	1
			For Commiss	sion		ECEIVI	_			Chec	ked by		

zed to request
n are true and lease records herein named.
d by Commissio
gy_

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be

KCC Wich signed and dated on the front side as though it was a verified report of annual test results.

DEC 27 2013

RECEIVED