

CONFIDENTIAL

ORIGINAL

FORM MUST BE TYPED

SIDE ONE

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

Operator: License # 5506
Name: WOOLSEY PETROLEUM CORPORATION
Address: 107 NORTH MARKET
SUITE 600
City/State/Zip: WICHITA, KANSAS 67202-1807
Purchaser: N/A
Operator Contact Person: DEBRA K. CLINGAN

Phone: (316) 267-4379
Contractor: Name: DUKE DRILLING CO., INC.
License: 5929
Wellsite Geologist: WESLEY D. HANSEN
Designate Type of Completion
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover:
Operator: N/A
Well Name: _____
Comp. Date: _____ Old Total Depth: _____
 Deepening Re-perf. Conv. to Inj/SWD
 Plug Back PBTB
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Inj?) Docket No. _____
05/20/1996 06/15/1996 06/16/1996
Spud Date Date Reached TD Completion Date

API NO. 15- 007-22503 0000
County BARBER
C - NW - NE - SE Sec. 36 Twp. 33S Rge. 14W E
2310' FSL Feet from (S)N (circle one) Line of Section
990' FEL Feet from (E)W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
NE, (SE) NW or SW (circle one)
Lease Name ROTH Well # 3
Field Name AETNA
Producing Formation N/A
Elevation: Ground 1781' KB 1792'
Total Depth 5409' RTD PBTB N/A
Amount of Surface Pipe Set and Cemented at 218' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from N/A
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan D&A JTW 11-1-96
(Data must be collected from the Reserve Pit)
Chloride content 12,000 ppm Fluid volume 1960 bbls
Dewatering method used ALLOW PITS TO DRY & BACKFILL
Location of fluid disposal RECEIVED KCC
STATE CORPORATION COMMISSION
Operator Name 9-17-96 SEP 17
SEP 17 1996
Lease Name _____ License No. _____
Quarter CONSERVATION DIVISION S Rng. _____ E/W
Wichita, Kansas
County _____ Docket No. _____

RELEASED

OCT 6 1996

FROM CONFIDENTIAL

RECEIVED

STATE CORPORATION COMMISSION

9-17-96
SEP 17 1996

CONFIDENTIAL

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Mark P. Stevenson
Title: MARK P. STEVENSON, V.P. OPERATIONS Date: 09/17/1996
Subscribed and sworn to before me this 17TH day of SEPTEMBER,
19 96.
Notary Public Debra K. Clingan
DEBRA K. CLINGAN
Date Commission Expires: MARCH 4, 1998

K.C.C. OFFICE USE ONLY
F Letter of Confidentiality Attached
C Wireline Log Received
C Geologist Report Received
Distribution
 KCC SWD/Rep NGPA
 KGS Plug Other
(Specify)

DEBRA K. CLINGAN
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 3-4-98

CONFIDENTIAL

SIDE TWO

ORIGINAL

Operator Name: WOOLSEY PETROLEUM CORPORATION Lease Name: ROTH Well # 3
County: BARBER
Sec. 36 Twp. 33 Rge. 14
[] East [x] West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken [x] Yes [] No
Samples Sent to Geological Survey [] Yes [x] No
Cores Taken [] Yes [x] No
Electric Log Run [x] Yes [] No
List All E.Logs Run: DUAL INDUCTION SFL GR, COMP NEUTRON LITHO-DENSITY GR

[x] Log Formation (Top), Depth and Datums [] Sample
Name Top Datum
ONAGA 3018 (-1226)
HEEBNER 4005 (-2213)
LANSING A 4192 (-2400)
SWOPE 4580 (-2788)
MISSISSIPPIAN C 4738 (-2946)
KINDERHOOK 4992 (-3200)
VIOLA 5106 (-3314)
ARBUCKLE 5334 (-3542)
RTD 5409 (-3617)

KCU
SEP 17,
CONFIDENTIAL

CASING RECORD
Report all strings set-conductor, surface, intermediate, production, etc.
Table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs./Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives.

ADDITIONAL CEMENTING/SQUEEZE RECORD
Table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Additives.

PERFORATION RECORD - Bridge Plugs Set/Type
Specify Footage of Each Interval Perforated
Table with columns: Shots Per Foot, Footage, Type, Shot, Cement Squeeze Record (Amount and Kind of Material Used), Depth.

TUBING RECORD
Table with columns: Size, Set At, Packer At, Liner Run [] Yes [] No.
Date of First, Resumed Production, SWD or Inj. N/A D&A
Producing Method [] Flowing [] Pumping [] Gas Lift [] Other (Explain)
Estimated Production Per 24 Hours: Oil N/A Bbls., Gas N/A Mcf, Water N/A Bbls., Gas-Oil Ratio, Gravity.

Disposition of Gas: [] Vented [] Sold [] Used on Lease (If vented, submit ACO-18.)
METHOD OF COMPLETION: [] Open Hole [] Perf. [] Dually Comp. [] Commingled [] Other (Specify)
Production Interval

ORIGINAL

ROTH 3

NW NE SE Section 36-33S-14W
Survey: 2310' FSL & 990' FEL
Barber County, Kansas

CONFIDENTIAL

API# 15-007-22503 0000
Elev: G.L. 1781'
K.B. 1792'
Spud: 05/20/1996

DRILL STEM TEST RESULTS

DST #1 2192'- 2245' (Krider) 30-60-60-240

1st op: Surging blow up to 1", may have plugging, built up to 2" at end of open
2nd op: 2" blow bldg to 3" blow
Rec: 170' watery mud (15%W, 85%M), chl 12,000 (mud sys 15,000)
Field calcs: Office calcs:
IHP: 1019 FHP: 1001 IHP: 1019 FHP: 1001
IFP: 60-95 FFP: 78-123 IFP: 530.49-658.05 FFP: 366.38-235.8
ISIP: 803 FSIP: 814 ISIP: 827.09 FSIP: 848.36
BHT: 90° F
Remarks: Plugging action thru flow periods

DST #2 2998'- 3081' (Indian Cave) 30-60-60-240

1st op: Off btm of bucket in 1 min. No GTS
2nd op: Off btm of bucket in 1 min, decr to 6". No GTS
Rec: 2400' very gassy wtr
Field calcs: Office calcs:
IHP: 1493 FHP: 1438 IHP: 1493 FHP: 1438
IFP: 390-756 FFP: 891-1145 IFP: 426.75-663.63 FFP: 936.97-1186.86
ISIP: 1174 FSIP: 1229 ISIP: 1209.74 FSIP: 1247.63
BHT: 110° F

DST #3 3998'- 4035' (Snyderville) 30-60-30-60

1st op: Very weak surface blow, died in 6 min
2nd op: No blow
Rec: 5' mud, chl 74,000 (mud sys 7500)
Field calcs: Office calcs:
IHP: 1984 FHP: 1974 IHP: 1998 FHP: 1998
IFP: 30-30 FFP: 30-30 IFP: 81.6-45.8 FFP: 50.79-44.96
ISIP: 30 FSIP: 36 ISIP: 59.95 FSIP: 49.96
BHT: 116° F

DST #4 4724'- 4790' (Mississippian C) 30-60-60-240

1st op: Weak blow, 1"
2nd op: Weak blow, 1/4" to surface
Rec: 20' mud
Field calcs: Office calcs:
IHP: 2285 FHP: 2275 IHP: 2285 FHP: 2275
IFP: 41-41 FFP: 41-52 IFP: 12.9-12.9 FFP: 18.5-11.9
ISIP: 83 FSIP: 135 ISIP: 51.1 FSIP: 51.5
BHT: 123° F

DST #5 4985'- 5050' (Kinderhook/Misener) 30-60-30-120

1st op: Very weak blow, died in 22 min
2nd op: No blow
Rec: 20' mud
Field calcs: Office calcs:
IHP: 2428 FHP: 2418 IHP: 2426 FHP: 2420
IFP: 70-70 FFP: 50-50 IFP: 105.07-75.82 FFP: 72.54-56.58
ISIP: 100 FSIP: 50 ISIP: 88.02 FSIP: 64.64
BHT: 125° F

1000
SEP 17
CONFIDENTIAL

RELEASED

OCT 6 1998

FROM CONFIDENTIAL

RECEIVED
STATE CORPORATION COMMISSION

SEP 17 1996

CONSERVATION DIVISION
Wichita, Kansas

ALLIED CEMENTING CO., INC.

6145

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

CONFIDENTIAL

SERVICE POINT:

ORIGINAL

DATE	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
5-20-90	30	33	19	11:27 AM	12:15 PM	1:50 PM	2:00 PM
LEASE D. H.	WELL # 5	LOCATION		COUNTY	STATE		

OLD OR NEW (Circle one)

CONTRACTOR Dave #5
 TYPE OF JOB Cementator
 HOLE SIZE 17/4 T.D. 60'
 CASING SIZE 1 3/8 DEPTH 59'
 TUBING SIZE DEPTH
 DRILL PIPE 4 1/2 DEPTH 60'
 TOOL DEPTH
 PRES. MAX 150 MINIMUM 100
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 15 ft.
 PERFS.

OWNER Wardsey Petroleum
CEMENT

AMOUNT ORDERED 6 sacks Class A 3% GEL
2% Gel

EQUIPMENT

PUMP TRUCK CEMENTER Larry D.
 # 215 HELPER Mark B.
 BULK TRUCK
 # 301 DRIVER Tom S.
 BULK TRUCK
 # DRIVER

COMMON @
 POZMIX @
 GEL @
 CHLORIDE @
 @
 @
 @
 @
 @
 @
 HANDLING @
 MILEAGE

TOTAL 100

REMARKS:

mix pump 6 sxs. class A 3% GEL
12% Gel Cement To Start Displace
Displace w/ 7 Bags Fresh H₂O Shift
In Cement Pipe to Surface.

SERVICE

DEPTH OF JOB 59'
 PUMP TRUCK CHARGE
 EXTRA FOOTAGE @
 MILEAGE @
 PLUG @
 @
 @

SEP 17
CONFIDENTIAL

TOTAL

CHARGE TO: Wardsey Petroleum
 STREET
 CITY STATE ZIP

FLOAT EQUIPMENT

@
 @
 @
 @
 @

TOTAL

RELEASED
OCT 6 1998

FROM CONFIDENTIAL

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TAX
 TOTAL CHARGE
 DISCOUNT

RECEIVED
 IF PAID IN 30 DAYS
 STATE CORPORATION COMMISSION

SEP 17 1996

CONSERVATION DIVISION
Wichita, Kansas

CONFIDENTIAL

ALLIED CEMENTING CO., INC. 6146

ORIGINAL

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT: Woodsey

DATE <u>5-21-96</u>	SEC <u>13 1/2</u>	TWP <u>23S</u>	RANGE <u>14W</u>	CALLED OUT <u>7:00 AM</u>	ON LOCATION <u>1 USA</u>	JOB START <u>9:50 AM</u>	JOB FINISH <u>12:00 PM</u>
LEASE <u>Ruth</u>	WELL # <u>3</u>	LOCATION <u>Union Chapel, Hwy 11/25-1/2 mi</u>		COUNTY <u>Barber</u>	STATE <u>KS</u>		

OLD OR NEW? (Circle one)

CONTRACTOR Duke #5 OWNER Woodsey Petroleum

TYPE OF JOB Surface CEMENT

HOLE SIZE 7 7/8 T.D. 1070'

CASING SIZE 8 5/8 DEPTH 265'

TUBING SIZE DEPTH

DRILL PIPE 4 1/2 DEPTH 1070'

TOOL DEPTH

PRES. MAX 200 MINIMUM 100

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 65'

PERFS.

AMOUNT ORDERED 140 sacks 6.0/4.1

5% C.A.C. + 2% G.C.

COMMON @ _____

POZMIX @ _____

GEL @ _____

CHLORIDE @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING @ _____

MILEAGE _____

TOTAL _____

EQUIPMENT

PUMP TRUCK	CEMENTER	<u>Arly D</u>
# <u>265</u>	HELPER	<u>Justin H</u>
BULK TRUCK		
# <u>259</u>	DRIVER	<u>John K</u>
BULK TRUCK		
#	DRIVER	

REMARKS:

Mix + Pump 140 sacks 6.0/4.1 5% C.A.C. + 2% G.C.

2 1/2 G.C. Cement in stop pumps.

Release plug. Displace 100' / 1380's Fr. 5' H₂O. Shut in.

Cement Circ. to Surface

SERVICE

100

SEP 17

DEPTH OF JOB 265

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE @ _____

MILEAGE @ _____

PLUG wooden @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CONFIDENTIAL

CHARGE TO: Woodsey Petroleum

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

RELEASED

OCT 6 1998

FROM CONFIDENTIAL

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

STATE CORPORATION COMMISSION

SEP 17 1996

CONSERVATION DIVISION Wichita, Kansas

CONFIDENTIAL

ORIGINAL

DST REPORT

GENERAL INFORMATION

15-007-22503

DATE : 5/23/96
CUSTOMER : WOOLSEY PETROLEUM CORP
WELL : #3 TEST: 1
ELEVATION: 1792 KB
SECTION : 36
RANGE : 14W COUNTY: BARBER
GAUGE SN#: 11018 RANGE : 4425

TICKET : 22008
LEASE : ROTH
GEOLOGIST: HANSEN
FORMATION: KRIDER
TOWNSHIP : 33S
STATE : KS
CLOCK : 12

WELL INFORMATION

PERFORATION INTERVAL FROM: 2192.00 ft TO: 2245.00 ft TVD: 2245.0 ft
DEPTH OF SELECTIVE ZONE: TEST TYPE: OIL
DEPTH OF RECORDERS: 2195.0 ft 2242.0 ft
TEMPERATURE: 90.0

DRILL COLLAR LENGTH: 60.0 ft I.D.: 2.200 in
WEIGHT PIPE LENGTH : 0.0 ft I.D.: 0.000 in
DRILL PIPE LENGTH : 2206.0 ft I.D.: 3.800 in
TEST TOOL LENGTH : 26.0 ft TOOL SIZE : 5.500 in
ANCHOR LENGTH : 53.0 ft ANCHOR SIZE: 5.500 in
SURFACE CHOKE SIZE : 0.750 in BOTTOM CHOKE SIZE: 0.750 in
MAIN HOLE SIZE : 7.875 in TOOL JOINT SIZE : 4.5XH
PACKER DEPTH: 2187.0 ft SIZE: 6.630 in
PACKER DEPTH: 2192.0 ft SIZE: 6.630 in
PACKER DEPTH: 0.0 ft SIZE: 0.000 in
PACKER DEPTH: 0.0 ft SIZE: 0.000 in

SEP 17
CONFIDENTIAL

MUD INFORMATION

DRILLING CON. : DUKE DRILLING RIG 5
MUD TYPE : CHEMICAL VISCOSITY : 38.00 cp
WEIGHT : 8.600 ppg WATER LOSS: 13.600 cc
CHLORIDES : 15000 ppm
JARS-MAKE : WTC SERIAL NUMBER: 12369
DID WELL FLOW?: NO REVERSED OUT?: NO

COMMENTS

Comment

INITIAL FLOW PERIOD WEAK ERATIC BLOW (1 1/2 INCHES
FINAL FLOW PERIOD WEAK BLOW SLOWLY BUILDING TO
3 INCHES .

RELEASED

OCT 6 1998

FROM CONFIDENTIAL

DST REPORT (CONTINUED)

COMMENTS (CONTINUED)

Comment

PLUGGING ACTION THROUGH FLOW PERIODS.

FLUID RECOVERY

Feet of Fluid	% Oil	% Gas	% Water	% Mud	Comments
170.0	0.0	0.0	15.0	85.0	WATERY MUD CHLORIDES 12000 PPM
0.0	0.0	0.0	0.0	0.0	

RATE INFORMATION

OIL VOLUME: 0.0000 STB	TOTAL FLOW TIME: 90.0000 min.
GAS VOLUME: 0.0000 SCF	AVERAGE OIL RATE: 0.0000 STB/D
MUD VOLUME: 1.5512 STB	AVERAGE WATER RATE: 29.1997 STB/D
WATER VOLUME: 0.2737 STB	
TOTAL FLUID : 1.8250 STB	

FIELD TIME & PRESSURE INFORMATION

INITIAL HYDROSTATIC PRESSURE: 1019.00			
Description	Duration	p1	p End
INITIAL FLOW	30.00	60.00	95.00
INITIAL SHUT-IN	60.00		803.00
FINAL FLOW	60.00	78.00	123.00
FINAL SHUT-IN	240.00		814.00
FINAL HYDROSTATIC PRESSURE: 1001.00			

RECEIVED

OCT 2 1988

DST REPORT (CONTINUED)

OFFICE TIME & PRESSURE INFORMATION

INITIAL HYDROSTATIC PRESSURE: 1019.00

Description	Duration	p1	p End
INITIAL FLOW	30.00	530.49	658.05
INITIAL SHUT-IN	60.00		827.09
FINAL FLOW	60.00	366.38	235.80
FINAL SHUT-IN	240.00		848.36

FINAL HYDROSTATIC PRESSURE: 1001.00

Company: WOOLSEY PETROLEUM CORP.
 Well: ROTH #3 DST#1
 Field: TKT #22008

[Thursday: May. 23, 1996]
 Page 1

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)

START FLOW 1				
1	0	0: 1:47	0.0000	530.49
10	0	0: 2:50	0.0174	611.01
19	0	0: 3:53	0.0349	665.62
28	0	0: 4:57	0.0527	694.33
37	0	0: 6: 3	0.0711	640.70
46	0	0: 7: 9	0.0894	600.02
55	0	0: 8:13	0.1070	649.09
64	0	0: 9:16	0.1246	703.70
73	0	0:10:20	0.1425	712.06
81	0	0:11:21	0.1594	597.36
90	0	0:12:25	0.1772	612.20
99	0	0:13:29	0.1950	635.35
108	0	0:14:35	0.2132	614.11
116	0	0:15:35	0.2300	513.29
125	0	0:16:39	0.2478	533.67
134	0	0:17:45	0.2661	488.37
142	0	0:18:46	0.2830	366.28
151	0	0:19:53	0.3016	292.30
159	0	0:20:53	0.3184	191.48
168	0	0:21:54	0.3352	340.46
177	0	0:22:55	0.3520	491.29
186	0	0:23:57	0.3694	567.18
195	0	0:25: 2	0.3875	554.26
204	0	0:26: 9	0.4061	476.58
213	0	0:27:12	0.4235	547.84
222	0	0:28:15	0.4411	597.83
231	0	0:29:21	0.4592	580.28
240	0	0:30:25	0.4771	600.67
249	0	0:31:28	0.4946	658.05
END FLOW 1				
START SHUTIN 1				
256	0	0:32:18	0.5084	679.36
258	0	0:32:32	0.5124	683.99
267	0	0:33:36	0.5302	701.60
276	0	0:34:41	0.5481	714.58
285	0	0:35:45	0.5660	726.63
294	0	0:36:50	0.5839	734.99
303	0	0:37:54	0.6019	742.42
312	0	0:38:59	0.6198	747.08
321	0	0:40: 3	0.6377	754.51
330	0	0:41: 8	0.6557	760.09
339	0	0:42:12	0.6736	764.74
348	0	0:43:17	0.6916	770.33
357	0	0:44:22	0.7095	773.13
366	0	0:45:26	0.7275	776.86
375	0	0:46:31	0.7454	780.59
384	0	0:47:36	0.7634	782.47
393	0	0:48:40	0.7814	786.20
402	0	0:49:45	0.7993	789.01
411	0	0:50:50	0.8173	790.89
420	0	0:51:54	0.8353	792.77
429	0	0:52:59	0.8533	794.65
438	0	0:54: 4	0.8712	797.45
447	0	0:55: 8	0.8892	799.33

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST#1
Field: TKT #22008

[Thursday: May. 23, 1996]
Page 2

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
456	0	0:56:13	0.9072	800.29
465	0	0:57:18	0.9251	802.17
474	0	0:58:23	0.9431	804.05
483	0	0:59:27	0.9611	805.00
492	0	1: 0:32	0.9791	806.88
501	0	1: 1:37	0.9970	807.84
510	0	1: 2:41	1.0150	808.79
519	0	1: 3:46	1.0330	809.75
528	0	1: 4:51	1.0510	811.63
537	0	1: 5:56	1.0689	812.58
546	0	1: 7: 0	1.0869	813.54
555	0	1: 8: 5	1.1049	814.49
564	0	1: 9:10	1.1229	815.45
573	0	1:10:14	1.1409	816.40
582	0	1:11:19	1.1588	816.43
591	0	1:12:24	1.1768	817.39
600	0	1:13:29	1.1948	818.34
609	0	1:14:33	1.2128	818.37
618	0	1:15:38	1.2308	819.33
627	0	1:16:43	1.2487	820.28
636	0	1:17:48	1.2667	821.24
645	0	1:18:52	1.2847	822.19
654	0	1:19:57	1.3027	822.22
663	0	1:21: 2	1.3206	823.18
672	0	1:22: 6	1.3386	824.13
681	0	1:23:11	1.3566	825.09
690	0	1:24:16	1.3746	825.12
699	0	1:25:21	1.3926	825.15
708	0	1:26:25	1.4106	825.18
717	0	1:27:30	1.4285	826.13
726	0	1:28:35	1.4465	827.09
		END SHUTIN 1		
		START FLOW 2		
733	0	1:29:38	1.4641	366.38
742	0	1:30:44	1.4825	303.50
751	0	1:31:48	1.5001	356.27
759	0	1:32:52	1.5180	115.76
768	0	1:33:57	1.5360	108.38
777	0	1:35: 2	1.5540	106.56
786	0	1:36: 7	1.5720	103.82
795	0	1:37:11	1.5900	102.00
804	0	1:38:15	1.6077	144.58
814	0	1:39:15	1.6244	560.93
823	0	1:40:21	1.6426	535.98
832	0	1:41:24	1.6601	604.48
841	0	1:42:28	1.6781	598.03
850	0	1:43:33	1.6961	593.43
859	0	1:44:37	1.7139	622.14
868	0	1:45:44	1.7324	558.34
877	0	1:46:46	1.7498	633.30
886	0	1:47:50	1.7675	671.26
895	0	1:48:54	1.7853	696.27
904	0	1:49:59	1.8032	694.45
913	0	1:51: 4	1.8213	681.53
921	0	1:52: 9	1.8394	409.56

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST#1
Field: TKT #22008

[Thursday: May. 23, 1996]
Page 3

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
930	0	1:53:11	1.8565	520.61
939	0	1:54:14	1.8742	568.75
948	0	1:55:17	1.8916	636.31
957	0	1:56:21	1.9093	678.90
966	0	1:57:25	1.9271	700.21
975	0	1:58:29	1.9449	719.67
984	0	1:59:34	1.9628	732.65
993	0	2: 0:38	1.9807	741.93
1002	0	2: 1:43	1.9987	748.44
1011	0	2: 2:47	2.0166	754.94
1020	0	2: 3:52	2.0346	758.67
1029	0	2: 4:56	2.0525	765.18
1038	0	2: 6: 1	2.0705	763.36
1047	0	2: 7: 8	2.0890	692.15
1055	0	2: 8:11	2.1064	509.00
1063	0	2: 9:11	2.1232	413.73
1072	0	2:10:12	2.1403	524.78
1081	0	2:11:14	2.1574	632.13
1090	0	2:12:18	2.1753	648.81
1099	0	2:13:23	2.1931	671.04
1107	0	2:14:23	2.2100	548.03
1116	0	2:15:31	2.2287	462.94
1124	0	2:16:36	2.2467	195.60
1133	0	2:17:40	2.2647	200.26
1142	0	2:18:45	2.2826	216.01
1151	0	2:19:49	2.3006	208.64
1161	0	2:20:56	2.3191	402.96
1169	0	2:22: 0	2.3370	158.74
1178	0	2:23: 2	2.3541	268.87
1187	0	2:24: 7	2.3721	265.20
1196	0	2:25:12	2.3902	255.97
1205	0	2:26:13	2.4071	386.45
1214	0	2:27:18	2.4251	389.26
1222	0	2:28:22	2.4429	154.29
1231	0	2:29:26	2.4609	155.25
1240	0	2:30:29	2.4782	234.84
1249	0	2:31:34	2.4962	235.80
		END FLOW 2		
		START SHUTIN 2		
1252	0	2:31:51	2.5009	406.03
1259	0	2:32:36	2.5136	573.51
1268	0	2:33:40	2.5313	611.47
1277	0	2:34:44	2.5491	639.25
1286	0	2:35:48	2.5669	658.71
1295	0	2:36:52	2.5847	675.39
1304	0	2:37:57	2.6026	685.60
1313	0	2:39: 1	2.6205	696.73
1322	0	2:40: 6	2.6385	705.09
1331	0	2:41:10	2.6564	711.59
1340	0	2:42:15	2.6743	718.10
1349	0	2:43:20	2.6923	725.53
1358	0	2:44:24	2.7102	730.19
1367	0	2:45:29	2.7282	735.77
1376	0	2:46:33	2.7461	741.35
1385	0	2:47:38	2.7641	744.15

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST#1
Field: TKT #22008

[Thursday: May. 23, 1996]
Page 4

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
1394	0	2:48:43	2.7820	748.81
1403	0	2:49:47	2.8000	751.61
1412	0	2:50:52	2.8179	754.42
1421	0	2:51:57	2.8359	757.22
1430	0	2:53: 1	2.8539	760.03
1439	0	2:54: 6	2.8718	762.83
1448	0	2:55:11	2.8898	764.72
1457	0	2:56:15	2.9078	766.60
1466	0	2:57:20	2.9257	770.33
1475	0	2:58:25	2.9437	772.21
1484	0	2:59:29	2.9617	774.09
1493	0	3: 0:34	2.9796	775.97
1502	0	3: 1:39	2.9976	776.92
1511	0	3: 2:44	3.0156	777.88
1520	0	3: 3:48	3.0336	778.83
1529	0	3: 4:53	3.0516	779.79
1538	0	3: 5:58	3.0695	781.67
1547	0	3: 7: 2	3.0875	782.62
1556	0	3: 8: 7	3.1055	784.50
1565	0	3: 9:12	3.1235	784.53
1574	0	3:10:17	3.1414	786.41
1583	0	3:11:21	3.1594	788.29
1592	0	3:12:26	3.1774	789.25
1601	0	3:13:31	3.1953	790.20
1610	0	3:14:35	3.2133	790.23
1619	0	3:15:40	3.2313	791.19
1628	0	3:16:45	3.2493	792.14
1637	0	3:17:49	3.2673	794.02
1646	0	3:18:54	3.2852	794.98
1655	0	3:19:59	3.3032	795.93
1664	0	3:21: 4	3.3212	795.96
1673	0	3:22: 8	3.3392	796.91
1682	0	3:23:13	3.3572	797.87
1691	0	3:24:18	3.3751	798.82
1700	0	3:25:23	3.3931	799.78
1709	0	3:26:27	3.4111	800.73
1718	0	3:27:32	3.4291	800.76
1727	0	3:28:37	3.4471	800.79
1736	0	3:29:41	3.4650	801.75
1745	0	3:30:46	3.4830	803.63
1754	0	3:31:51	3.5010	803.66
1763	0	3:32:56	3.5190	804.61
1772	0	3:34: 0	3.5370	804.64
1781	0	3:35: 5	3.5549	805.60
1790	0	3:36:10	3.5729	805.63
1799	0	3:37:15	3.5909	805.66
1808	0	3:38:19	3.6089	806.61
1817	0	3:39:24	3.6269	806.64
1826	0	3:40:29	3.6449	807.60
1835	0	3:41:34	3.6628	807.63
1844	0	3:42:38	3.6808	807.66
1853	0	3:43:43	3.6988	808.61
1862	0	3:44:48	3.7168	809.57
1871	0	3:45:52	3.7348	809.60
1880	0	3:46:57	3.7527	809.63

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST#1
Field: TKT #22008

[Thursday: May. 23, 1996]
Page 5

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
1889	0	3:48: 2	3.7707	810.58
1898	0	3:49: 7	3.7887	810.61
1907	0	3:50:11	3.8067	811.57
1916	0	3:51:16	3.8247	811.60
1925	0	3:52:21	3.8426	811.63
1934	0	3:53:26	3.8606	810.73
1943	0	3:54:30	3.8786	816.31
1952	0	3:55:35	3.8966	813.57
1961	0	3:56:40	3.9146	814.52
1970	0	3:57:45	3.9326	814.55
1979	0	3:58:49	3.9505	815.51
1988	0	3:59:54	3.9685	817.39
1997	0	4: 0:59	3.9865	817.42
2006	0	4: 2: 3	4.0045	817.45
2015	0	4: 3: 8	4.0224	818.40
2024	0	4: 4:13	4.0404	819.36
2033	0	4: 5:18	4.0584	819.39
2042	0	4: 6:22	4.0764	820.34
2051	0	4: 7:27	4.0944	820.37
2060	0	4: 8:32	4.1123	821.32
2069	0	4: 9:37	4.1303	821.35
2078	0	4:10:41	4.1483	821.38
2087	0	4:11:46	4.1663	821.41
2096	0	4:12:51	4.1843	822.37
2105	0	4:13:55	4.2023	823.32
2114	0	4:15: 0	4.2202	824.28
2123	0	4:16: 5	4.2382	825.23
2132	0	4:17:10	4.2562	826.19
2141	0	4:18:14	4.2742	826.22
2150	0	4:19:19	4.2922	827.17
2159	0	4:20:24	4.3101	827.20
2168	0	4:21:29	4.3281	827.23
2177	0	4:22:33	4.3461	827.26
2186	0	4:23:38	4.3641	828.22
2195	0	4:24:43	4.3821	828.25
2204	0	4:25:48	4.4001	828.28
2213	0	4:26:52	4.4180	829.23
2222	0	4:27:57	4.4360	829.26
2231	0	4:29: 2	4.4540	829.29
2240	0	4:30: 7	4.4720	829.32
2249	0	4:31:11	4.4900	829.35
2258	0	4:32:16	4.5080	830.31
2267	0	4:33:21	4.5259	831.26
2276	0	4:34:25	4.5439	832.22
2285	0	4:35:30	4.5619	832.25
2294	0	4:36:35	4.5799	832.28
2303	0	4:37:40	4.5979	833.23
2312	0	4:38:44	4.6158	833.26
2321	0	4:39:49	4.6338	833.29
2330	0	4:40:54	4.6518	833.32
2339	0	4:41:59	4.6698	833.35
2348	0	4:43: 3	4.6878	833.38
2357	0	4:44: 8	4.7058	833.41
2366	0	4:45:13	4.7238	834.36
2375	0	4:46:18	4.7417	834.39

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP:
Well: ROTH #3 DST#1
Field: TKT #22008

[Thursday: May. 23, 1996]
Page 6

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
2384	0	4:47:22	4.7597	834.42
2393	0	4:48:27	4.7777	834.45
2402	0	4:49:32	4.7957	834.48
2411	0	4:50:37	4.8137	834.51
2420	0	4:51:41	4.8317	834.54
2429	0	4:52:46	4.8496	834.57
2438	0	4:53:51	4.8676	834.60
2447	0	4:54:56	4.8856	835.56
2456	0	4:56: 0	4.9036	835.59
2465	0	4:57: 5	4.9216	835.62
2474	0	4:58:10	4.9396	835.65
2483	0	4:59:14	4.9575	836.60
2492	0	5: 0:19	4.9755	836.63
2501	0	5: 1:24	4.9935	836.66
2510	0	5: 2:29	5.0115	836.69
2519	0	5: 3:33	5.0295	836.72
2528	0	5: 4:38	5.0475	836.75
2537	0	5: 5:43	5.0654	837.71
2546	0	5: 6:48	5.0834	837.74
2555	0	5: 7:52	5.1014	837.77
2564	0	5: 8:57	5.1194	837.80
2573	0	5:10: 2	5.1374	837.83
2582	0	5:11: 7	5.1554	837.86
2591	0	5:12:11	5.1733	837.88
2600	0	5:13:16	5.1913	837.91
2609	0	5:14:21	5.2093	837.94
2618	0	5:15:26	5.2273	837.97
2627	0	5:16:30	5.2453	838.93
2636	0	5:17:35	5.2633	838.96
2645	0	5:18:40	5.2813	838.99
2654	0	5:19:45	5.2992	839.02
2663	0	5:20:49	5.3172	839.05
2672	0	5:21:54	5.3352	839.08
2681	0	5:22:59	5.3532	839.11
2690	0	5:24: 4	5.3712	840.06
2699	0	5:25: 8	5.3892	840.09
2708	0	5:26:13	5.4071	840.12
2717	0	5:27:18	5.4251	840.15
2726	0	5:28:23	5.4431	840.18
2735	0	5:29:27	5.4611	840.21
2744	0	5:30:32	5.4791	840.24
2753	0	5:31:37	5.4971	841.20
2762	0	5:32:41	5.5150	841.23
2771	0	5:33:46	5.5330	842.18
2780	0	5:34:51	5.5510	842.21
2789	0	5:35:56	5.5690	842.24
2798	0	5:37: 0	5.5870	842.27
2807	0	5:38: 5	5.6050	842.30
2816	0	5:39:10	5.6229	842.33
2825	0	5:40:15	5.6409	842.36
2834	0	5:41:19	5.6589	842.39
2843	0	5:42:24	5.6769	842.42
2852	0	5:43:29	5.6949	842.45
2861	0	5:44:34	5.7129	842.48
2870	0	5:45:38	5.7309	842.51

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST#1
Field: TKT #22008

[Thursday: May. 23, 1996]
Page 7

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
2879	0	5:46:43	5.7488	842.54
2888	0	5:47:48	5.7668	842.57
2897	0	5:48:53	5.7848	842.60
2906	0	5:49:57	5.8028	843.55
2915	0	5:51: 2	5.8208	843.58
2924	0	5:52: 7	5.8387	843.61
2933	0	5:53:12	5.8567	844.57
2942	0	5:54:16	5.8747	844.60
2951	0	5:55:21	5.8927	844.63
2960	0	5:56:26	5.9107	844.66
2969	0	5:57:31	5.9287	844.69
2978	0	5:58:35	5.9467	844.72
2987	0	5:59:40	5.9646	844.75
2996	0	6: 0:45	5.9826	844.78
3005	0	6: 1:50	6.0006	844.81
3014	0	6: 2:54	6.0186	844.84
3023	0	6: 3:59	6.0366	844.87
3032	0	6: 5: 4	6.0546	844.90
3041	0	6: 6: 9	6.0725	844.93
3050	0	6: 7:13	6.0905	844.96
3059	0	6: 8:18	6.1085	844.99
3068	0	6: 9:23	6.1265	845.01
3077	0	6:10:28	6.1445	845.04
3086	0	6:11:32	6.1625	845.07
3095	0	6:12:37	6.1805	845.10
3104	0	6:13:42	6.1984	845.13
3113	0	6:14:47	6.2164	845.16
3122	0	6:15:51	6.2344	846.12
3131	0	6:16:56	6.2524	846.15
3140	0	6:18: 1	6.2704	847.10
3149	0	6:19: 5	6.2884	847.13
3158	0	6:20:10	6.3063	847.16
3167	0	6:21:15	6.3243	847.19
3176	0	6:22:20	6.3423	847.22
3185	0	6:23:24	6.3603	848.18
3194	0	6:24:29	6.3783	848.21
3203	0	6:25:34	6.3963	848.24
3212	0	6:26:39	6.4142	848.27
3221	0	6:27:43	6.4322	848.30
3230	0	6:28:48	6.4502	848.33
3239	0	6:29:53	6.4682	848.36

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST#1
Field: TKT #22008

[Thursday: May. 23, 1996]
Page 1

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
START SHUTIN 1				
1	0	0: 0: 0	0.0000	678.43
3	0	0: 1:11	0.0198	697.89
5	0	0: 2:23	0.0397	713.65
7	0	0: 3:34	0.0596	726.63
9	0	0: 4:46	0.0795	735.92
11	0	0: 5:58	0.0994	744.28
13	0	0: 7:10	0.1194	749.86
15	0	0: 8:21	0.1393	757.30
17	0	0: 9:33	0.1592	762.88
19	0	0:10:45	0.1792	768.46
21	0	0:11:57	0.1991	772.20
23	0	0:13: 9	0.2191	775.93
25	0	0:14:20	0.2390	780.59
27	0	0:15:32	0.2590	783.40
29	0	0:16:44	0.2789	786.21
31	0	0:17:56	0.2989	789.94
33	0	0:19: 8	0.3189	791.83
35	0	0:20:20	0.3388	793.71
37	0	0:21:32	0.3588	796.52
39	0	0:22:44	0.3788	798.40
41	0	0:23:55	0.3987	800.28
43	0	0:25: 7	0.4187	802.17
45	0	0:26:19	0.4387	804.05
47	0	0:27:31	0.4586	805.01
49	0	0:28:43	0.4786	806.89
51	0	0:29:55	0.4986	807.85
53	0	0:31: 7	0.5186	809.73
55	0	0:32:19	0.5385	810.69
57	0	0:33:31	0.5585	811.65
59	0	0:34:43	0.5785	813.53
61	0	0:35:54	0.5985	814.49
63	0	0:37: 6	0.6184	815.45
65	0	0:38:18	0.6384	816.41
67	0	0:39:30	0.6584	816.44
69	0	0:40:42	0.6784	817.40
71	0	0:41:54	0.6983	818.36
73	0	0:43: 6	0.7183	819.32
75	0	0:44:18	0.7383	820.27
77	0	0:45:30	0.7583	821.23
79	0	0:46:42	0.7782	822.19
81	0	0:47:54	0.7982	822.22
83	0	0:49: 6	0.8182	823.18
85	0	0:50:17	0.8382	824.14
87	0	0:51:29	0.8582	825.10
89	0	0:52:41	0.8781	825.13
91	0	0:53:53	0.8981	825.17
93	0	0:55: 5	0.9181	826.12
95	0	0:56:17	0.9381	827.08

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST#1
Field: TKT #22008

[Thursday: May. 23, 1996]
Page 1

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
		START SHUTIN 2		
1	0	0: 0: 0	0.0000	401.40
3	0	0: 1: 7	0.0186	585.54
5	0	0: 2:18	0.0382	623.51
7	0	0: 3:29	0.0580	647.59
9	0	0: 4:40	0.0779	668.90
11	0	0: 5:52	0.0978	681.89
13	0	0: 7: 3	0.1176	694.88
15	0	0: 8:15	0.1375	704.16
17	0	0: 9:27	0.1575	711.59
19	0	0:10:39	0.1774	719.03
21	0	0:11:50	0.1973	726.46
23	0	0:13: 2	0.2173	732.05
25	0	0:14:14	0.2372	738.56
27	0	0:15:26	0.2571	743.21
29	0	0:16:38	0.2771	747.87
31	0	0:17:49	0.2970	751.61
33	0	0:19: 1	0.3170	754.42
35	0	0:20:13	0.3370	757.22
37	0	0:21:25	0.3569	760.96
39	0	0:22:37	0.3769	762.84
41	0	0:23:49	0.3968	765.65
43	0	0:25: 1	0.4168	768.46
45	0	0:26:12	0.4368	771.27
47	0	0:27:24	0.4567	774.08
49	0	0:28:36	0.4767	775.03
51	0	0:29:48	0.4967	775.99
53	0	0:31: 0	0.5167	777.88
55	0	0:32:12	0.5366	779.76
57	0	0:33:24	0.5566	779.79
59	0	0:34:36	0.5766	781.68
61	0	0:35:48	0.5965	783.56
63	0	0:36:59	0.6165	784.52
65	0	0:38:11	0.6365	785.48
67	0	0:39:23	0.6565	788.28
69	0	0:40:35	0.6764	789.24
71	0	0:41:47	0.6964	790.20
73	0	0:42:59	0.7164	791.16
75	0	0:44:11	0.7364	791.19
77	0	0:45:23	0.7563	793.08
79	0	0:46:35	0.7763	794.96
81	0	0:47:47	0.7963	795.92
83	0	0:48:59	0.8163	795.95
85	0	0:50:11	0.8363	796.91
87	0	0:51:22	0.8562	797.87
89	0	0:52:34	0.8762	798.82
91	0	0:53:46	0.8962	799.78
93	0	0:54:58	0.9161	800.74
95	0	0:56:10	0.9361	800.77
97	0	0:57:22	0.9561	801.73
99	0	0:58:34	0.9761	802.69
101	0	0:59:46	0.9961	803.65
103	0	1: 0:58	1.0160	804.61
105	0	1: 2:10	1.0360	804.64
107	0	1: 3:22	1.0560	805.60

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST#1
Field: TKT #22008

[Thursday: May. 23, 1996]
Page 2

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
109	0	1: 4:34	1.0760	805.63
111	0	1: 5:45	1.0960	806.59
113	0	1: 6:57	1.1159	806.62
115	0	1: 8: 9	1.1359	806.66
117	0	1: 9:21	1.1559	807.61
119	0	1:10:33	1.1759	807.65
121	0	1:11:45	1.1959	808.61
123	0	1:12:57	1.2158	808.64
125	0	1:14: 9	1.2358	809.60
127	0	1:15:21	1.2558	809.63
129	0	1:16:33	1.2758	810.59
131	0	1:17:45	1.2958	810.62
133	0	1:18:57	1.3157	811.58
135	0	1:20: 9	1.3357	811.61
137	0	1:21:21	1.3557	810.72
139	0	1:22:32	1.3757	810.75
141	0	1:23:44	1.3957	813.56
143	0	1:24:56	1.4156	814.52
145	0	1:26: 8	1.4356	814.55
147	0	1:27:20	1.4556	816.44
149	0	1:28:32	1.4756	817.40
151	0	1:29:44	1.4955	817.43
153	0	1:30:56	1.5155	818.39
155	0	1:32: 8	1.5355	818.42
157	0	1:33:20	1.5555	819.38
159	0	1:34:32	1.5754	820.34
161	0	1:35:44	1.5954	820.37
163	0	1:36:55	1.6154	821.33
165	0	1:38: 7	1.6354	821.36
167	0	1:39:19	1.6554	821.39
169	0	1:40:31	1.6753	822.35
171	0	1:41:43	1.6953	822.39
173	0	1:42:55	1.7153	824.27
175	0	1:44: 7	1.7353	825.23
177	0	1:45:19	1.7553	825.26
179	0	1:46:31	1.7752	826.22
181	0	1:47:43	1.7952	827.18
183	0	1:48:55	1.8152	827.21
185	0	1:50: 7	1.8352	827.24
187	0	1:51:19	1.8552	827.28
189	0	1:52:31	1.8751	828.23
191	0	1:53:42	1.8951	828.27
193	0	1:54:54	1.9151	829.23
195	0	1:56: 6	1.9351	829.26
197	0	1:57:18	1.9551	829.29
199	0	1:58:30	1.9750	829.33
201	0	1:59:42	1.9950	829.36
203	0	2: 0:54	2.0150	830.32
205	0	2: 2: 6	2.0350	831.27
207	0	2: 3:18	2.0550	832.23
209	0	2: 4:30	2.0749	832.27
211	0	2: 5:42	2.0949	832.30
213	0	2: 6:54	2.1149	833.26
215	0	2: 8: 6	2.1349	833.29
217	0	2: 9:18	2.1549	833.32

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST#1
Field: TKT #22008

[Thursday: May. 23, 1996]
Page 3

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
219	0	2:10:29	2.1749	833.36
221	0	2:11:41	2.1948	833.39
223	0	2:12:53	2.2148	834.35
225	0	2:14: 5	2.2348	834.38
227	0	2:15:17	2.2548	834.41
229	0	2:16:29	2.2748	834.45
231	0	2:17:41	2.2947	834.48
233	0	2:18:53	2.3147	834.51
235	0	2:20: 5	2.3347	834.55
237	0	2:21:17	2.3547	834.58
239	0	2:22:29	2.3747	834.61
241	0	2:23:41	2.3947	835.57
243	0	2:24:53	2.4146	835.60
245	0	2:26: 5	2.4346	835.64
247	0	2:27:17	2.4546	836.60
249	0	2:28:28	2.4746	836.63
251	0	2:29:40	2.4946	836.66
253	0	2:30:52	2.5145	836.69
255	0	2:32: 4	2.5345	836.73
257	0	2:33:16	2.5545	836.76
259	0	2:34:28	2.5745	837.72
261	0	2:35:40	2.5945	837.75
263	0	2:36:52	2.6145	837.79
265	0	2:38: 4	2.6344	837.82
267	0	2:39:16	2.6544	837.85
269	0	2:40:28	2.6744	837.88
271	0	2:41:40	2.6944	837.92
273	0	2:42:52	2.7144	837.95
275	0	2:44: 4	2.7343	838.91
277	0	2:45:16	2.7543	838.94
279	0	2:46:28	2.7743	838.98
281	0	2:47:39	2.7943	839.01
283	0	2:48:51	2.8143	839.04
285	0	2:50: 3	2.8343	839.07
287	0	2:51:15	2.8542	839.11
289	0	2:52:27	2.8742	840.07
291	0	2:53:39	2.8942	840.10
293	0	2:54:51	2.9142	840.13
295	0	2:56: 3	2.9342	840.17
297	0	2:57:15	2.9542	840.20
299	0	2:58:27	2.9741	840.23
301	0	2:59:39	2.9941	841.19
303	0	3: 0:51	3.0141	841.22
305	0	3: 2: 3	3.0341	842.18
307	0	3: 3:15	3.0541	842.21
309	0	3: 4:27	3.0740	842.25
311	0	3: 5:39	3.0940	842.28
313	0	3: 6:50	3.1140	842.31
315	0	3: 8: 2	3.1340	842.35
317	0	3: 9:14	3.1540	842.38
319	0	3:10:26	3.1740	842.41
321	0	3:11:38	3.1939	842.45
323	0	3:12:50	3.2139	842.48
325	0	3:14: 2	3.2339	842.51
327	0	3:15:14	3.2539	842.55


WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP:
Well: ROTH #3 DST#1
Field: TKT #22008


[Thursday: May. 23, 1996]
Page 4

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
329	0	3:16:26	3.2739	842.58
331	0	3:17:38	3.2939	842.61
333	0	3:18:50	3.3138	843.57
335	0	3:20: 2	3.3338	843.60
337	0	3:21:14	3.3538	843.64
339	0	3:22:26	3.3738	844.59
341	0	3:23:38	3.3938	844.63
343	0	3:24:49	3.4137	844.66
345	0	3:26: 1	3.4337	844.69
347	0	3:27:13	3.4537	844.73
349	0	3:28:25	3.4737	844.76
351	0	3:29:37	3.4937	844.79
353	0	3:30:49	3.5137	844.83
355	0	3:32: 1	3.5336	844.86
357	0	3:33:13	3.5536	844.89
359	0	3:34:25	3.5736	844.93
361	0	3:35:37	3.5936	844.96
363	0	3:36:49	3.6136	844.99
365	0	3:38: 1	3.6336	845.02
367	0	3:39:13	3.6535	845.06
369	0	3:40:25	3.6735	845.09
371	0	3:41:37	3.6935	845.12
373	0	3:42:49	3.7135	845.16
375	0	3:44: 0	3.7335	846.12
377	0	3:45:12	3.7534	846.15
379	0	3:46:24	3.7734	847.11
381	0	3:47:36	3.7934	847.14
383	0	3:48:48	3.8134	847.17
385	0	3:50: 0	3.8334	847.21
387	0	3:51:12	3.8534	847.24
389	0	3:52:24	3.8733	848.20
391	0	3:53:36	3.8933	848.23
393	0	3:54:48	3.9133	848.26
395	0	3:56: 0	3.9333	848.30
397	0	3:57:12	3.9533	848.33
399	0	3:58:24	3.9732	848.36

WESTERN TESTING CO., INC.



Inside Recorder



Outside Recorder

DST REPORT

GENERAL INFORMATION

DATE : 5/25/96
CUSTOMER : WOOLSEY PETROLEUM CORP
WELL : #3 TEST: 2
ELEVATION: 1792 KB
SECTION : 36
RANGE : 14W COUNTY: BARBER
GAUGE SN#: 11018 RANGE : 4425
TICKET : 22009
LEASE : ROTH
GEOLOGIST: HANSEN
FORMATION: INDIAN CAVES
TOWNSHIP : 33S
STATE : KS
CLOCK : 12

WELL INFORMATION

PERFORATION INTERVAL FROM: 2998.00 ft TO: 3081.00 ft TVD: 3081.0 ft
DEPTH OF SELECTIVE ZONE: TEST TYPE: OIL
DEPTH OF RECORDERS: 2001.0 ft 3070.0 ft
TEMPERATURE: 110.0
DRILL COLLAR LENGTH: 0.0 ft I.D.: 0.000 in
WEIGHT PIPE LENGTH : 0.0 ft I.D.: 0.000 in
DRILL PIPE LENGTH : 3055.0 ft I.D.: 3.800 in
TEST TOOL LENGTH : 26.0 ft TOOL SIZE : 5.500 in
ANCHOR LENGTH : 83.0 ft ANCHOR SIZE: 5.500 in
SURFACE CHOKE SIZE : 0.750 in BOTTOM CHOKE SIZE: 0.750 in
MAIN HOLE SIZE : 7.875 in TOOL JOINT SIZE : 4.5XH
PACKER DEPTH: 2993.0 ft SIZE: 6.630 in
PACKER DEPTH: 2998.0 ft SIZE: 6.630 in
PACKER DEPTH: 0.0 ft SIZE: 0.000 in
PACKER DEPTH: 0.0 ft SIZE: 0.000 in

MUD INFORMATION

DRILLING CON. : DUKE DRLG RIG 5
MUD TYPE : CHEMICAL VISCOSITY : 40.00 cp
WEIGHT : 9.100 ppg WATER LOSS: 8.000 cc
CHLORIDES : 22000 ppm
JARS-MAKE : WTC SERIAL NUMBER: 12369
DID WELL FLOW?: NO REVERSED OUT?: YES

COMMENTS

Comment

INITIAL FLOW PERIOD STRONG BLOW - OFF BOTTOM OF
BUCKET IN 1 MINUTE. FINAL FLOW PERIOD STRONG
BLOW - OFF BOTTOM OF BUCKET IN 1 MINUTE - DECREAS-

DST REPORT (CONTINUED)

COMMENTS (CONTINUED)

Comment

ING TO 6 INCHES BY END.

FLUID RECOVERY

Feet of Fluid	% Oil	% Gas	% Water	% Mud	Comments
2400.0	0.0	0.0	100.0	0.0	WATER (SLIGHTLY GASSY)

RATE INFORMATION

OIL VOLUME:	0.0000 STB	TOTAL FLOW TIME:	90.0000 min.
GAS VOLUME:	0.0000 SCF	AVERAGE OIL RATE:	0.0000 STB/D
MUD VOLUME:	0.0000 STB	AVERAGE WATER RATE:	538.6120 STB/D
WATER VOLUME:	33.6633 STB		
TOTAL FLUID :	33.6633 STB		

FIELD TIME & PRESSURE INFORMATION

INITIAL HYDROSTATIC PRESSURE: 1493.00

Description	Duration	p1	p End
INITIAL FLOW	30.00	390.00	756.00
INITIAL SHUT-IN	60.00		1174.00
FINAL FLOW	60.00	891.00	1145.00
FINAL SHUT-IN	240.00		1229.00

FINAL HYDROSTATIC PRESSURE: 1438.00

DST REPORT (CONTINUED)

OFFICE TIME & PRESSURE INFORMATION

INITIAL HYDROSTATIC PRESSURE: 1493.00

Description	Duration	p1	p End
INITIAL FLOW	30.00	426.75	663.63
INITIAL SHUT-IN	60.00		1209.74
FINAL FLOW	60.00	936.97	1186.86
FINAL SHUT-IN	240.00		1247.63

FINAL HYDROSTATIC PRESSURE: 1438.00

Company: WOOLSEY PETROLEUM CORP.
 Well: ROTH # 3 DST #2
 Field: TKT #22009

[Saturday: May. 25, 1996]
 Page 1

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)

START FLOW 1				
1	0	0: 1: 1	0.0000	426.75
10	0	0: 2: 6	0.0180	427.73
19	0	0: 3:11	0.0360	426.87
28	0	0: 4:15	0.0539	429.71
37	0	0: 5:20	0.0718	435.32
46	0	0: 6:24	0.0895	451.11
55	0	0: 7:27	0.1072	472.44
64	0	0: 8:31	0.1248	495.63
73	0	0: 9:34	0.1425	514.20
82	0	0:10:38	0.1602	534.61
91	0	0:11:42	0.1778	555.95
100	0	0:12:45	0.1955	572.66
109	0	0:13:49	0.2132	594.93
118	0	0:14:52	0.2309	614.41
127	0	0:15:56	0.2486	630.20
136	0	0:17: 0	0.2663	647.84
145	0	0:18: 4	0.2840	663.63
END FLOW 1				
START SHUTIN 1				
149	0	0:18:32	0.2919	671.98
154	0	0:19: 8	0.3017	682.19
163	0	0:20:12	0.3195	696.13
172	0	0:21:15	0.3372	712.84
181	0	0:22:19	0.3550	727.70
190	0	0:23:23	0.3727	744.42
199	0	0:24:27	0.3904	760.20
208	0	0:25:31	0.4082	774.14
217	0	0:26:35	0.4260	787.16
228	0	0:27:40	0.4441	1031.68
237	0	0:28:42	0.4614	1075.18
246	0	0:29:46	0.4791	1095.15
255	0	0:30:50	0.4968	1108.79
264	0	0:31:54	0.5146	1122.42
273	0	0:32:58	0.5324	1129.72
282	0	0:34: 3	0.5503	1137.02
291	0	0:35: 7	0.5682	1144.32
300	0	0:36:11	0.5861	1149.81
309	0	0:37:16	0.6040	1153.49
318	0	0:38:20	0.6219	1158.98
327	0	0:39:25	0.6398	1162.66
336	0	0:40:29	0.6578	1165.43
345	0	0:41:34	0.6757	1168.21
354	0	0:42:38	0.6936	1171.89
363	0	0:43:43	0.7116	1174.66
372	0	0:44:48	0.7295	1176.53
381	0	0:45:52	0.7475	1179.31
390	0	0:46:57	0.7654	1181.18
399	0	0:48: 2	0.7834	1183.05
408	0	0:49: 6	0.8014	1184.01
417	0	0:50:11	0.8193	1185.88
426	0	0:51:16	0.8373	1187.75
435	0	0:52:20	0.8552	1188.71
444	0	0:53:25	0.8732	1189.68
453	0	0:54:30	0.8912	1190.64

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH # 3 DST #2
Field: TKT #22009

[Saturday: May. 25, 1996]
Page 2

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
462	0	0:55:34	0.9091	1192.51
471	0	0:56:39	0.9271	1193.48
480	0	0:57:44	0.9451	1194.44
489	0	0:58:48	0.9630	1195.40
498	0	0:59:53	0.9810	1196.37
507	0	1: 0:58	0.9990	1197.33
516	0	1: 2: 2	1.0170	1198.30
525	0	1: 3: 7	1.0349	1199.26
534	0	1: 4:12	1.0529	1199.32
543	0	1: 5:17	1.0709	1201.19
552	0	1: 6:21	1.0888	1202.15
561	0	1: 7:26	1.1068	1203.12
570	0	1: 8:31	1.1248	1203.18
579	0	1: 9:35	1.1428	1203.24
588	0	1:10:40	1.1608	1203.30
597	0	1:11:45	1.1787	1203.36
606	0	1:12:50	1.1967	1204.32
615	0	1:13:54	1.2147	1205.29
624	0	1:14:59	1.2327	1205.34
633	0	1:16: 4	1.2506	1206.31
642	0	1:17: 8	1.2686	1206.37
651	0	1:18:13	1.2866	1207.33
660	0	1:19:18	1.3046	1207.39
669	0	1:20:23	1.3225	1208.36
678	0	1:21:27	1.3405	1208.42
687	0	1:22:32	1.3585	1208.48
696	0	1:23:37	1.3765	1208.53
705	0	1:24:41	1.3945	1209.50
714	0	1:25:46	1.4124	1209.56
723	0	1:26:51	1.4304	1208.71
732	0	1:27:56	1.4484	1208.77
741	0	1:29: 0	1.4664	1209.74
		END SHUTIN 1		
		START FLOW 2		
757	0	1:31:11	1.5027	936.97
766	0	1:32:16	1.5208	933.33
775	0	1:33:21	1.5388	932.46
784	0	1:34:26	1.5568	932.52
793	0	1:35:30	1.5747	935.36
802	0	1:36:35	1.5927	938.19
811	0	1:37:39	1.6106	941.96
820	0	1:38:44	1.6285	948.49
829	0	1:39:48	1.6463	956.88
838	0	1:40:52	1.6642	965.27
847	0	1:41:57	1.6820	974.58
856	0	1:43: 1	1.6999	982.96
865	0	1:44: 5	1.7177	992.28
874	0	1:45: 9	1.7355	1001.55
883	0	1:46:14	1.7534	1008.85
892	0	1:47:18	1.7713	1017.96
901	0	1:48:22	1.7891	1023.45
910	0	1:49:27	1.8070	1032.56
919	0	1:50:31	1.8249	1038.05
928	0	1:51:35	1.8428	1044.45

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
 Well: ROTH # 3 DST #2
 Field: TKT #22009

[Saturday: May. 25, 1996]
 Page 3

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
937	0	1:52:40	1.8606	1051.75
946	0	1:53:44	1.8785	1059.05
955	0	1:54:48	1.8964	1064.53
964	0	1:55:53	1.9143	1070.02
973	0	1:56:57	1.9322	1075.51
982	0	1:58: 2	1.9501	1080.10
991	0	1:59: 6	1.9680	1085.59
1000	0	2: 0:11	1.9859	1090.17
1009	0	2: 1:15	2.0038	1094.76
1018	0	2: 2:20	2.0217	1100.25
1027	0	2: 3:24	2.0396	1104.83
1036	0	2: 4:29	2.0575	1109.41
1045	0	2: 5:33	2.0755	1114.00
1054	0	2: 6:38	2.0934	1117.68
1063	0	2: 7:42	2.1113	1121.36
1072	0	2: 8:47	2.1292	1125.04
1081	0	2: 9:51	2.1472	1127.81
1090	0	2:10:56	2.1651	1130.59
1099	0	2:12: 0	2.1830	1134.27
1108	0	2:13: 5	2.2010	1137.04
1117	0	2:14:10	2.2189	1139.81
1126	0	2:15:14	2.2369	1142.59
1135	0	2:16:19	2.2548	1145.36
1144	0	2:17:23	2.2727	1148.14
1153	0	2:18:28	2.2907	1150.91
1162	0	2:19:32	2.3086	1154.59
1171	0	2:20:37	2.3266	1156.46
1180	0	2:21:42	2.3445	1157.43
1189	0	2:22:46	2.3625	1159.29
1198	0	2:23:51	2.3805	1161.16
1207	0	2:24:56	2.3984	1163.94
1216	0	2:26: 0	2.4163	1165.81
1225	0	2:27: 5	2.4343	1168.58
1234	0	2:28: 9	2.4522	1171.36
1243	0	2:29:14	2.4701	1180.47
1252	0	2:30:18	2.4880	1186.86
END FLOW 2				
START SHUTIN 2				
1258	0	2:31: 1	2.4999	1190.52
1261	0	2:31:22	2.5059	1192.35
1270	0	2:32:27	2.5238	1196.03
1279	0	2:33:31	2.5417	1200.61
1288	0	2:34:36	2.5596	1202.48
1297	0	2:35:41	2.5776	1204.35
1306	0	2:36:45	2.5956	1206.22
1315	0	2:37:50	2.6135	1208.09
1324	0	2:38:55	2.6315	1209.96
1333	0	2:39:59	2.6494	1210.93
1342	0	2:41: 4	2.6674	1211.89
1351	0	2:42: 9	2.6854	1212.85
1360	0	2:43:13	2.7033	1213.82
1369	0	2:44:18	2.7213	1215.69
1378	0	2:45:23	2.7393	1216.65
1387	0	2:46:27	2.7572	1217.62
1396	0	2:47:32	2.7752	1217.68

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH # 3 DST #2
Field: TKT #22009

[Saturday: May. 25, 1996]
Page 4

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
1405	0	2:48:37	2.7932	1217.74
1414	0	2:49:42	2.8112	1217.79
1423	0	2:50:46	2.8292	1218.76
1432	0	2:51:51	2.8472	1218.82
1441	0	2:52:56	2.8651	1219.78
1450	0	2:54: 1	2.8831	1219.84
1459	0	2:55: 5	2.9011	1219.90
1468	0	2:56:10	2.9191	1219.96
1477	0	2:57:15	2.9371	1220.02
1486	0	2:58:20	2.9550	1220.08
1495	0	2:59:24	2.9730	1220.14
1504	0	3: 0:29	2.9910	1221.10
1513	0	3: 1:34	3.0090	1221.16
1522	0	3: 2:38	3.0270	1221.22
1531	0	3: 3:43	3.0450	1221.28
1540	0	3: 4:48	3.0629	1221.34
1549	0	3: 5:53	3.0809	1222.30
1558	0	3: 6:57	3.0989	1222.36
1567	0	3: 8: 2	3.1169	1222.42
1576	0	3: 9: 7	3.1348	1223.39
1585	0	3:10:11	3.1528	1224.35
1594	0	3:11:16	3.1708	1224.41
1603	0	3:12:21	3.1888	1224.47
1612	0	3:13:26	3.2068	1224.53
1621	0	3:14:30	3.2248	1224.59
1630	0	3:15:35	3.2427	1224.65
1639	0	3:16:40	3.2607	1224.71
1648	0	3:17:45	3.2787	1225.67
1657	0	3:18:49	3.2967	1225.73
1666	0	3:19:54	3.3147	1225.79
1675	0	3:20:59	3.3326	1225.85
1684	0	3:22: 4	3.3506	1226.82
1693	0	3:23: 8	3.3686	1226.87
1702	0	3:24:13	3.3866	1226.93
1711	0	3:25:18	3.4046	1226.99
1720	0	3:26:23	3.4225	1227.05
1729	0	3:27:27	3.4405	1227.11
1738	0	3:28:32	3.4585	1227.17
1747	0	3:29:37	3.4765	1227.23
1756	0	3:30:42	3.4945	1228.20
1765	0	3:31:46	3.5125	1228.25
1774	0	3:32:51	3.5304	1229.22
1783	0	3:33:56	3.5484	1229.28
1792	0	3:35: 0	3.5664	1228.43
1801	0	3:36: 5	3.5844	1229.40
1810	0	3:37:10	3.6024	1229.46
1819	0	3:38:15	3.6203	1229.52
1828	0	3:39:19	3.6383	1229.57
1837	0	3:40:24	3.6563	1229.63
1846	0	3:41:29	3.6743	1229.69
1855	0	3:42:34	3.6923	1228.85
1864	0	3:43:38	3.7103	1229.81
1873	0	3:44:43	3.7283	1228.97
1882	0	3:45:48	3.7462	1229.93
1891	0	3:46:53	3.7642	1229.99

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH # 3 DST #2
Field: TKT #22009

[Saturday: May. 25, 1996]
Page 5

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
1900	0	3:47:57	3.7822	1230.05
1909	0	3:49: 2	3.8002	1230.11
1918	0	3:50: 7	3.8182	1231.07
1927	0	3:51:12	3.8361	1231.13
1936	0	3:52:16	3.8541	1232.10
1945	0	3:53:21	3.8721	1231.25
1954	0	3:54:26	3.8901	1232.22
1963	0	3:55:30	3.9081	1232.28
1972	0	3:56:35	3.9261	1232.33
1981	0	3:57:40	3.9441	1231.49
1990	0	3:58:45	3.9620	1232.45
1999	0	3:59:49	3.9800	1232.51
2008	0	4: 0:54	3.9980	1232.57
2017	0	4: 1:59	4.0160	1233.54
2026	0	4: 3: 4	4.0339	1234.50
2035	0	4: 4: 8	4.0519	1234.56
2044	0	4: 5:13	4.0699	1234.62
2053	0	4: 6:18	4.0879	1235.58
2062	0	4: 7:22	4.1059	1235.64
2071	0	4: 8:27	4.1239	1235.70
2080	0	4: 9:32	4.1418	1236.67
2089	0	4:10:37	4.1598	1237.63
2098	0	4:11:41	4.1778	1237.69
2107	0	4:12:46	4.1958	1237.75
2116	0	4:13:51	4.2137	1237.81
2125	0	4:14:56	4.2317	1237.87
2134	0	4:16: 0	4.2497	1238.83
2143	0	4:17: 5	4.2677	1238.89
2152	0	4:18:10	4.2857	1238.95
2161	0	4:19:15	4.3037	1239.01
2170	0	4:20:19	4.3216	1239.07
2179	0	4:21:24	4.3396	1239.13
2188	0	4:22:29	4.3576	1239.19
2197	0	4:23:34	4.3756	1239.25
2206	0	4:24:38	4.3936	1239.31
2215	0	4:25:43	4.4116	1239.37
2224	0	4:26:48	4.4295	1239.43
2233	0	4:27:52	4.4475	1239.49
2242	0	4:28:57	4.4655	1239.55
2251	0	4:30: 2	4.4835	1239.60
2260	0	4:31: 7	4.5015	1239.66
2269	0	4:32:11	4.5195	1239.72
2278	0	4:33:16	4.5375	1239.78
2287	0	4:34:21	4.5554	1239.84
2296	0	4:35:26	4.5734	1239.90
2305	0	4:36:30	4.5914	1239.96
2314	0	4:37:35	4.6094	1240.02
2323	0	4:38:40	4.6274	1240.08
2332	0	4:39:45	4.6453	1240.14
2341	0	4:40:49	4.6633	1240.20
2350	0	4:41:54	4.6813	1240.26
2359	0	4:42:59	4.6993	1240.32
2368	0	4:44: 4	4.7173	1240.38
2377	0	4:45: 8	4.7353	1240.44
2386	0	4:46:13	4.7533	1240.49

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH # 3 DST #2
Field: TKT #22009

[Saturday: May. 25, 1996]
Page 6

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
2394	0	4:48:44	4.7952	1240.63
2403	0	4:49:49	4.8132	1240.69
2412	0	4:50:54	4.8312	1240.75
2421	0	4:51:58	4.8492	1240.81
2430	0	4:53: 3	4.8672	1240.87
2439	0	4:54: 8	4.8852	1240.93
2448	0	4:55:13	4.9031	1240.99
2457	0	4:56:17	4.9211	1241.05
2466	0	4:57:22	4.9391	1241.11
2475	0	4:58:27	4.9571	1241.17
2481	0	4:59:53	4.9811	1241.25
2490	0	5: 0:58	4.9991	1241.31
2499	0	5: 2: 3	5.0170	1241.37
2508	0	5: 3: 7	5.0350	1241.42
2517	0	5: 4:12	5.0530	1241.48
2526	0	5: 5:17	5.0710	1241.54
2535	0	5: 6:22	5.0890	1241.60
2544	0	5: 7:26	5.1070	1241.66
2553	0	5: 8:31	5.1249	1241.72
2562	0	5: 9:36	5.1429	1241.78
2571	0	5:10:41	5.1609	1241.84
2580	0	5:11:45	5.1789	1241.90
2589	0	5:12:50	5.1969	1241.96
2598	0	5:13:55	5.2149	1242.02
2607	0	5:15: 0	5.2329	1242.08
2616	0	5:16: 4	5.2508	1242.14
2625	0	5:17: 9	5.2688	1242.20
2634	0	5:18:14	5.2868	1242.26
2643	0	5:19:19	5.3048	1242.31
2652	0	5:20:23	5.3228	1242.37
2661	0	5:21:28	5.3408	1242.43
2670	0	5:22:33	5.3587	1242.49
2679	0	5:23:38	5.3767	1242.55
2688	0	5:24:42	5.3947	1242.61
2697	0	5:25:47	5.4127	1242.67
2706	0	5:26:52	5.4307	1242.73
2715	0	5:27:57	5.4487	1242.79
2724	0	5:29: 1	5.4667	1242.85
2733	0	5:30: 6	5.4846	1242.91
2742	0	5:31:11	5.5026	1242.97
2751	0	5:32:16	5.5206	1243.03
2760	0	5:33:20	5.5386	1243.09
2769	0	5:34:25	5.5566	1243.15
2778	0	5:35:30	5.5746	1243.21
2787	0	5:36:35	5.5925	1243.26
2796	0	5:37:39	5.6105	1243.32
2805	0	5:38:44	5.6285	1243.38
2814	0	5:39:49	5.6465	1243.44
2823	0	5:40:54	5.6645	1243.50
2832	0	5:41:58	5.6825	1243.56
2841	0	5:43: 3	5.7005	1243.62
2850	0	5:44: 8	5.7184	1243.68
2859	0	5:45:12	5.7364	1243.74
2868	0	5:46:17	5.7544	1243.80
2877	0	5:47:22	5.7724	1243.86

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH # 3 DST #2
Field: TKT #22009

[Saturday: May. 25, 1996]
Page 7

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
2886	0	5:48:27	5.7904	1243.92
2895	0	5:49:31	5.8084	1243.98
2904	0	5:50:36	5.8263	1244.04
2913	0	5:51:41	5.8443	1244.10
2922	0	5:52:46	5.8623	1244.15
2931	0	5:53:50	5.8803	1244.21
2940	0	5:54:55	5.8983	1244.27
2949	0	5:56: 0	5.9163	1244.33
2958	0	5:57: 5	5.9343	1244.39
2967	0	5:58: 9	5.9522	1244.45
2976	0	5:59:14	5.9702	1244.51
2985	0	6: 0:19	5.9882	1244.57
2994	0	6: 1:24	6.0062	1244.63
3003	0	6: 2:28	6.0241	1246.50
3012	0	6: 3:33	6.0421	1246.56
3021	0	6: 4:38	6.0601	1246.62
3030	0	6: 5:43	6.0781	1246.68
3039	0	6: 6:47	6.0961	1246.74
3048	0	6: 7:52	6.1141	1245.89
3057	0	6: 8:57	6.1321	1245.95
3066	0	6:10: 1	6.1500	1246.91
3075	0	6:11: 6	6.1680	1246.97
3084	0	6:12:11	6.1860	1246.13
3093	0	6:13:16	6.2040	1247.09
3102	0	6:14:20	6.2220	1247.15
3111	0	6:15:25	6.2400	1246.31
3120	0	6:16:30	6.2579	1247.27
3129	0	6:17:35	6.2759	1246.42
3138	0	6:18:39	6.2939	1246.48
3147	0	6:19:44	6.3119	1247.45
3156	0	6:20:49	6.3299	1247.51
3165	0	6:21:54	6.3479	1247.57
3174	0	6:22:58	6.3659	1247.63

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH # 3 DST #2
Field: TKT #22009

[Saturday: May. 25, 1996]
Page 1

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
1258	0	2:31: 1	2.5169	1190.52
1267	0	2:32: 5	2.5348	1195.10
1276	0	2:33:10	2.5528	1199.69
1285	0	2:34:15	2.5707	1201.56
1294	0	2:35:19	2.5886	1204.33
1303	0	2:36:24	2.6066	1205.30
1312	0	2:37:28	2.6246	1207.17
1321	0	2:38:33	2.6425	1209.94
1330	0	2:39:38	2.6605	1210.00
1339	0	2:40:42	2.6785	1210.96
1348	0	2:41:47	2.6964	1211.93
1357	0	2:42:52	2.7144	1213.80
1366	0	2:43:57	2.7324	1214.76
1375	0	2:45: 1	2.7503	1216.63
1384	0	2:46: 6	2.7683	1217.60
1393	0	2:47:11	2.7863	1216.75
1402	0	2:48:15	2.8043	1217.72
1411	0	2:49:20	2.8222	1217.77
1420	0	2:50:25	2.8402	1218.74
1429	0	2:51:30	2.8582	1218.80
1438	0	2:52:34	2.8762	1219.76
1447	0	2:53:39	2.8942	1219.82
1456	0	2:54:44	2.9121	1219.88
1465	0	2:55:48	2.9301	1219.94
1474	0	2:56:53	2.9481	1220.00
1483	0	2:57:58	2.9661	1220.06
1492	0	2:59: 3	2.9841	1220.12
1501	0	3: 0: 7	3.0020	1221.08
1510	0	3: 1:12	3.0200	1221.14
1519	0	3: 2:17	3.0380	1221.20
1528	0	3: 3:22	3.0560	1221.26
1537	0	3: 4:26	3.0740	1221.32
1546	0	3: 5:31	3.0920	1222.29
1555	0	3: 6:36	3.1099	1223.25
1564	0	3: 7:41	3.1279	1222.40
1573	0	3: 8:45	3.1459	1222.46
1582	0	3: 9:50	3.1639	1224.33
1591	0	3:10:55	3.1818	1224.39
1600	0	3:11:59	3.1998	1224.45
1609	0	3:13: 4	3.2178	1224.51
1618	0	3:14: 9	3.2358	1224.57
1627	0	3:15:14	3.2538	1224.63
1636	0	3:16:18	3.2718	1224.69
1645	0	3:17:23	3.2897	1225.65
1654	0	3:18:28	3.3077	1225.71
1663	0	3:19:33	3.3257	1225.77
1672	0	3:20:37	3.3437	1225.83
1681	0	3:21:42	3.3617	1226.80
1690	0	3:22:47	3.3797	1226.85
1699	0	3:23:52	3.3976	1226.91
1708	0	3:24:56	3.4156	1226.97
1717	0	3:26: 1	3.4336	1227.03
1726	0	3:27: 6	3.4516	1227.09
1735	0	3:28:10	3.4696	1227.15
1744	0	3:29:15	3.4876	1227.21

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH # 3 DST #2
Field: TKT #22009

[Saturday: May. 25, 1996]
Page 2

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
1753	0	3:30:20	3.5055	1228.18
1762	0	3:31:25	3.5235	1228.23
1771	0	3:32:29	3.5415	1229.20
1780	0	3:33:34	3.5595	1229.26
1789	0	3:34:39	3.5775	1228.41
1798	0	3:35:44	3.5954	1229.38
1807	0	3:36:48	3.6134	1228.53
1816	0	3:37:53	3.6314	1229.50
1825	0	3:38:58	3.6494	1229.56
1834	0	3:40: 3	3.6674	1229.61
1843	0	3:41: 7	3.6854	1229.67
1852	0	3:42:12	3.7034	1229.73
1861	0	3:43:17	3.7213	1229.79
1870	0	3:44:22	3.7393	1228.95
1879	0	3:45:26	3.7573	1229.91
1888	0	3:46:31	3.7753	1229.97
1897	0	3:47:36	3.7933	1230.03
1906	0	3:48:40	3.8112	1230.09
1915	0	3:49:45	3.8292	1230.15
1924	0	3:50:50	3.8472	1231.11
1933	0	3:51:55	3.8652	1231.17
1942	0	3:52:59	3.8832	1232.14
1951	0	3:54: 4	3.9011	1232.20
1960	0	3:55: 9	3.9191	1232.26
1969	0	3:56:14	3.9371	1231.41
1978	0	3:57:18	3.9551	1232.37
1987	0	3:58:23	3.9731	1232.43
1996	0	3:59:28	3.9911	1232.49
2005	0	4: 0:33	4.0090	1232.55
2014	0	4: 1:37	4.0270	1233.52
2023	0	4: 2:42	4.0450	1234.48
2032	0	4: 3:47	4.0630	1234.54
2041	0	4: 4:51	4.0810	1234.60
2050	0	4: 5:56	4.0989	1234.66
2059	0	4: 7: 1	4.1169	1235.62
2068	0	4: 8: 6	4.1349	1235.68
2077	0	4: 9:10	4.1529	1236.65
2086	0	4:10:15	4.1708	1237.61
2095	0	4:11:20	4.1888	1238.58
2104	0	4:12:25	4.2068	1237.73
2113	0	4:13:29	4.2248	1237.79
2122	0	4:14:34	4.2428	1237.85
2131	0	4:15:39	4.2607	1238.81
2140	0	4:16:43	4.2787	1238.87
2149	0	4:17:48	4.2967	1238.93
2158	0	4:18:53	4.3147	1238.99
2167	0	4:19:58	4.3327	1239.05
2176	0	4:21: 2	4.3507	1239.11
2185	0	4:22: 7	4.3687	1239.17
2194	0	4:23:12	4.3866	1239.23
2203	0	4:24:17	4.4046	1239.29
2212	0	4:25:21	4.4226	1239.35
2221	0	4:26:26	4.4406	1239.41
2230	0	4:27:31	4.4586	1239.47
2239	0	4:28:36	4.4766	1239.53

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH # 3 DST #2
Field: TKT #22009

[Saturday: May. 25, 1996]
Page 3

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
2248	0	4:29:40	4.4946	1239.58
2257	0	4:30:45	4.5125	1239.64
2266	0	4:31:50	4.5305	1239.70
2275	0	4:32:55	4.5485	1239.76
2284	0	4:33:59	4.5665	1239.82
2293	0	4:35: 4	4.5845	1239.88
2302	0	4:36: 9	4.6025	1239.94
2311	0	4:37:14	4.6204	1240.00
2320	0	4:38:18	4.6384	1240.06
2329	0	4:39:23	4.6564	1240.12
2338	0	4:40:28	4.6744	1240.18
2347	0	4:41:33	4.6924	1240.24
2356	0	4:42:37	4.7104	1240.30
2365	0	4:43:42	4.7284	1240.36
2374	0	4:44:47	4.7463	1240.42
2383	0	4:45:52	4.7643	1240.48
2392	0	4:46:56	4.7823	1240.53
2394	0	4:48:44	4.8123	1240.63
2403	0	4:49:49	4.8303	1240.69
2412	0	4:50:54	4.8482	1240.75
2421	0	4:51:58	4.8662	1240.81
2430	0	4:53: 3	4.8842	1240.87
2439	0	4:54: 8	4.9022	1240.93
2448	0	4:55:13	4.9202	1240.99
2457	0	4:56:17	4.9382	1241.05
2466	0	4:57:22	4.9562	1241.11
2475	0	4:58:27	4.9741	1241.17
2481	0	4:59:53	4.9981	1241.25
2490	0	5: 0:58	5.0161	1241.31
2499	0	5: 2: 3	5.0341	1241.37
2508	0	5: 3: 7	5.0521	1241.42
2517	0	5: 4:12	5.0700	1241.48
2526	0	5: 5:17	5.0880	1241.54
2535	0	5: 6:22	5.1060	1241.60
2544	0	5: 7:26	5.1240	1241.66
2553	0	5: 8:31	5.1420	1241.72
2562	0	5: 9:36	5.1600	1241.78
2571	0	5:10:41	5.1780	1241.84
2580	0	5:11:45	5.1960	1241.90
2589	0	5:12:50	5.2139	1241.96
2598	0	5:13:55	5.2319	1242.02
2607	0	5:15: 0	5.2499	1242.08
2616	0	5:16: 4	5.2679	1242.14
2625	0	5:17: 9	5.2859	1242.20
2634	0	5:18:14	5.3039	1242.26
2643	0	5:19:19	5.3218	1242.31
2652	0	5:20:23	5.3398	1242.37
2661	0	5:21:28	5.3578	1242.43
2670	0	5:22:33	5.3758	1242.49
2679	0	5:23:38	5.3938	1242.55
2688	0	5:24:42	5.4118	1242.61
2697	0	5:25:47	5.4297	1242.67
2706	0	5:26:52	5.4477	1242.73
2715	0	5:27:57	5.4657	1242.79
2724	0	5:29: 1	5.4837	1242.85

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH # 3 DST #2
Field: TKT #22009

[Saturday: May. 25, 1996]
Page 4


REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
2733	0	5:30: 6	5.5017	1242.91
2742	0	5:31:11	5.5197	1242.97
2751	0	5:32:16	5.5377	1243.03
2760	0	5:33:20	5.5556	1243.09
2769	0	5:34:25	5.5736	1243.15
2778	0	5:35:30	5.5916	1243.21
2787	0	5:36:35	5.6096	1243.26
2796	0	5:37:39	5.6276	1243.32
2805	0	5:38:44	5.6456	1243.38
2814	0	5:39:49	5.6635	1243.44
2823	0	5:40:54	5.6815	1243.50
2832	0	5:41:58	5.6995	1243.56
2841	0	5:43: 3	5.7175	1243.62
2850	0	5:44: 8	5.7355	1243.68
2859	0	5:45:12	5.7535	1243.74
2868	0	5:46:17	5.7715	1243.80
2877	0	5:47:22	5.7894	1243.86
2886	0	5:48:27	5.8074	1243.92
2895	0	5:49:31	5.8254	1243.98
2904	0	5:50:36	5.8434	1244.04
2913	0	5:51:41	5.8614	1244.10
2922	0	5:52:46	5.8794	1244.15
2931	0	5:53:50	5.8973	1244.21
2940	0	5:54:55	5.9153	1244.27
2949	0	5:56: 0	5.9333	1244.33
2958	0	5:57: 5	5.9513	1244.39
2967	0	5:58: 9	5.9693	1244.45
2976	0	5:59:14	5.9873	1244.51
2985	0	6: 0:19	6.0052	1244.57
2994	0	6: 1:24	6.0232	1244.63
3003	0	6: 2:28	6.0412	1246.50
3012	0	6: 3:33	6.0592	1246.56
3021	0	6: 4:38	6.0772	1246.62
3030	0	6: 5:43	6.0951	1246.68
3039	0	6: 6:47	6.1131	1246.74
3048	0	6: 7:52	6.1311	1245.89
3057	0	6: 8:57	6.1491	1245.95
3066	0	6:10: 1	6.1671	1246.91
3075	0	6:11: 6	6.1851	1246.97
3084	0	6:12:11	6.2031	1246.13
3093	0	6:13:16	6.2210	1247.09
3102	0	6:14:20	6.2390	1247.15
3111	0	6:15:25	6.2570	1246.31
3120	0	6:16:30	6.2750	1247.27
3129	0	6:17:35	6.2930	1246.42
3138	0	6:18:39	6.3110	1246.48
3147	0	6:19:44	6.3289	1247.45
3156	0	6:20:49	6.3469	1247.51
3165	0	6:21:54	6.3649	1247.57
3174	0	6:22:58	6.3829	1247.63

WESTERN TESTING CO., INC.

DST # 47
Roc # 11017
INSIDE

KT 22009

I




Inside Recorder

DST # 47
Roc # 10370
OUTSIDE

KT 22009

O



Outside Recorder

DST REPORT

GENERAL INFORMATION

DATE : 5/27/96
CUSTOMER : WOOLSEY PETROLEUM CORP
WELL : #3 TEST: 3
ELEVATION: 1792 KB
SECTION : 36
RANGE : 14W COUNTY: BARBER
GAUGE SN#: 15638 RANGE : 3900
TICKET : 20851
LEASE : ROTH
GEOLOGIST: HANSEN
FORMATION: SNYDERVILLE
TOWNSHIP : 33S
STATE : KS
CLOCK : 12

WELL INFORMATION

PERFORATION INTERVAL FROM: 3998.00 ft TO: 4035.00 ft TVD: 4035.0 ft
DEPTH OF SELECTIVE ZONE: TEST TYPE: OIL
DEPTH OF RECORDERS: 4025.0 ft 4028.0 ft
TEMPERATURE: 116.0

DRILL COLLAR LENGTH:	0.0 ft	I.D.:	0.000 in
WEIGHT PIPE LENGTH :	0.0 ft	I.D.:	0.000 in
DRILL PIPE LENGTH :	3971.0 ft	I.D.:	3.800 in
TEST TOOL LENGTH :	27.0 ft	TOOL SIZE :	5.500 in
ANCHOR LENGTH :	37.0 ft	ANCHOR SIZE:	5.500 in.
SURFACE CHOKE SIZE :	0.750 in	BOTTOM CHOKE SIZE:	0.750 in
MAIN HOLE SIZE :	7.875 in	TOOL JOINT SIZE :	4.5XH
PACKER DEPTH:	3993.0 ft	SIZE:	6.630 in
PACKER DEPTH:	3998.0 ft	SIZE:	6.630 in
PACKER DEPTH:	0.0 ft	SIZE:	0.000 in
PACKER DEPTH:	0.0 ft	SIZE:	0.000 in

MUD INFORMATION

DRILLING CON. : DUKE DRLG RIG 5
MUD TYPE : CHEMICAL
WEIGHT : 9.000 ppg
CHLORIDES : 7500 ppm
JARS-MAKE : WTC
DID WELL FLOW?: NO
VISCOSITY : 47.00 cp
WATER LOSS: 10.400 cc
SERIAL NUMBER: 401
REVERSED OUT?: NO

COMMENTS

Comment

INITIAL FLOW PERIOD VERY WEAK SURFACE BLOW - DIED
IN 6 MINUTES. FINAL FLOW PERIOD NO BLOW.

DST REPORT (CONTINUED)

FLUID RECOVERY

Feet of Fluid	% Oil	% Gas	% Water	% Mud	Comments
5.0	0.0	0.0	0.0	100.0	MUD
0.0	0.0	0.0	0.0	0.0	CHLORIDES 74000 PPM

RATE INFORMATION

OIL VOLUME:	0.0000 STB	TOTAL FLOW TIME:	60.0000 min.
GAS VOLUME:	0.0000 SCF	AVERAGE OIL RATE:	0.0000 STB/D
MUD VOLUME:	0.0701 STB	AVERAGE WATER RATE:	0.0000 STB/D
WATER VOLUME:	0.0000 STB		
TOTAL FLUID :	0.0701 STB		

FIELD TIME & PRESSURE INFORMATION

INITIAL HYDROSTATIC PRESSURE: 1984.00

Description	Duration	p1	p End
INITIAL FLOW	30.00	30.00	30.00
INITIAL SHUT-IN	60.00		50.00
FINAL FLOW	30.00	30.00	30.00
FINAL SHUT-IN	60.00		36.00

FINAL HYDROSTATIC PRESSURE: 1974.00

OFFICE TIME & PRESSURE INFORMATION

INITIAL HYDROSTATIC PRESSURE: 1998.00

Description	Duration	p1	p End
INITIAL FLOW	30.00	81.60	45.80
INITIAL SHUT-IN	60.00		59.95
FINAL FLOW	30.00	50.79	44.96
FINAL SHUT-IN	60.00		49.96

FINAL HYDROSTATIC PRESSURE: 1998.00

Company: WOOLSEY PETROLEUM CORPORATION
Well: #3 ROTH DST 3
Field: TKT 20851

[Monday: May. 27, 1996]
Page 1

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)

START FLOW 1				
1	0	18:25:29	0.0000	81.60
6	0	18:26: 5	0.0100	80.77
15	0	18:27: 9	0.0280	75.77
24	0	18:28:14	0.0460	70.77
33	0	18:29:19	0.0639	66.61
42	0	18:30:24	0.0819	64.11
51	0	18:31:28	0.0999	62.45
60	0	18:32:33	0.1179	59.12
69	0	18:33:38	0.1359	57.45
78	0	18:34:43	0.1539	54.95
87	0	18:35:47	0.1719	54.12
96	0	18:36:52	0.1899	52.46
105	0	18:37:57	0.2078	51.62
114	0	18:39: 2	0.2258	51.62
123	0	18:40: 6	0.2438	50.79
132	0	18:41:11	0.2618	49.96
141	0	18:42:16	0.2798	49.13
150	0	18:43:21	0.2978	48.29
159	0	18:44:25	0.3157	47.46
168	0	18:45:30	0.3337	47.46
177	0	18:46:35	0.3517	46.63
186	0	18:47:40	0.3697	46.63
195	0	18:48:44	0.3877	46.63
204	0	18:49:49	0.4057	45.80
213	0	18:50:54	0.4236	45.80
222	0	18:51:59	0.4416	45.80
231	0	18:53: 3	0.4596	45.80
240	0	18:54: 8	0.4776	45.80
249	0	18:55:13	0.4956	45.80
END FLOW 1				
START SHUTIN 1				
250	0	18:55:20	0.4976	45.80
258	0	18:56:18	0.5136	45.80
267	0	18:57:22	0.5316	44.96
276	0	18:58:27	0.5495	44.96
285	0	18:59:32	0.5675	44.96
294	0	19: 0:37	0.5855	44.96
303	0	19: 1:41	0.6035	44.96
312	0	19: 2:46	0.6215	45.80
321	0	19: 3:51	0.6395	45.80
330	0	19: 4:56	0.6575	45.80
339	0	19: 6: 0	0.6754	45.80
348	0	19: 7: 5	0.6934	46.63
357	0	19: 8:10	0.7114	46.63
366	0	19: 9:15	0.7294	46.63
375	0	19:10:19	0.7474	46.63
384	0	19:11:24	0.7654	46.63
393	0	19:12:29	0.7833	46.63
402	0	19:13:34	0.8013	47.46
411	0	19:14:38	0.8193	47.46
420	0	19:15:43	0.8373	47.46
429	0	19:16:48	0.8553	48.29
438	0	19:17:53	0.8733	48.29
447	0	19:18:57	0.8913	48.29

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORPORATION

Well: #3 ROTH DST 3

Field: TKT 20851

[Monday: May. 27, 1996]

Page 2

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
456	0	19:20: 2	0.9093	48.29
465	0	19:21: 7	0.9272	49.13
474	0	19:22:12	0.9452	49.96
483	0	19:23:16	0.9632	49.96
492	0	19:24:21	0.9812	49.96
501	0	19:25:26	0.9992	50.79
510	0	19:26:31	1.0172	50.79
519	0	19:27:35	1.0351	51.62
528	0	19:28:40	1.0531	51.62
537	0	19:29:45	1.0711	52.46
546	0	19:30:50	1.0891	52.46
555	0	19:31:54	1.1071	52.46
564	0	19:32:59	1.1251	53.29
573	0	19:34: 4	1.1430	54.12
582	0	19:35: 9	1.1610	54.12
591	0	19:36:13	1.1790	54.95
600	0	19:37:18	1.1970	54.95
609	0	19:38:23	1.2150	54.95
618	0	19:39:27	1.2330	55.79
627	0	19:40:32	1.2510	55.79
636	0	19:41:37	1.2689	55.79
645	0	19:42:42	1.2869	56.62
654	0	19:43:46	1.3049	56.62
663	0	19:44:51	1.3229	57.45
672	0	19:45:56	1.3409	57.45
681	0	19:47: 1	1.3589	58.28
690	0	19:48: 5	1.3769	59.12
699	0	19:49:10	1.3948	59.12
708	0	19:50:15	1.4128	59.95
717	0	19:51:20	1.4308	59.95
726	0	19:52:24	1.4488	59.95
735	0	19:53:29	1.4668	59.95
		END SHUTIN 1		
		START FLOW 2		
738	0	20: 2:50	1.6227	50.79
747	0	20: 3:55	1.6406	50.79
756	0	20: 5: 0	1.6586	50.79
765	0	20: 6: 5	1.6766	49.96
774	0	20: 7: 9	1.6946	49.13
783	0	20: 8:14	1.7126	49.13
792	0	20: 9:19	1.7306	48.29
801	0	20:10:24	1.7485	47.46
810	0	20:11:28	1.7665	47.46
819	0	20:12:33	1.7845	47.46
828	0	20:13:38	1.8025	46.63
837	0	20:14:43	1.8205	46.63
846	0	20:15:47	1.8385	45.80
855	0	20:16:52	1.8565	45.80
864	0	20:17:57	1.8744	45.80
873	0	20:19: 2	1.8924	45.80
882	0	20:20: 6	1.9104	45.80
891	0	20:21:11	1.9284	45.80
900	0	20:22:16	1.9464	45.80
909	0	20:23:20	1.9644	45.80
918	0	20:24:25	1.9823	45.80

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORPORATION
 Well: #3 ROTH DST 3
 Field: TKT 20851

[Monday: May. 27, 1996]
 Page 3

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
927	0	20:25:30	2.0003	45.80
936	0	20:26:35	2.0183	44.96
945	0	20:27:39	2.0363	44.96
954	0	20:28:44	2.0543	44.96
963	0	20:29:49	2.0723	44.96
972	0	20:30:54	2.0903	44.96
981	0	20:31:58	2.1083	44.96
		END FLOW 2		
		START SHUTIN 2		
990	0	20:33: 3	2.1262	44.96
999	0	20:34: 8	2.1442	44.96
1008	0	20:35:13	2.1622	44.96
1017	0	20:36:17	2.1802	44.96
1026	0	20:37:22	2.1982	44.96
1035	0	20:38:27	2.2162	44.96
1044	0	20:39:32	2.2341	44.96
1053	0	20:40:36	2.2521	45.80
1062	0	20:41:41	2.2701	45.80
1071	0	20:42:46	2.2881	45.80
1080	0	20:43:51	2.3061	45.80
1089	0	20:44:55	2.3241	45.80
1098	0	20:46: 0	2.3421	45.80
1107	0	20:47: 5	2.3600	45.80
1116	0	20:48:10	2.3780	45.80
1125	0	20:49:14	2.3960	45.80
1134	0	20:50:19	2.4140	45.80
1143	0	20:51:24	2.4320	45.80
1152	0	20:52:29	2.4500	45.80
1161	0	20:53:33	2.4680	45.80
1170	0	20:54:38	2.4859	46.63
1179	0	20:55:43	2.5039	46.63
1188	0	20:56:48	2.5219	46.63
1197	0	20:57:52	2.5399	46.63
1206	0	20:58:57	2.5579	46.63
1215	0	21: 0: 2	2.5759	46.63
1224	0	21: 1: 7	2.5938	47.46
1233	0	21: 2:11	2.6118	47.46
1242	0	21: 3:16	2.6298	47.46
1251	0	21: 4:21	2.6478	47.46
1260	0	21: 5:26	2.6658	47.46
1269	0	21: 6:30	2.6838	47.46
1278	0	21: 7:35	2.7018	48.29
1287	0	21: 8:40	2.7197	48.29
1296	0	21: 9:45	2.7377	48.29
1305	0	21:10:49	2.7557	48.29
1314	0	21:11:54	2.7737	48.29
1323	0	21:12:59	2.7917	48.29
1332	0	21:14: 4	2.8097	48.29
1341	0	21:15: 8	2.8277	48.29
1350	0	21:16:13	2.8456	48.29
1359	0	21:17:18	2.8636	48.29
1368	0	21:18:23	2.8816	49.13
1377	0	21:19:27	2.8996	49.13
1386	0	21:20:32	2.9176	49.13
1395	0	21:21:37	2.9356	49.13


WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORPORATION
Well: #3 ROTH DST 3
Field: TKT 20851


[Monday: May. 27, 1996]
Page 4

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
1404	0	21:22:42	2.9535	49.13
1413	0	21:23:46	2.9715	49.13
1422	0	21:24:51	2.9895	49.13
1431	0	21:25:56	3.0075	49.96

WESTERN TESTING CO., INC.



Inside Recorder



Outside Recorder

DST REPORT

GENERAL INFORMATION

DATE : 6/12/96	TICKET : 22082
CUSTOMER : WOOLSEY PETROLEUM CORP	LEASE : ROTH
WELL : #3 TEST: 4	GEOLOGIST: HANSEN
ELEVATION: 1792 KB	FORMATION: MISSISSIPPI
SECTION : 36	TOWNSHIP : 33S
RANGE : 14W COUNTY: BARBER	STATE : KS
GAUGE SN#: 10270 RANGE : 4150	CLOCK : 12

WELL INFORMATION

PERFORATION INTERVAL FROM: 4724.00 ft	TO: 4790.00 ft	TVD: 4790.0 ft
DEPTH OF SELECTIVE ZONE:		TEST TYPE: OIL
DEPTH OF RECORDERS: 4745.0 ft	4748.0 ft	
TEMPERATURE: 123.0		

DRILL COLLAR LENGTH: 0.0 ft	I.D.:	0.000 in
WEIGHT PIPE LENGTH : 0.0 ft	I.D.:	0.000 in
DRILL PIPE LENGTH : 4697.0 ft	I.D.:	3.800 in
TEST TOOL LENGTH : 27.0 ft	TOOL SIZE :	5.500 in
ANCHOR LENGTH : 66.0 ft	ANCHOR SIZE:	5.500 in
SURFACE CHOKE SIZE : 0.750 in	BOTTOM CHOKE SIZE:	0.750 in
MAIN HOLE SIZE : 7.875 in	TOOL JOINT SIZE :	4.5 XH
PACKER DEPTH: 4719.0 ft	SIZE:	6.630 in
PACKER DEPTH: 4724.0 ft	SIZE:	6.630 in
PACKER DEPTH: 0.0 ft	SIZE:	0.000 in
PACKER DEPTH: 0.0 ft	SIZE:	0.000 in

MUD INFORMATION

DRILLING CON. : DUKE DRLG RIG 5	
MUD TYPE : CHEMICAL	VISCOSITY : 60.00 cp
WEIGHT : 9.100 ppg	WATER LOSS: 8.000 cc
CHLORIDES : 11000 ppm	
JARS-MAKE : WTC	SERIAL NUMBER: 422
DID WELL FLOW?: NO	REVERSED OUT?: NO

COMMENTS

Comment

INITIAL FLOW PERIOD WEAK BLOW THROUGHOUT - 1/2
 INCH TO 1 INCH BLOW. FINAL FLOW PERIOD WEAK BLOW
 THROUGHOUT 1/4 INCH TO SURFACE BLOW.

DST REPORT (CONTINUED)

FLUID RECOVERY

Feet of Fluid	% Oil	% Gas	% Water	% Mud	Comments
20.0	0.0	0.0	0.0	100.0	MUD

RATE INFORMATION

OIL VOLUME: 0.0000 STB	TOTAL FLOW TIME: 90.0000 min.
GAS VOLUME: 0.0000 SCF	AVERAGE OIL RATE: 0.0000 STB/D
MUD VOLUME: 0.2805 STB	AVERAGE WATER RATE: 0.0000 STB/D
WATER VOLUME: 0.0000 STB	
TOTAL FLUID : 0.2805 STB	

FIELD TIME & PRESSURE INFORMATION

INITIAL HYDROSTATIC PRESSURE: 2285.00

Description	Duration	p1	p End
INITIAL FLOW	30.00	41.00	41.00
INITIAL SHUT-IN	60.00		83.00
FINAL FLOW	60.00	41.00	52.00
FINAL SHUT-IN	240.00		135.00

FINAL HYDROSTATIC PRESSURE: 2275.00

OFFICE TIME & PRESSURE INFORMATION

INITIAL HYDROSTATIC PRESSURE: 2285.00

Description	Duration	p1	p End
INITIAL FLOW	30.00	12.90	12.90
INITIAL SHUT-IN	60.00		51.10
FINAL FLOW	60.00	18.50	11.90
FINAL SHUT-IN	240.00		51.50

FINAL HYDROSTATIC PRESSURE: 2275.00

Company: WOOLSEY PETROLEUM CORP.
 Well: ROTH #3 DST #4
 Field: TKT #22082

[Wednesday: June 12, 1996
 Page 1

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)	BHT (Deg.F)
START FLOW 1					
1	0	1:39:29	0.0000	12.90	109.80
3	0	1:40:30	0.0170	14.40	109.90
5	0	1:41:31	0.0340	14.70	110.00
8	0	1:43: 1	0.0590	15.30	110.10
11	0	1:44:31	0.0840	15.20	110.30
14	0	1:46: 1	0.1090	15.10	110.40
17	0	1:47:31	0.1340	15.00	110.60
20	0	1:49: 1	0.1590	14.50	110.70
23	0	1:50:31	0.1840	14.40	110.80
26	0	1:52: 1	0.2090	14.40	110.90
29	0	1:53:31	0.2340	14.30	111.00
32	0	1:55: 1	0.2590	13.80	111.10
35	0	1:56:31	0.2840	13.80	111.10
38	0	1:58: 1	0.3090	13.30	111.20
41	0	1:59:31	0.3340	13.30	111.30
44	0	2: 1: 1	0.3590	13.20	111.40
47	0	2: 2:31	0.3840	13.10	111.50
50	0	2: 4: 1	0.4090	13.10	111.50
53	0	2: 5:31	0.4340	13.00	111.60
56	0	2: 7: 1	0.4590	13.00	111.70
59	0	2: 8:31	0.4840	12.90	111.70
END FLOW 1					
START SHUTIN 1					
60	0	2: 9: 0	0.4920	12.90	111.80
62	0	2:10: 1	0.5090	12.90	111.80
65	0	2:11:31	0.5340	12.50	111.90
68	0	2:13: 1	0.5590	12.80	111.90
71	0	2:14:31	0.5840	12.40	112.00
74	0	2:16: 1	0.6090	12.70	112.10
77	0	2:17:31	0.6340	13.40	112.10
80	0	2:19: 1	0.6590	14.10	112.20
83	0	2:20:31	0.6840	15.20	112.20
86	0	2:22: 1	0.7090	16.70	112.30
89	0	2:23:31	0.7340	17.80	112.30
92	0	2:25: 1	0.7590	18.80	112.40
95	0	2:26:31	0.7840	20.70	112.40
98	0	2:28: 1	0.8090	21.80	112.50
101	0	2:29:31	0.8340	22.90	112.60
104	0	2:31: 1	0.8590	23.60	112.60
107	0	2:32:31	0.8840	24.70	112.60
110	0	2:34: 1	0.9090	25.80	112.70
113	0	2:35:31	0.9340	26.90	112.80
116	0	2:37: 1	0.9590	28.00	112.80
119	0	2:38:31	0.9840	29.10	112.80
122	0	2:40: 1	1.0090	30.60	112.90
125	0	2:41:31	1.0340	31.30	113.00
128	0	2:43: 1	1.0590	32.40	113.00
131	0	2:44:31	1.0840	33.50	113.00
134	0	2:46: 1	1.1090	34.60	113.10
137	0	2:47:31	1.1340	35.70	113.20
140	0	2:49: 1	1.1590	36.80	113.20
143	0	2:50:31	1.1840	37.50	113.20
146	0	2:52: 1	1.2090	38.60	113.30
149	0	2:53:31	1.2340	39.80	113.30

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
 Well: ROTH #3 DST #4
 Field: TKT #22082

[Wednesday: June 12, 1996
 Page 2

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)	BHT (Deg. F)
152	0	2:55: 1	1.2590	40.80	113.40
155	0	2:56:31	1.2840	41.90	113.40
158	0	2:58: 1	1.3090	42.70	113.50
161	0	2:59:31	1.3340	43.80	113.50
164	0	3: 1: 1	1.3590	44.90	113.60
167	0	3: 2:31	1.3840	46.00	113.60
170	0	3: 4: 1	1.4090	46.70	113.60
173	0	3: 5:31	1.4340	48.20	113.70
176	0	3: 7: 1	1.4590	48.90	113.70
179	0	3: 8:31	1.4840	50.00	113.70
182	0	3:10: 1	1.5090	51.10	113.80
END SHUTIN 1					
START FLOW 2					
185	0	3:11:31	1.5340	18.50	113.80
188	0	3:13: 1	1.5590	15.80	113.90
191	0	3:14:31	1.5840	15.00	113.90
194	0	3:16: 1	1.6090	15.00	114.00
197	0	3:17:31	1.6340	14.60	114.00
200	0	3:19: 1	1.6590	14.10	114.10
203	0	3:20:31	1.6840	14.10	114.10
206	0	3:22: 1	1.7090	14.10	114.10
209	0	3:23:31	1.7340	13.70	114.20
212	0	3:25: 1	1.7590	13.60	114.30
215	0	3:26:31	1.7840	13.60	114.30
218	0	3:28: 1	1.8090	13.20	114.30
221	0	3:29:31	1.8340	12.80	114.40
224	0	3:31: 1	1.8590	13.10	114.40
227	0	3:32:31	1.8840	13.10	114.50
230	0	3:34: 1	1.9090	13.10	114.50
233	0	3:35:31	1.9340	12.60	114.50
236	0	3:37: 1	1.9590	12.60	114.60
239	0	3:38:31	1.9840	12.60	114.60
242	0	3:40: 1	2.0090	12.50	114.70
245	0	3:41:31	2.0340	12.10	114.70
248	0	3:43: 1	2.0590	12.10	114.70
251	0	3:44:31	2.0840	12.10	114.80
254	0	3:46: 1	2.1090	12.00	114.80
257	0	3:47:31	2.1340	12.00	114.90
260	0	3:49: 1	2.1590	12.00	114.90
263	0	3:50:31	2.1840	12.00	114.90
266	0	3:52: 1	2.2090	12.00	114.90
269	0	3:53:31	2.2340	11.90	115.00
272	0	3:55: 1	2.2590	11.90	115.00
275	0	3:56:31	2.2840	11.90	115.10
278	0	3:58: 1	2.3090	11.80	115.10
281	0	3:59:31	2.3340	11.80	115.10
284	0	4: 1: 1	2.3590	11.80	115.20
287	0	4: 2:31	2.3840	11.70	115.20
290	0	4: 4: 1	2.4090	11.70	115.20
293	0	4: 5:31	2.4340	11.30	115.30
296	0	4: 7: 1	2.4590	11.70	115.30
299	0	4: 8:31	2.4840	11.60	115.30
302	0	4:10: 1	2.5090	11.60	115.40
305	0	4:11:31	2.5340	12.00	115.40
308	0	4:13: 1	2.5590	11.90	115.40

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST #4
Field: TKT #22082

[Wednesday: June 12, 1996
Page 3

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)	BHT (Deg. F)
END FLOW 2					
START SHUTIN 2					
311	0	4:14:31	2.5840	12.30	115.50
314	0	4:16: 1	2.6090	13.00	115.50
317	0	4:17:31	2.6340	14.10	115.60
320	0	4:19: 1	2.6590	14.50	115.60
323	0	4:20:31	2.6840	15.20	115.60
326	0	4:22: 1	2.7090	15.90	115.60
329	0	4:23:31	2.7340	15.90	115.70
332	0	4:25: 1	2.7590	16.30	115.70
335	0	4:26:31	2.7840	17.40	115.80
338	0	4:28: 1	2.8090	18.10	115.80
341	0	4:29:31	2.8340	18.90	115.80
344	0	4:31: 1	2.8590	19.20	115.80
347	0	4:32:31	2.8840	19.90	115.90
350	0	4:34: 1	2.9090	20.70	115.90
353	0	4:35:31	2.9340	21.40	115.90
356	0	4:37: 1	2.9590	21.80	116.00
359	0	4:38:31	2.9840	22.50	116.00
362	0	4:40: 1	3.0090	23.20	116.00
365	0	4:41:31	3.0340	23.90	116.10
368	0	4:43: 1	3.0590	24.70	116.10
371	0	4:44:31	3.0840	25.10	116.10
374	0	4:46: 1	3.1090	25.80	116.20
377	0	4:47:31	3.1340	26.50	116.20
380	0	4:49: 1	3.1590	26.90	116.20
383	0	4:50:31	3.1840	27.60	116.20
386	0	4:52: 1	3.2090	28.30	116.30
389	0	4:53:31	3.2340	29.10	116.30
392	0	4:55: 1	3.2590	29.40	116.30
395	0	4:56:31	3.2840	30.20	116.40
398	0	4:58: 1	3.3090	30.50	116.40
401	0	4:59:31	3.3340	31.30	116.40
404	0	5: 1: 1	3.3590	31.60	116.40
407	0	5: 2:31	3.3840	32.40	116.50
410	0	5: 4: 1	3.4090	32.70	116.50
413	0	5: 5:31	3.4340	33.40	116.60
416	0	5: 7: 1	3.4590	34.20	116.60
419	0	5: 8:31	3.4840	34.50	116.60
422	0	5:10: 1	3.5090	35.30	116.60
425	0	5:11:31	3.5340	35.60	116.60
428	0	5:13: 1	3.5590	36.40	116.70
431	0	5:14:31	3.5840	37.10	116.70
434	0	5:16: 1	3.6090	37.50	116.70
437	0	5:17:31	3.6340	38.20	116.70
440	0	5:19: 1	3.6590	38.90	116.80
443	0	5:20:31	3.6840	39.70	116.80
446	0	5:22: 1	3.7090	40.00	116.80
449	0	5:23:31	3.7340	40.80	116.90
452	0	5:25: 1	3.7590	41.10	116.90
455	0	5:26:31	3.7840	41.90	116.90
458	0	5:28: 1	3.8090	42.20	116.90
461	0	5:29:31	3.8340	42.90	117.00
464	0	5:31: 1	3.8590	43.70	117.00
467	0	5:32:31	3.8840	44.10	117.00

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST #4
Field: TKT #22082

{Wednesday: June 12, 1996
Page 4

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)	BHT (Deg. F)
470	0	5:34: 1	3.9090	44.80	117.10
473	0	5:35:31	3.9340	45.20	117.10
476	0	5:37: 1	3.9590	45.90	117.10
479	0	5:38:31	3.9840	46.60	117.10
482	0	5:40: 1	4.0090	47.00	117.10
485	0	5:41:31	4.0340	47.70	117.20
488	0	5:43: 1	4.0590	48.50	117.20
491	0	5:44:31	4.0840	48.80	117.20
494	0	5:46: 1	4.1090	49.60	117.30
497	0	5:47:31	4.1340	50.30	117.30
500	0	5:49: 1	4.1590	50.70	117.30
503	0	5:50:31	4.1840	51.40	117.30
506	0	5:52: 1	4.2090	52.10	117.30
509	0	5:53:31	4.2340	52.50	117.40
512	0	5:55: 1	4.2590	53.20	117.40
515	0	5:56:31	4.2840	53.60	117.40
518	0	5:58: 1	4.3090	54.30	117.50
521	0	5:59:31	4.3340	55.10	117.50
524	0	6: 1: 1	4.3590	55.40	117.50
527	0	6: 2:31	4.3840	56.20	117.50
530	0	6: 4: 1	4.4090	56.50	117.50
533	0	6: 5:31	4.4340	57.30	117.60
536	0	6: 7: 1	4.4590	57.60	117.60
539	0	6: 8:31	4.4840	58.40	117.60
542	0	6:10: 1	4.5090	59.10	117.70
545	0	6:11:31	4.5340	59.50	117.70
548	0	6:13: 1	4.5590	60.20	117.70
551	0	6:14:31	4.5840	60.60	117.70
554	0	6:16: 1	4.6090	61.30	117.70
557	0	6:17:31	4.6340	61.70	117.80
560	0	6:19: 1	4.6590	62.40	117.80
563	0	6:20:31	4.6840	63.10	117.80
566	0	6:22: 1	4.7090	63.90	117.80
569	0	6:23:31	4.7340	64.20	117.90
572	0	6:25: 1	4.7590	65.00	117.90
575	0	6:26:31	4.7840	65.40	117.90
578	0	6:28: 1	4.8090	66.10	117.90
581	0	6:29:31	4.8340	66.90	117.90
584	0	6:31: 1	4.8590	66.80	118.00
587	0	6:32:31	4.8840	68.00	118.00
590	0	6:34: 1	4.9090	68.70	118.00
593	0	6:35:31	4.9340	69.10	118.00
596	0	6:37: 1	4.9590	69.80	118.10
599	0	6:38:31	4.9840	70.50	118.10
602	0	6:40: 1	5.0090	70.90	118.10
605	0	6:41:31	5.0340	71.60	118.10
608	0	6:43: 1	5.0590	72.40	118.10
611	0	6:44:31	5.0840	72.80	118.20
614	0	6:46: 1	5.1090	73.50	118.20
617	0	6:47:31	5.1340	74.20	118.20
620	0	6:49: 1	5.1590	75.00	118.20
623	0	6:50:31	5.1840	75.40	118.20
626	0	6:52: 1	5.2090	76.10	118.30
629	0	6:53:31	5.2340	76.90	118.30
632	0	6:55: 1	5.2590	77.20	118.30

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST #4
Field: TKT #22082

[Wednesday: June 12, 1996
Page 5

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)	BHT (Deg. F)
635	0	6:56:31	5.2840	77.60	118.30
638	0	6:58: 1	5.3090	78.70	118.40
641	0	6:59:31	5.3340	79.10	118.40
644	0	7: 1: 1	5.3590	79.80	118.40
647	0	7: 2:31	5.3840	80.60	118.40
650	0	7: 4: 1	5.4090	80.90	118.40
653	0	7: 5:31	5.4340	81.70	118.40
656	0	7: 7: 1	5.4590	82.40	118.50
659	0	7: 8:31	5.4840	83.20	118.50
662	0	7:10: 1	5.5090	83.50	118.50
665	0	7:11:31	5.5340	84.30	118.50
668	0	7:13: 1	5.5590	85.00	118.60
671	0	7:14:31	5.5840	85.40	118.60
674	0	7:16: 1	5.6090	86.10	118.60
677	0	7:17:31	5.6340	86.80	118.60
680	0	7:19: 1	5.6590	87.60	118.60
683	0	7:20:31	5.6840	88.00	118.70
686	0	7:22: 1	5.7090	88.70	118.70
689	0	7:23:31	5.7340	89.40	118.70
692	0	7:25: 1	5.7590	89.80	118.70
695	0	7:26:31	5.7840	90.60	118.80
698	0	7:28: 1	5.8090	91.30	118.80
701	0	7:29:31	5.8340	92.10	118.80
704	0	7:31: 1	5.8590	92.40	118.80
707	0	7:32:31	5.8840	93.20	118.80
710	0	7:34: 1	5.9090	93.90	118.80
713	0	7:35:31	5.9340	94.70	118.80
716	0	7:37: 1	5.9590	95.40	118.90
719	0	7:38:31	5.9840	96.10	118.90
722	0	7:40: 1	6.0090	96.50	118.90
725	0	7:41:31	6.0340	97.30	119.00
728	0	7:43: 1	6.0590	98.00	119.00
731	0	7:44:31	6.0840	98.80	119.00
734	0	7:46: 1	6.1090	99.50	119.00
737	0	7:47:31	6.1340	100.30	119.00
740	0	7:49: 1	6.1590	101.00	119.00
743	0	7:50:31	6.1840	101.80	119.00
746	0	7:52: 1	6.2090	102.10	119.10
749	0	7:53:31	6.2340	102.90	119.10
752	0	7:55: 1	6.2590	103.60	119.10
755	0	7:56:31	6.2840	104.40	119.10
758	0	7:58: 1	6.3090	105.10	119.20
761	0	7:59:31	6.3340	105.50	119.20
764	0	8: 1: 1	6.3590	106.20	119.20
767	0	8: 2:31	6.3840	107.00	119.20
770	0	8: 4: 1	6.4090	107.70	119.20
773	0	8: 5:31	6.4340	108.50	119.20
776	0	8: 7: 1	6.4590	109.20	119.30
779	0	8: 8:31	6.4840	109.90	119.30
782	0	8:10: 1	6.5090	110.70	119.30
785	0	8:11:31	6.5340	111.10	119.30

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST #4
Field: TKT #22082

[Wednesday: June 12, 1996
Page 1

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)	BHT (Deg. F)
		START SHUTIN 1			
1	0	0: 0: 0	0.0000	12.90	0.00
3	0	0: 1:30	0.0250	12.50	0.00
5	0	0: 3: 0	0.0500	12.40	0.00
7	0	0: 4:30	0.0750	12.70	0.00
9	0	0: 6: 0	0.1000	12.30	0.00
11	0	0: 7:30	0.1250	13.40	0.00
13	0	0: 9: 0	0.1500	13.80	0.00
15	0	0:10:30	0.1750	14.80	0.00
17	0	0:12: 0	0.2000	16.30	0.00
19	0	0:13:30	0.2250	17.80	0.00
21	0	0:15: 0	0.2500	18.90	0.00
23	0	0:16:30	0.2750	20.00	0.00
25	0	0:18: 0	0.3000	21.40	0.00
27	0	0:19:30	0.3250	22.50	0.00
29	0	0:21: 0	0.3500	23.60	0.00
31	0	0:22:30	0.3750	24.40	0.00
33	0	0:24: 0	0.4000	25.50	0.00
35	0	0:25:30	0.4250	26.50	0.00
37	0	0:27: 0	0.4500	28.00	0.00
39	0	0:28:30	0.4750	28.70	0.00
41	0	0:30: 0	0.5000	30.20	0.00
43	0	0:31:30	0.5250	31.30	0.00
45	0	0:33: 0	0.5500	32.00	0.00
47	0	0:34:30	0.5750	33.10	0.00
49	0	0:36: 0	0.6000	34.20	0.00
51	0	0:37:30	0.6250	35.40	0.00
53	0	0:39: 0	0.6500	36.40	0.00
55	0	0:40:30	0.6750	37.20	0.00
57	0	0:42: 0	0.7000	38.60	0.00
59	0	0:43:30	0.7250	39.40	0.00
61	0	0:45: 0	0.7500	40.50	0.00
63	0	0:46:30	0.7750	41.60	0.00
65	0	0:48: 0	0.8000	42.30	0.00
67	0	0:49:30	0.8250	43.40	0.00
69	0	0:51: 0	0.8500	44.50	0.00
71	0	0:52:30	0.8750	45.60	0.00
73	0	0:54: 0	0.9000	46.30	0.00
75	0	0:55:30	0.9250	47.40	0.00
77	0	0:57: 0	0.9500	48.50	0.00
79	0	0:58:30	0.9750	49.60	0.00
81	0	1: 0: 0	1.0000	50.80	0.00
83	0	1: 1:30	1.0250	51.50	0.00

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.

Well: ROTH #3 DST #4

Field: TKT #22082

[Wednesday: June 12, 1996

Page 1

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)	BHT (Deg. F)

START SHUTIN 2					
1	0	0: 0: 0	0.0000	12.30	0.00
3	0	0: 1:30	0.0250	13.00	0.00
5	0	0: 3: 0	0.0500	14.10	0.00
7	0	0: 4:30	0.0750	14.50	0.00
9	0	0: 6: 0	0.1000	15.20	0.00
11	0	0: 7:30	0.1250	15.90	0.00
13	0	0: 9: 0	0.1500	15.90	0.00
15	0	0:10:30	0.1750	16.30	0.00
17	0	0:12: 0	0.2000	17.40	0.00
19	0	0:13:30	0.2250	18.10	0.00
21	0	0:15: 0	0.2500	18.90	0.00
23	0	0:16:30	0.2750	19.20	0.00
25	0	0:18: 0	0.3000	19.90	0.00
27	0	0:19:30	0.3250	20.70	0.00
29	0	0:21: 0	0.3500	21.40	0.00
31	0	0:22:30	0.3750	21.80	0.00
33	0	0:24: 0	0.4000	22.50	0.00
35	0	0:25:30	0.4250	23.20	0.00
37	0	0:27: 0	0.4500	23.90	0.00
39	0	0:28:30	0.4750	24.70	0.00
41	0	0:30: 0	0.5000	25.10	0.00
43	0	0:31:30	0.5250	25.80	0.00
45	0	0:33: 0	0.5500	26.50	0.00
47	0	0:34:30	0.5750	26.90	0.00
49	0	0:36: 0	0.6000	27.60	0.00
51	0	0:37:30	0.6250	28.30	0.00
53	0	0:39: 0	0.6500	29.10	0.00
55	0	0:40:30	0.6750	29.40	0.00
57	0	0:42: 0	0.7000	30.20	0.00
59	0	0:43:30	0.7250	30.50	0.00
61	0	0:45: 0	0.7500	31.30	0.00
63	0	0:46:30	0.7750	31.60	0.00
65	0	0:48: 0	0.8000	32.40	0.00
67	0	0:49:30	0.8250	32.70	0.00
69	0	0:51: 0	0.8500	33.40	0.00
71	0	0:52:30	0.8750	34.20	0.00
73	0	0:54: 0	0.9000	34.50	0.00
75	0	0:55:30	0.9250	35.30	0.00
77	0	0:57: 0	0.9500	35.60	0.00
79	0	0:58:30	0.9750	36.40	0.00
81	0	1: 0: 0	1.0000	37.10	0.00
83	0	1: 1:30	1.0250	37.50	0.00
85	0	1: 3: 0	1.0500	38.20	0.00
87	0	1: 4:30	1.0750	38.90	0.00
89	0	1: 6: 0	1.1000	39.70	0.00
91	0	1: 7:30	1.1250	40.00	0.00
93	0	1: 9: 0	1.1500	40.80	0.00
95	0	1:10:30	1.1750	41.10	0.00
97	0	1:12: 0	1.2000	41.90	0.00
99	0	1:13:30	1.2250	42.20	0.00
101	0	1:15: 0	1.2500	42.90	0.00
103	0	1:16:30	1.2750	43.70	0.00
105	0	1:18: 0	1.3000	44.10	0.00
107	0	1:19:30	1.3250	44.80	0.00

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.
Well: ROTH #3 DST #4
Field: TKT #22082

[Wednesday: June 12, 1996
Page 2

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)	BHT (Deg. F)
109	0	1:21:00	1.3500	45.20	0.00
111	0	1:22:30	1.3750	45.90	0.00
113	0	1:24:00	1.4000	46.60	0.00
115	0	1:25:30	1.4250	47.00	0.00
117	0	1:27:00	1.4500	47.70	0.00
119	0	1:28:30	1.4750	48.50	0.00
121	0	1:30:00	1.5000	48.80	0.00
123	0	1:31:30	1.5250	49.60	0.00
125	0	1:33:00	1.5500	50.30	0.00
127	0	1:34:30	1.5750	50.70	0.00
129	0	1:36:00	1.6000	51.40	0.00
131	0	1:37:30	1.6250	52.10	0.00
133	0	1:39:00	1.6500	52.50	0.00
135	0	1:40:30	1.6750	53.20	0.00
137	0	1:42:00	1.7000	53.60	0.00
139	0	1:43:30	1.7250	54.30	0.00
141	0	1:45:00	1.7500	55.10	0.00
143	0	1:46:30	1.7750	55.40	0.00
145	0	1:48:00	1.8000	56.20	0.00
147	0	1:49:30	1.8250	56.50	0.00
149	0	1:51:00	1.8500	57.30	0.00
151	0	1:52:30	1.8750	57.60	0.00
153	0	1:54:00	1.9000	58.40	0.00
155	0	1:55:30	1.9250	59.10	0.00
157	0	1:57:00	1.9500	59.50	0.00
159	0	1:58:30	1.9750	60.20	0.00
161	0	2:00:00	2.0000	60.60	0.00
163	0	2:01:30	2.0250	61.30	0.00
165	0	2:03:00	2.0500	61.70	0.00
167	0	2:04:30	2.0750	62.40	0.00
169	0	2:06:00	2.1000	63.10	0.00
171	0	2:07:30	2.1250	63.90	0.00
173	0	2:09:00	2.1500	64.20	0.00
175	0	2:10:30	2.1750	65.00	0.00
177	0	2:12:00	2.2000	65.40	0.00
179	0	2:13:30	2.2250	66.10	0.00
181	0	2:15:00	2.2500	66.90	0.00
183	0	2:16:30	2.2750	66.80	0.00
185	0	2:18:00	2.3000	68.00	0.00
187	0	2:19:30	2.3250	68.70	0.00
189	0	2:21:00	2.3500	69.10	0.00
191	0	2:22:30	2.3750	69.80	0.00
193	0	2:24:00	2.4000	70.50	0.00
195	0	2:25:30	2.4250	70.90	0.00
197	0	2:27:00	2.4500	71.60	0.00
199	0	2:28:30	2.4750	72.40	0.00
201	0	2:30:00	2.5000	72.80	0.00
203	0	2:31:30	2.5250	73.50	0.00
205	0	2:33:00	2.5500	74.20	0.00
207	0	2:34:30	2.5750	75.00	0.00
209	0	2:36:00	2.6000	75.40	0.00
211	0	2:37:30	2.6250	76.10	0.00
213	0	2:39:00	2.6500	76.90	0.00
215	0	2:40:30	2.6750	77.20	0.00
217	0	2:42:00	2.7000	77.60	0.00

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP.

Well: ROTH #3 DST #4


Field: TKT #22082

[Wednesday: June 12, 1996


Page 3

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)	BHT (Deg.F)
219	0	2:43:30	2.7250	78.70	0.00
221	0	2:45:00	2.7500	79.10	0.00
223	0	2:46:30	2.7750	79.80	0.00
225	0	2:48:00	2.8000	80.60	0.00
227	0	2:49:30	2.8250	80.90	0.00
229	0	2:51:00	2.8500	81.70	0.00
231	0	2:52:30	2.8750	82.40	0.00
233	0	2:54:00	2.9000	83.20	0.00
235	0	2:55:30	2.9250	83.50	0.00
237	0	2:57:00	2.9500	84.30	0.00
239	0	2:58:30	2.9750	85.00	0.00
241	0	3:0:00	3.0000	85.40	0.00
243	0	3:1:30	3.0250	86.10	0.00
245	0	3:3:00	3.0500	86.80	0.00
247	0	3:4:30	3.0750	87.60	0.00
249	0	3:6:00	3.1000	88.00	0.00
251	0	3:7:30	3.1250	88.70	0.00
253	0	3:9:00	3.1500	89.40	0.00
255	0	3:10:30	3.1750	89.80	0.00
257	0	3:12:00	3.2000	90.60	0.00
259	0	3:13:30	3.2250	91.30	0.00
261	0	3:15:00	3.2500	92.10	0.00
263	0	3:16:30	3.2750	92.40	0.00
265	0	3:18:00	3.3000	93.20	0.00
267	0	3:19:30	3.3250	93.90	0.00
269	0	3:21:00	3.3500	94.70	0.00
271	0	3:22:30	3.3750	95.40	0.00
273	0	3:24:00	3.4000	96.10	0.00
275	0	3:25:30	3.4250	96.50	0.00
277	0	3:27:00	3.4500	97.30	0.00
279	0	3:28:30	3.4750	98.00	0.00
281	0	3:30:00	3.5000	98.80	0.00
283	0	3:31:30	3.5250	99.50	0.00
285	0	3:33:00	3.5500	100.30	0.00
287	0	3:34:30	3.5750	101.00	0.00
289	0	3:36:00	3.6000	101.80	0.00
291	0	3:37:30	3.6250	102.10	0.00
293	0	3:39:00	3.6500	102.90	0.00
295	0	3:40:30	3.6750	103.60	0.00
297	0	3:42:00	3.7000	104.40	0.00
299	0	3:43:30	3.7250	105.10	0.00
301	0	3:45:00	3.7500	105.50	0.00
303	0	3:46:30	3.7750	106.20	0.00
305	0	3:48:00	3.8000	107.00	0.00
307	0	3:49:30	3.8250	107.70	0.00
309	0	3:51:00	3.8500	108.50	0.00
311	0	3:52:30	3.8750	109.20	0.00
313	0	3:54:00	3.9000	109.90	0.00
315	0	3:55:30	3.9250	110.70	0.00
317	0	3:57:00	3.9500	111.10	0.00

WESTERN TESTING CO., INC.



Inside Recorder



Outside Recorder

DST REPORT

GENERAL INFORMATION

DATE : 6/13/96
CUSTOMER : WOOLSEY PETROLEUM CORP
WELL : #3 TEST: 5
ELEVATION: 1792 KB
SECTION : 36
RANGE : 14W COUNTY: BARBER
GAUGE SN#: 1562 RANGE : 3900
TICKET : 20857
LEASE : ROTH
GEOLOGIST: HANSEN
FORMATION: KINDERHOOK/MISNER
TOWNSHIP : 33S
STATE : KS
CLOCK : 12

WELL INFORMATION

PERFORATION INTERVAL FROM: 4985.00 ft TO: 5050.00 ft TVD: 5050.0 ft
DEPTH OF SELECTIVE ZONE: TEST TYPE: OIL
DEPTH OF RECORDERS: 5000.0 ft 5003.0 ft
TEMPERATURE: 125.0
DRILL COLLAR LENGTH: 0.0 ft I.D.: 0.000 in
WEIGHT PIPE LENGTH : 0.0 ft I.D.: 0.000 in
DRILL PIPE LENGTH : 4958.0 ft I.D.: 3.800 in
TEST TOOL LENGTH : 27.0 ft TOOL SIZE : 5.500 in
ANCHOR LENGTH : 65.0 ft ANCHOR SIZE: 5.500 in
SURFACE CHOKE SIZE : 0.750 in BOTTOM CHOKE SIZE: 0.750 in
MAIN HOLE SIZE : 7.875 in TOOL JOINT SIZE : 4.5 XH
PACKER DEPTH: 4980.0 ft SIZE: 6.630 in
PACKER DEPTH: 4985.0 ft SIZE: 6.630 in
PACKER DEPTH: 0.0 ft SIZE: 0.000 in
PACKER DEPTH: 0.0 ft SIZE: 0.000 in

MUD INFORMATION

DRILLING CON. : DUKE DRLG RIG 5
MUD TYPE : CHEMICAL
WEIGHT : 9.300 ppg VISCOSITY : 46.00 cp
CHLORIDES : 5000 ppm WATER LOSS: 10.800 cc
JARS-MAKE : WTC SERIAL NUMBER: 401
DID WELL FLOW?: NO REVERSED OUT?: NO

COMMENTS

Comment

INITIAL FLOW PERIOD VERY WEAK BLOW DIED IN 22
MINUTES. FINAL FLOW PERIOD NO BLOW.
31 FT DRILL PIPE IN ANCHOR

DST REPORT (CONTINUED)

FLUID RECOVERY

Feet of Fluid	% Oil	% Gas	% Water	% Mud	Comments
20.0	0.0	0.0	0.0	100.0	MUD

RATE INFORMATION

OIL VOLUME:	0.0000 STB	TOTAL FLOW TIME:	60.0000 min.
GAS VOLUME:	0.0000 SCF	AVERAGE OIL RATE:	0.0000 STB/D
MUD VOLUME:	0.2805 STB	AVERAGE WATER RATE:	0.0000 STB/D
WATER VOLUME:	0.0000 STB		
TOTAL FLUID :	0.2805 STB		

FIELD TIME & PRESSURE INFORMATION

INITIAL HYDROSTATIC PRESSURE: 2428.00

Description	Duration	p1	p End
INITIAL FLOW	30.00	70.00	70.00
INITIAL SHUT-IN	60.00		100.00
FINAL FLOW	30.00	50.00	50.00
FINAL SHUT-IN	120.00		50.00

FINAL HYDROSTATIC PRESSURE: 2418.00

OFFICE TIME & PRESSURE INFORMATION

INITIAL HYDROSTATIC PRESSURE: 2426.00

Description	Duration	p1	p End
INITIAL FLOW	30.00	105.07	75.82
INITIAL SHUT-IN	60.00		88.02
FINAL FLOW	30.00	72.54	56.58
FINAL SHUT-IN	120.00		64.64

FINAL HYDROSTATIC PRESSURE: 2420.00

Company: WOOLSEY PETROLEUM CORP
Well: ROTH #3 DST 5
Field: TKT 20857

[Thursday: June 13, 1996]
Page 1

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
START FLOW 1				
1	0	18:30:28	0.0000	105.07
6	0	18:31: 4	0.0100	104.27
15	0	18:32: 9	0.0281	101.00
24	0	18:33:15	0.0462	93.56
33	0	18:34:20	0.0642	89.46
42	0	18:35:25	0.0823	85.35
51	0	18:36:30	0.1003	82.08
60	0	18:37:35	0.1184	80.47
69	0	18:38:39	0.1364	78.87
78	0	18:39:44	0.1544	77.26
87	0	18:40:49	0.1724	76.49
96	0	18:41:54	0.1904	75.71
105	0	18:42:59	0.2084	74.94
114	0	18:44: 3	0.2264	75.00
123	0	18:45: 8	0.2444	75.06
132	0	18:46:13	0.2624	74.28
141	0	18:47:18	0.2803	74.34
150	0	18:48:22	0.2983	74.40
159	0	18:49:27	0.3163	74.46
168	0	18:50:32	0.3343	74.52
177	0	18:51:37	0.3523	74.57
186	0	18:52:41	0.3703	74.63
195	0	18:53:46	0.3883	74.69
204	0	18:54:51	0.4062	74.75
213	0	18:55:56	0.4242	75.64
222	0	18:57: 0	0.4422	75.70
231	0	18:58: 5	0.4602	75.76
240	0	18:59:10	0.4782	75.82
END FLOW 1				
START SHUTIN 1				
247	0	19: 0: 0	0.4922	75.86
249	0	19: 0:15	0.4962	75.88
258	0	19: 1:19	0.5141	75.93
267	0	19: 2:24	0.5321	76.83
276	0	19: 3:29	0.5501	76.88
285	0	19: 4:33	0.5681	76.94
294	0	19: 5:38	0.5860	77.00
303	0	19: 6:43	0.6040	77.06
312	0	19: 7:48	0.6220	77.12
321	0	19: 8:53	0.6400	76.35
330	0	19: 9:57	0.6580	76.40
339	0	19:11: 2	0.6760	77.30
348	0	19:12: 7	0.6939	78.19
357	0	19:13:11	0.7119	78.24
366	0	19:14:16	0.7299	78.30
375	0	19:15:21	0.7479	78.36
384	0	19:16:26	0.7659	79.25
393	0	19:17:30	0.7839	79.31
402	0	19:18:35	0.8018	80.20
411	0	19:19:40	0.8198	80.26
420	0	19:20:44	0.8378	80.32
429	0	19:21:49	0.8558	80.38
438	0	19:22:54	0.8738	80.44
447	0	19:23:59	0.8917	81.33

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP
 Well: ROTH #3 DST 5
 Field: TKT 20857

[Thursday: June 13, 1996]
 Page 2

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
456	0	19:25:3	0.9097	81.39
465	0	19:26:8	0.9277	81.45
474	0	19:27:13	0.9457	81.50
483	0	19:28:18	0.9636	82.40
492	0	19:29:22	0.9816	82.45
501	0	19:30:27	0.9996	82.51
510	0	19:31:32	1.0176	83.40
519	0	19:32:36	1.0356	83.46
528	0	19:33:41	1.0536	83.52
537	0	19:34:46	1.0715	84.41
546	0	19:35:51	1.0895	84.47
555	0	19:36:55	1.1075	84.53
564	0	19:38:0	1.1255	84.59
573	0	19:39:5	1.1435	84.65
582	0	19:40:10	1.1614	85.54
591	0	19:41:14	1.1794	85.60
600	0	19:42:19	1.1974	85.66
609	0	19:43:24	1.2154	86.55
618	0	19:44:28	1.2334	86.61
627	0	19:45:33	1.2513	86.66
636	0	19:46:38	1.2693	86.72
645	0	19:47:43	1.2873	87.61
654	0	19:48:47	1.3053	87.67
663	0	19:49:52	1.3233	87.73
672	0	19:50:57	1.3412	87.79
681	0	19:52:2	1.3592	87.85
690	0	19:53:6	1.3772	87.91
699	0	19:54:11	1.3952	87.97
708	0	19:55:16	1.4132	88.02
END SHUTIN 1				
START FLOW 2				
710	0	20: 1:31	1.5174	72.54
719	0	20: 2:36	1.5354	71.77
728	0	20: 3:41	1.5534	70.16
737	0	20: 4:46	1.5714	69.39
746	0	20: 5:50	1.5894	67.78
755	0	20: 6:55	1.6074	67.84
764	0	20: 8: 0	1.6254	67.07
773	0	20: 9: 5	1.6434	66.29
782	0	20:10: 9	1.6614	66.35
791	0	20:11:14	1.6794	65.58
800	0	20:12:19	1.6974	64.80
809	0	20:13:24	1.7154	64.86
818	0	20:14:29	1.7334	64.92
827	0	20:15:33	1.7514	64.15
836	0	20:16:38	1.7693	64.20
845	0	20:17:43	1.7873	63.43
854	0	20:18:48	1.8053	63.49
863	0	20:19:52	1.8233	62.72
872	0	20:20:57	1.8413	61.94
881	0	20:22:2	1.8593	61.17
890	0	20:23:7	1.8773	60.39
899	0	20:24:12	1.8953	59.62
908	0	20:25:16	1.9133	58.01
917	0	20:26:21	1.9313	58.07

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP
Well: ROTH #3 DST 5
Field: TKT 20857

[Thursday: June 13, 1996]
Page 3

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
926	0	20:27:26	1.9493	57.30
935	0	20:28:31	1.9673	57.36
944	0	20:29:36	1.9853	56.58
		END FLOW 2		
		START SHUTIN 2		
948	0	20:30: 4	1.9933	56.61
953	0	20:30:40	2.0033	56.64
962	0	20:31:45	2.0213	55.87
971	0	20:32:50	2.0393	55.93
980	0	20:33:55	2.0573	55.98
989	0	20:34:59	2.0752	56.04
998	0	20:36: 4	2.0932	56.10
1007	0	20:37: 9	2.1112	55.33
1016	0	20:38:14	2.1292	55.39
1025	0	20:39:18	2.1472	55.44
1034	0	20:40:23	2.1652	55.50
1043	0	20:41:28	2.1832	55.56
1052	0	20:42:33	2.2012	54.79
1061	0	20:43:37	2.2191	55.68
1070	0	20:44:42	2.2371	55.74
1079	0	20:45:47	2.2551	55.80
1088	0	20:46:52	2.2731	55.85
1097	0	20:47:56	2.2911	55.91
1106	0	20:49: 1	2.3091	55.14
1115	0	20:50: 6	2.3271	55.20
1124	0	20:51:11	2.3451	55.26
1133	0	20:52:15	2.3630	55.31
1142	0	20:53:20	2.3810	55.37
1151	0	20:54:25	2.3990	55.43
1160	0	20:55:30	2.4170	55.49
1169	0	20:56:34	2.4350	55.55
1178	0	20:57:39	2.4530	55.61
1187	0	20:58:44	2.4709	55.67
1196	0	20:59:49	2.4889	55.73
1205	0	21: 0:53	2.5069	56.62
1214	0	21: 1:58	2.5249	56.67
1223	0	21: 3: 3	2.5429	55.90
1232	0	21: 4: 8	2.5608	56.79
1241	0	21: 5:12	2.5789	56.02
1250	0	21: 6:17	2.5968	56.91
1259	0	21: 7:22	2.6148	56.97
1268	0	21: 8:26	2.6328	57.03
1277	0	21: 9:31	2.6508	57.09
1286	0	21:10:36	2.6688	57.14
1295	0	21:11:41	2.6867	57.20
1304	0	21:12:45	2.7047	57.26
1313	0	21:13:50	2.7227	57.32
1322	0	21:14:55	2.7407	56.55
1331	0	21:16: 0	2.7587	57.44
1340	0	21:17: 4	2.7767	57.50
1349	0	21:18: 9	2.7947	57.55
1358	0	21:19:14	2.8126	57.61
1367	0	21:20:19	2.8306	57.67
1376	0	21:21:23	2.8486	57.73
1385	0	21:22:28	2.8666	57.79

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP
Well: ROTH #3 DST 5
Field: TKT 20857

[Thursday: June 13, 1996]
Page 4

REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
1394	0	21:23:33	2.8846	57.85
1403	0	21:24:38	2.9025	57.91
1412	0	21:25:42	2.9205	57.96
1421	0	21:26:47	2.9385	58.02
1430	0	21:27:52	2.9565	57.25
1439	0	21:28:57	2.9745	57.31
1448	0	21:30: 1	2.9925	57.37
1457	0	21:31: 6	3.0105	58.26
1466	0	21:32:11	3.0284	58.32
1475	0	21:33:16	3.0464	58.37
1484	0	21:34:20	3.0644	58.43
1493	0	21:35:25	3.0824	58.49
1502	0	21:36:30	3.1004	58.55
1511	0	21:37:35	3.1184	58.61
1520	0	21:38:39	3.1363	58.67
1529	0	21:39:44	3.1543	58.73
1538	0	21:40:49	3.1723	58.78
1547	0	21:41:54	3.1903	58.84
1556	0	21:42:58	3.2083	59.73
1565	0	21:44: 3	3.2263	59.79
1574	0	21:45: 8	3.2442	59.85
1583	0	21:46:12	3.2622	59.91
1592	0	21:47:17	3.2802	59.97
1601	0	21:48:22	3.2982	60.03
1610	0	21:49:27	3.3162	60.09
1619	0	21:50:31	3.3342	60.14
1628	0	21:51:36	3.3521	60.20
1637	0	21:52:41	3.3701	60.26
1646	0	21:53:46	3.3881	60.32
1655	0	21:54:50	3.4061	60.38
1664	0	21:55:55	3.4241	60.44
1673	0	21:57: 0	3.4421	60.50
1682	0	21:58: 5	3.4601	60.56
1691	0	21:59: 9	3.4780	60.61
1700	0	22: 0:14	3.4960	60.67
1709	0	22: 1:19	3.5140	60.73
1718	0	22: 2:24	3.5320	60.79
1727	0	22: 3:28	3.5500	60.85
1736	0	22: 4:33	3.5680	61.74
1745	0	22: 5:38	3.5859	61.80
1754	0	22: 6:43	3.6039	61.86
1763	0	22: 7:47	3.6219	61.92
1772	0	22: 8:52	3.6399	61.97
1781	0	22: 9:57	3.6579	62.03
1790	0	22:11: 2	3.6758	62.09
1799	0	22:12: 6	3.6938	62.15
1808	0	22:13:11	3.7118	62.21
1817	0	22:14:16	3.7298	62.27
1826	0	22:15:20	3.7478	62.33
1835	0	22:16:25	3.7658	62.38
1844	0	22:17:30	3.7838	62.44
1853	0	22:18:35	3.8017	63.33
1862	0	22:19:39	3.8197	63.39
1871	0	22:20:44	3.8377	63.45
1880	0	22:21:49	3.8557	63.51

WESTERN TESTING CO., INC.

Company: WOOLSEY PETROLEUM CORP
Well: ROTH #3 DST 5
Field: TKT 20857

[Thursday: June 13, 1996]
Page 5


REC #	DAY	REAL TIME	DT (HRS)	BHP (PSIA)
1889	0	22:22:54	3.8737	63.57
1898	0	22:23:58	3.8916	64.46
1907	0	22:25: 3	3.9096	64.52
1916	0	22:26: 8	3.9276	64.58
1925	0	22:27:13	3.9456	64.64

WESTERN TESTING CO., INC.

402
D5+35
TOP

KT 20857

I




Inside Recorder

265
D5+35
BOTTOM

KT 20857

0



Outside Recorder