KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	it:	_			(See Instruct	ions on Re	verse Side)				
☐ Open Flow ✓ Deliverabilty					Test Date:				API No. 15				
		ну			Februar	February 13th, 2013				15-185-23077-0000			
Castell		oration,	Inc.		Lease Seibe r t					#1-5	Well Number		
County Location Stafford W/2 NW NW				Section TWP 5 25S				RNG (E/W) 15W			Acres Attributed		
Field Farmington					Reservoir Kinderhook/Miss with Lansing			nsing		thering Conn n Energy	ection		
Completion Date 4/10/98					Plug Bac 4230'	Plug Back Total Depth 4230'			Packer	Set at			
Casing Size 5 1/2"			Weight 14		Internal Diameter		Set at 4265'		Perforations 4201'-08', 3916'-24		то 6'-24' 38,11		
Tubing Size 2 3/8"			Weight		Internal Diameter		Set at 4189'		Perforations Same		То		
Type Completion (Describe) Commingled Gas Zone Perforations						Type Fluid Production Saltwater			Pump Unit or Traveling Plunger? Yes / No Pumping Unit				
Producing Thru (Annulus / Tubing)					% (% Carbon Dioxide			% Nitro	gen	Gas G	ravity - G _g	
Annulus Vertical Depth(H) Pressure Taps (Meter Run) (Prover) Siz													
Pressure											13 at 8:00		
Well on L	_ine:	Started	l	2	0 at		(AM) (PM)	Taken		20	at	(AM) (PM)	
						OBSERVE	D SURFAC	E DATA			Duration of Shut	-in Hours	
Static / Dynamic Property	namic Size		Circle one: Meter Prover Pressure psig (Pm)		Flowing Well Head Temperature t		Casing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Tubing Wellhead Pressure (P_w) or (P_1) or (P_c) psig psia		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In	Shut-In		psig (Pm) Inches				180	194.4	psig	psia			
Flow												. <u> </u>	
						FLOW STR	EAM ATTR	IBUTES		1			
Plate Coefficient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia Press Extension P_mx h		Gravity Factor F _g		Flowing emperature Factor F ₁₁	perature Factor		Metered Flow R (Mcfd)	(Cubic Fe	GOR (Cubic Feet/ Barrel) Flowing Fluid Gravity G _m		
L <u></u>													
(D \2 _			'D \2 _		(OPEN FL	OW) (DELIV		-			_) ² = 0.207	
$(P_c)^2 \cdot (P_a)^2$ or $(P_c)^2 \cdot (P_d)^2$: (P _w) ² = Cho		00se formula 1 or 2 1. P _a ² - P _e ² 2. P _e ² - P _d ²	formula 1 or 2: $P_d = $ LOG of formula $P_c^2 \cdot P_d^2$ $P_d^2 = P_d^2$ LOG of formula $P_d^2 = P_d^2$ and divide		% (P _c -		n x	LOG	Antilog	Open Flow Deliverability Equals R x Antilog	
	-		divi	ded by: P _c ² - P _w ²	by:	<u> </u>	Stand	ard Slope		Ļ "J		(Mcfd)	
Open Flow				Mcfd @ 14.65 psia			Deliverability			Mcfd @ 14.65 psia			
				pehalf of the					o make to day of		ort and that he ha	as knowledge of, 20 13	
	·	- v	/itness (if ar	ny)	K	CC WI	CHITA	11		Ford	Company		
		F	or Commiss	ion		IAN 02	2014 -			Chee	cked by		
					•								

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

SCC WICHITA JAN 0.2 2014