

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 4058<sup>1</sup>  
Name: American Warrior, Inc.  
Address: PO Box 399  
City/State/Zip: Garden City, Kansas 67846-0399  
Purchaser: None/DA.  
Operator Contact Person: Cecil O'Brate  
Phone: (620) 275-9231

Contractor: Name: Duke Drilling Co., Inc.  
License: 5929  
Wellsite Geologist: Allen Downing  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled Docket No. \_\_\_\_\_  
 Dual Completion Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) Docket No. \_\_\_\_\_

06-08-01 06-20-01 6-21-02  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 033-21224-0000  
County: Comanche County, Kansas  
C-W/2 SE SE Sec. 14 Twp. 31 S. R. 20  East  West

780 feet from (S) N (circle one) Line of Section  
725 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE (SE) NW SW

Lease Name: Lohrding Well #: 1-14

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: 2000' Kelly Bushing: 2013'

Total Depth: 5830' Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 615 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cml.

Drilling Fluid Management Plan ALST II P/A  
(Data must be collected from the Reserve Pit) DW 11-5-02

Chloride content 14,000 ppm Fluid volume 320 bbls

Dewatering method used Hauled offsite

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: KBW Oil & Gas

Lease Name: Harmon SWD License No.: 5993

Quarter NW/4 Sec. 11 Twp. 20 S. R. \_\_\_\_\_  East  West

County: CoManche Docket No.: 98329

RECEIVED  
MAY 14 2002  
KCC WICHITA

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_

Title: Production Supt Date: 5-8-2002

Subscribed and sworn to before me this 8<sup>th</sup> day of May

2002

Notary Public: Debra J. Purcell

Date Commission Expires: 11/4/03

**DEBRA J. PURCELL**  
Notary Public - State of Kansas  
My Appt. Expires 11/4/03

**KCC Office Use ONLY**  
 Letter of Confidentiality Attached  
 If Denied, Yes  Date: 5-17-02  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: American Warrior, Inc. Lease Name: Lohrding Well #: 1-14  
 Sec. 14 Twp. 31 S. R. 20  East  West County: Comanche County, Kansas

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

CDNL/GR Micro, Sonic,  
 Dual Inc.,.

Log Formation (Top), Depth and Datum  Sample

Name	Top	Datum
Heebner	4130'	-2117
Lansing	4298'	-2285
Swope	4640'	-2627
Hertha	4686'	-2673
BKC	4726'	-2713
Pawnee	4852'	-2638
Fort Scott	4888'	-2875
Cherokee	4901'	-2888
Miss	5010'	-2997
Viola	5722'	-3709

CASING RECORD  New  Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
<b>Conductor</b>		<b>20"</b>		<b>70'</b>			
<b>Surface</b>	<b>12-1/4"</b>	<b>8-5/8"</b>	<b>23#</b>	<b>615'</b>	<b>ALW Class A</b>	<b>225</b> <b>100</b>	<b>3%cc #Floseal</b> <b>3%cc 2%gel</b>

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	<b>None. D/B</b>		

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
	<b>D&amp;A</b>			

Date of First, Resumerd Production, SWD or Enhr.	Producing Method
	<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented  Sold  Used on Lease (If vented, Sumit ACO-18.)  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify)

# ALLIED CEMENTING CO., INC.

7758

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
med. lodge, ks

DATE <u>6-8-01</u>	SEC. <u>14</u>	TWP. <u>31</u>	RANGE <u>20</u>	CALLED OUT <u>5:00 P.M.</u>	ON LOCATION <u>7:00 P.M.</u>	JOB START <u>11:00 P.M.</u>	JOB FINISH <u>12:00 A.M.</u>
LEASE <u>Lohrding</u>		WELL # <u>1-14</u>	LOCATION <u>Coldwater, 4n-7 1/4w-n/s</u>		COUNTY <u>Comanche</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="checkbox"/> NEW (Circle one)							

CONTRACTOR Duke Drilg. Co.  
 TYPE OF JOB Surface Csg.  
 HOLE SIZE 12 1/4 T.D.  
 CASING SIZE 8 5/8 x 24 DEPTH 615'  
 TUBING SIZE DEPTH  
 DRILL PIPE DEPTH  
 TOOL DEPTH  
 PRES. MAX 350 MINIMUM 175  
 MEAS. LINE SHOE JOINT 44.19  
 CEMENT LEFT IN CSG.  
 PERFS.  
 DISPLACEMENT Fresh H<sub>2</sub>O

OWNER American Warrior

CEMENT  
 AMOUNT ORDERED 225 sx ALL wt + 3% cc  
1/4" Flo-Seal. 100sx CLASS A + 3% cc  
2% Gel

EQUIPMENT  
 PUMP TRUCK CEMENTER Larry Dreiling  
 # 352 HELPER David Felio  
 BULK TRUCK  
 # 258 DRIVER Kevin Brungardt  
 BULK TRUCK  
 # DRIVER

COMMON <u>A 100</u>	@ <u>6.65</u>	<u>665.00</u>
POZMIX	@	
GEL <u>2</u>	@ <u>10.00</u>	<u>20.00</u>
CHLORIDE <u>11</u>	@ <u>30.00</u>	<u>330.00</u>
<u>AW 225</u>	@ <u>6.30</u>	<u>1417.50</u>
<u>FLO-SEAL 56#</u>	@ <u>1.40</u>	<u>78.40</u>
	@	
	@	
HANDLING <u>350</u>	@ <u>1.10</u>	<u>385.00</u>
MILEAGE <u>350 x .51</u>	<u>.04</u>	<u>714.00</u>

RECEIVED  
 MAY 14 2001  
 TOTAL 3609.90

REMARKS:

Pipe on Bottom - Break Circ.  
Pump 225sx ALL wt + 3% cc + 1/4"  
Flo-Seal. 100sx CLASS A + 3% cc  
2% Gel Release Plug Displace  
Plug w/ 37 1/2 Bbls. Fresh H<sub>2</sub>O.  
Bump Plug. Shut In.  
Cement Did Circ.

KCC WICHITA SERVICE  
 DEPTH OF JOB 615'  
 PUMP TRUCK CHARGE 0-300' 520.00  
 EXTRA FOOTAGE 315' @ .50 157.50  
 MILEAGE 51 @ 3.00 153.00  
 PLUG Rubber 8 5/8" @ 100.00 100.00  
 @  
 @

TOTAL 930.50

CHARGE TO: American Warrior  
 STREET P.O. Box 399  
 CITY GARDEN CITY STATE KANSAS ZIP 67846

FLOAT EQUIPMENT

<u>1-Baffle Plate</u>	@ <u>45.00</u>	<u>45.00</u>
<u>2-BASKETS</u>	@ <u>180.00</u>	<u>360.00</u>
	@	
	@	

TOTAL 405.00

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Kenneth M'Guire

TAX \_\_\_\_\_  
 TOTAL CHARGE 4945.40  
 DISCOUNT 494.54 IF PAID IN 30 DAYS  
4450.86  
KENNETH M'GUIRE  
 PRINTED NAME

# ALLIED CEMENTING CO., INC.

8068

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Medicine Lodge

DATE <u>6-20-01</u>	SEC. <u>14</u>	TWP. <u>31 S</u>	RANGE <u>20 W</u>	CALLED OUT <u>4:00 pm</u>	ON LOCATION <u>5:15 pm</u>	JOB START <u>7:30 pm</u>	JOB FINISH <u>9:30 pm</u>
LEASE <u>Lohnding</u> WELL # <u>1-14</u>		LOCATION <u>Coldwater 4y to Wilmore</u>		COUNTY <u>Comanche</u>		STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>Rd, 7w, 1/5</u>				

CONTRACTOR Duke #7

TYPE OF JOB Rotary plug

HOLE SIZE \_\_\_\_\_ TD \_\_\_\_\_

CASING SIZE 8 7/8 DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 200 MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT Fresh + Wtd.

OWNER American Warrior

CEMENT AMOUNT ORDERED  
135 sx 60:40:6

COMMON A	<u>81</u>	@	<u>6.65</u>	<u>538.65</u>
POZMIX	<u>54</u>	@	<u>3.55</u>	<u>191.70</u>
GEL	<u>7</u>	@	<u>10.00</u>	<u>70.00</u>
CHLORIDE		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>142</u>	@	<u>1.10</u>	<u>156.20</u>
MILEAGE	<u>142 x 51</u>	@	<u>.04</u>	<u>289.68</u>

EQUIPMENT

PUMP TRUCK CEMENTER Carl Balding

# 359-265 HELPER Mike Rucker

BULK TRUCK DRIVER Walter Harmon

# 242

BULK TRUCK DRIVER \_\_\_\_\_

TOTAL 1029.77  
1410.23

REMARKS:

SERVICE

Pump 50 sx - 1000'

50 sx - 670'

10 sx - 40

10 sx - mouse hole

15 sx - RAT hole

DEPTH OF JOB 1000'

PUMP TRUCK CHARGE \_\_\_\_\_ 520.00

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE 51 @ 3.00 153.00

PLUG @ \_\_\_\_\_

RECEIVED

MAY 14 2001

KCC WICHITA

TOTAL 673.00

CHARGE TO: American Warrior

STREET P.O. Box 399

CITY GARDEN CITY STATE KANSAS ZIP 67846

FLOAT EQUIPMENT

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Edward L. Woody

TAX \_\_\_\_\_

TOTAL CHARGE 1703.77

DISCOUNT 179.38 IF PAID IN 30 DAYS

1535.39

Edward L. Woody  
PRINTED NAME

TOTAL \_\_\_\_\_