

1 020780

7-16

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

API NUMBER 15- 007-22,446-00-00  
C NW SW, SEC. 16, T 34 S, R 10 W, X  
1980 feet from S section line  
660 feet from W & section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 3080

Lease Name Diel Well # 1-16

Operator: Jack Exploration, Inc.

County Barber

Name & Address P.O. Box 1279

Well Total Depth 5300 172.25 feet

Sulphur, OK 73086

Conductor Pipe: Size \_\_\_\_\_ feet

Surface Casing: Size 8 5/8 feet 314

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ O&A

Other well as hereinafter indicated \_\_\_\_\_

Plugging Contractor Eagle Drilling, Inc. License Number 5380

Address 110 N. Market, Ste. 411, Wichita, KS 67202

Company to plug at: Hour: \_\_\_\_\_ Day: 16 Month: 7 Year: 19 94

Plugging proposal received from Butch Steinert

(company name) Eagle Drilling, Inc. (phone) 316-265-1072

Work: to fill hole with heavy mud and spot cement through drill pipe

1st plug at 650' with 50 sx cement, 2nd plug at 340' with 50 sx cement,

3rd plug at 40' with 10 sx cement,

4th plug to circulate rathole with 15 sx cement,

5th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Glenn Barlow (TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None

Operations Completed: Hour: 2 p.m. Day: 16 Month: 7 Year: 19 94

ACTUAL PLUGGING REPORT 1st plug at 650' with 50 sx cement,

2nd plug at 340' with 50 sx cement,

3rd plug at 40' with 10 sx cement,

4th plug to circulate rathole with 15 sx cement,

5th plug to circulate mousehole with 10 sx cement.

Remarks: Used 60/40 Pozmix 6% gel by Allied. (If additional description is necessary, use BACK of this report)

INVOICED (XXXX) and not observe this plugging.

DATE 7-27-94

Signed Glenn R Barlow (TECHNICIAN)

INV. NO. 40882

07-25-1994  
RECEIVED  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
Wichita, Kansas

Expected Spud Date: JULY month 15 day 94 year

OPERATOR: License # 03080 JACK EXPLORATION, INC.  
 Name: Jack Exploration, Inc.  
 P.O. Box 1279  
 Address: Sulphur, LA 713086  
 City/State/Zip: Sulphur, LA 713086  
 Contact Person: James R. Jack  
 Phone: (405) 622-2310

CONTRACTOR: License # 5380 WICHITA, KS  
 Name: Eagle Drilling

Well Drilled For: \_\_\_\_\_ Well Status: \_\_\_\_\_ Type Equipment: \_\_\_\_\_

- Oil  Enh. Prod.  Intield  X Mud Rotary
  - Gas  Storage  Pool Ext.  Air Rotary
  - OWD  Disposal  Wildcat  Cable
  - Seismic  S of Holes  Other
  - Other: \_\_\_\_\_
- If OWD, old well information as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Comp. Dates: \_\_\_\_\_ Old Total Depth: \_\_\_\_\_
- Directional, Deviated or Horizontal wellbore?  Yes  No  
 If yes, true vertical depth: \_\_\_\_\_  
 Bottom Hole Location: \_\_\_\_\_

Exp. 1/5/95

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A.

**ACTIVITY**

200' Alt. I Req.

Spec: Q NW SW sec 16 Twp. 34 S. Rg. 10 E. 1st

1980 feet from South / North line of section  
 660 feet from East / West line of section  
 IS SECTION 16 X SEC 16 IN NE 1/4 QUARTER

(NOTE: Locate well on the section plat on Reverse Side)

County: Barber  
 Lease Name: Wildcat  
 Field Name: Wildcat  
 Is this a predrilled/spread field?  Yes  No  
 Target formation(s): Stalnaker, Mississippi  
 Nearest lease or unit boundary: 660  
 Ground Surface Elevation: 1375 feet  
 Water well within one-quarter mile:  Yes  No  
 Public water supply well within one mile:  Yes  No  
 Depth to bottom of fresh water: 180  
 Depth to bottom of usable water: 180  
 Surface pipe by Alternator:  X 1  2

Length of surface pipe planned to be set: 400'  
 Length of conductor pipe required: 80'  
 Projected Total Depth: 5500  
 Formation at Total Depth: Arbuckle  
 Water source for drilling operations: \_\_\_\_\_  
 Well permit #: Apply to D.C.E. for permit  
 Will casing be taken?  Yes  No  
 If yes, proposed zones: \_\_\_\_\_

Pusher Butch Stewart  
 SPUD DATE 7-7-94 INIT. R.L.  
 LENGTH SURFACE PLANNED 300' 89 1/4"  
80' 20"  
 RESERVE PIT STATUS- REMOVE FLUID \_\_\_\_\_ LINED \_\_\_\_\_  
 after salt sect. \_\_\_\_\_ bbls. when done \_\_\_\_\_ bbls.  
 RATHOLED AHEAD? Y  N  SIZE HOLE \_\_\_\_\_  
 SURFACE PIPE 8 3/4" @ 3 1/4" CONDUCTOR \_\_\_\_\_  
 ANHYDRITE T- B ELEVATION \_\_\_\_\_  
 TD 5300 FORMATION \_\_\_\_\_  
 RAN PIPE @ \_\_\_\_\_ DV TOOL \_\_\_\_\_ ALT II DONE \_\_\_\_\_  
\_\_\_\_\_ SX \_\_\_\_\_ SX Y \_\_\_\_\_ N \_\_\_\_\_  
 \_\_\_\_\_ Arbuckle Plug @ \_\_\_\_\_ Ft. W/ \_\_\_\_\_ SX  
 \_\_\_\_\_ Hug./Council @ \_\_\_\_\_ Ft. W/ \_\_\_\_\_ SX  
 \_\_\_\_\_ Anhydrite Base @ 650 Ft. W/ 50 SX  
 \_\_\_\_\_ 1/2 Base Anyh. @ \_\_\_\_\_ Ft. W/ \_\_\_\_\_ SX  
 \_\_\_\_\_ 1/2, 1/2 Plug @ \_\_\_\_\_ Ft. W/ \_\_\_\_\_ SX  
 \_\_\_\_\_ Bottom Surface @ 340 Ft. W/ 50 SX  
 \_\_\_\_\_ 40' Plug @ 40 Ft. W/ 10 SX  
 RAT HOLE CIRC/W 15 SX MOUSE HOLE W/ 10 SX  
 WATER WELL \_\_\_\_\_ SX (Irr. Well \_\_\_\_\_ Pond \_\_\_\_\_)  
 \_\_\_\_\_ Hauling \_\_\_\_\_  
 TECHNICIAN GA DATE 7-15-94  
 TYPE OF CEMENT 60/10 pas 690  
 STARTING TIME \_\_\_\_\_ (AM/PM) DATE \_\_\_\_\_  
 COMPLETION TIME 2:00 (AM/PM) DATE 7-16-94  
 CEMENT COMPANY Allied

07-25-1994

RECEIVED  
 MISSISSIPPI DEPARTMENT OF REVENUE  
 DIVISION OF OIL AND GAS  
 530994