## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

		For Co								<b>△</b> ►	ckad by		
		Witne	ss (it any		,		_	-			Company	DI	EC 312
							_		X	tolla	Hungel	//	C WIC
		gned authority erein, and tha								ecember	rt and that he h		edge of 20 <u>13                                    </u>
en Flor				Mcfd @ 14.			Deliver	•			Mcfd @ 14.65 ps		
			divid	led by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	by:	L. W	Sta	ndard Slope			=-		
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P <sub>e</sub> )² - (P <sub>w</sub> )²	2. P <sub>c</sub> <sup>2</sup> -P <sub>d</sub> <sup>2</sup>		LOG of formula  1. or 2.  and divide   p 2 p 2		.	pressure Curve Slope = "n" or Assigned	n x	LOG	Antilog	Deli Equals	en Flow verability R x Antilog Mcfd)
<sub>c</sub> ) <sup>2</sup> =	T	_: (P <sub>w</sub> )		osa formula 1 or 2	P <sub>d</sub> =	OW) (DE	LIVERABILI	(P <sub>c</sub> - 14.4) -	+ 14.4 =	: :		) <sup>2</sup> = 0.20	<del></del>
													:
Plate Coeffiec (F <sub>b</sub> ) (F Mcfd	ient	Meter or Exte		Press Extension	ss Gravit sion Facto		Flowing Temperatur Factor F <sub>1t</sub>	mperature Factor		Metered Flow R (Mcfd)	W GOR (Cubic F Barrel	eet/	Flowing Fluid Gravity G <sub>m</sub>
Flow						EI OW 6	TDEAN AT	TDIDIJTEC	<u> </u>				
ihut-In				-			200#				24		
itatic / /namic roperty	Orific Size (inche	Mete	Circle one: Pressure Meter Differential Prover Pressure psig (Pm) Inches H <sub>2</sub> 0		Flowing Well Heat Temperature t		cad Casing		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>e</sub> ) psig psia		Duration (Hours)	Duration Liquid Produce	
			···········			OBSER	RVED SURFA	CE DATA			Duration of Shut	-in 24	Hours
essure ell on L	•									20	at	,	
essure	Builde	o: Shutin		9/28 2	n 13 <sub>at</sub> 2	:00 PM	(AM) (Pt	d) Takan	9/2	29 20	13 at 2:00 F	PM ,	AM) (PM)
ertical D	Depth(H	)				P	ressure Taps				(Meter	Run) (Pr	over) Size
Producing Thru (Annulus / Tubing)						arbon D		% Nitrogen			Gas Gravity - G		
pe Cor ingle	npletion	(Describe)			Type Flui Gas, C						raveling Plunger? Yes / No nit		
Tubing Size Weight 2.375" 4.7#				Internal [	Diameter		Set at 4448'		Perforations		То		
Casing Size Weight5" 10.5#			Internal Diameter			Set at 4505'		Perforations 4403'		To <b>4413</b> '			
Completion Date B/29/02				Plug Bac 4478'	k Total D	epth		Packer S	Set at				
Field Fannie Ext				Reservoir Mississ		İ	Gas Gathering WWGG			ection			
County Location Kingman 40' S E/2 NE SW				Section 19		TWP 30S			RNG (E/W) 9W		Acres A	ttributed	
ompany IcCoy		oleum Corp	orati	ion				Lease Elliott		_ <u>.</u>		#2	mber 
Deliverabilty					Test Date: 9/28/13			15	No. 15 -095-20,26				
De	eliverabi	ilty											

	₹ <b>.</b> % 4 ·
I d	declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request
exemp	ot status under Rule K.A.R. 82-3-304 on behalf of the operator McCoy Petroleum Corporation
and th	at the foregoing pressure information and statements contained on this application form are true and
correc	t to the best of my knowledge and belief based upon available production summaries and lease records
	ipment installation and/or upon type of completion or upon use being made of the gas well herein named.  ereby request a one-year exemption from open flow testing for the
	ell on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
	is not capable of producing at a daily rate in excess of 250 mcf/D
I fu	urther agree to supply to the best of my ability any and all supporting documents deemed by Commission
staff a	s necessary to corroborate this claim for exemption from testing.
Data:	12/30/13
Jaic	
	Signature: Scott Wapel
	Title: Vice President - Production
	1106.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

ACTION OOS

CHUROPA