| <sup>1</sup> 010216   | FEB 2 4 1987  | 12-                |
|---|---|--------------------|
| To:   | API NUMBER 15-007-21,072-00-01  | $\mathcal{L}$      |
| STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION   | NW NW NE, SEC. 17 , T 35 S, R 12 W/E  | . V                |
| 200 COLORADO DERBY BUILDING<br>WICHITA, KANSAS 67202  | 4950 feet from \$ section line  |                    |
| TECHNICIAN'S PLUGGING REPORT  | 2310 feet from E section line   |                    |
| Operator License / 5187   | Lease Name Achenbach A Well # 1   | -                  |
| Operator: Silver Creek Management Corp.   | County Barber 161.59  | _                  |
| Name&<br>Address 1900 North Amidon, Suite 221   | Well Total Depth 4972 feet  | •                  |
| Wichita, KS 67203   | Conductor Pipe: Sizefeet  | _                  |
|   | Surface Casing: Size 8 5/8 feet 320   | -                  |
| Abandoned Oll Weil # Gas Well   | Input Well SWD Well AUS KCC   | -                  |
|   |   | •                  |
| Plugging Contractor Silver Creek Oil and  |   | •                  |
| ,   |   | •                  |
| Address 1900 North Amidon, Suite 221, Wich  |   | • '                |
| Company to piug at: Hour: 4:30 P.m. Day:  | Year:19Year:19  | •                  |
| Plugging proposal received from Stan Mai  |   |                    |
| (company name) Silver Creek Oil and Gas, Inc  | (phone) 316-832-0603  |                    |
| were: 4½" at 4960' PBTD 4924' Perfs at 37   | 740-4858' Elevation 1407'GL   |                    |
| 1st plug sand back to 4800° and dump 4 sx   | c cement on top of sand through bailer,   |                    |
| 2nd plug pump 3 sx hulls, 15 sx gel, 50 s   | sx cement, 10 sx gel, 1 sx hulls, and 100 sx ce   | ement              |
|   |   | •                  |
|   |   | •                  |
| Pluging Propo   | sal Received by Richard Lacey   | •                  |
| rrugging rropo  | (TECHNICIAN)  | •                  |
| Plugging Operations attended by Agent?: Al  | 1 X Part None   |                    |
|   | 1 A NONE  |                    |
| Operations Completed: Hour: 5:00 p.m.Day:   |   |                    |
| Operations Completed: Hour: 5:00 p.m.Day:   | 24 Month: 2 Year:19 87  | ınd                |
| Operations Completed: Hour: 5:00 p.m.Day:   |   | and                |
| Operations Completed: Hour: 5:00 p.m.Day:  ACTUAL PLUGGING REPORT 1st plug sanded bac through bailer,   | 24 Month: 2 Year:19 87  | and                |
| Operations Completed: Hour: 5:00 p.m.Day:  ACTUAL PLUGGING REPORT 1st plug sanded bac through bailer,  2nd plug pumped 3 sx hulls, 15 sx gel, 50  | 24 Month: 2 Year:19 87  ck to 4750 and dumped 5 sx cement on top of sa  O sx cement, 10 sx gel, 1 sx hulls, released            | and                |
| Operations Completed: Hour: 5:00 p.m.Day:  ACTUAL PLUGGING REPORT 1st plug sanded bac through bailer,   | 24 Month: 2 Year:19 87  ck to 4750 and dumped 5 sx cement on top of sa  O sx cement, 10 sx gel, 1 sx hulls, released            | and                |
| Operations Completed: Hour: 5:00 p.m.Day:  ACTUAL PLUGGING REPORT 1st plug sanded bac through bailer,  2nd plug pumped 3 sx hulls, 15 sx gel, 50 8 5/8" wiper plug and pumped 100 sx cemen  | 24 Month: 2 Year:19 87  ok to 4750' and dumped 5 sx cement on top of sa  O sx cement, 10 sx gel, 1 sx hulls, released  ont.     | and                |
| Operations Completed: Hour: 5:00 p.m.Day:  ACTUAL PLUGGING REPORT 1st plug sanded bac through bailer,  2nd plug pumped 3 sx hulls, 15 sx gel, 50  | 24 Month: 2 Year:19 87  ok to 4750' and dumped 5 sx cement on top of sa  O sx cement, 10 sx gel, 1 sx hulls, released  ont.     | and                |
| Operations Completed: Hour: 5:00 p.m.Day:  ACTUAL PLUGGING REPORT 1st plug sanded bac through bailer,  2nd plug pumped 3 sx hulls, 15 sx gel, 50 8 5/8" wiper plug and pumped 100 sx cemen  Maximum pressure 500 psi and shut in 300  Remarks: Used 60/40 Pozmix 6% gel by B.J. T | 24 Month: 2 Year:19 87  2k to 4750' and dumped 5 sx cement on top of sa  2  | ·<br>·             |
| Operations Completed: Hour: 5:00 p.m.Day:  ACTUAL PLUGGING REPORT 1st plug sanded bac through bailer,  2nd plug pumped 3 sx hulls, 15 sx gel, 50 8 5/8" wiper plug and pumped 100 sx cemen  Maximum pressure 500 psi and shut in 300  Remarks: Used 60/40 Pozmix 6% gel by B.J. T | 24 Month: 2 Year:19 87  2k to 4750' and dumped 5 sx cement on top of sa  2 sx cement, 10 sx gel, 1 sx hulls, released at.  psi. | ·<br>·             |
| Operations Completed: Hour: 5:00 p.m.Day:  ACTUAL PLUGGING REPORT 1st plug sanded bac through bailer,  2nd plug pumped 3 sx hulls, 15 sx gel, 50 8 5/8" wiper plug and pumped 100 sx cemen  Maximum pressure 500 psi and shut in 300  Remarks: Used 60/40 Pozmix 6% gel by B.J. T | 24 Month: 2 Year:19 87  2k to 4750' and dumped 5 sx cement on top of sa  2  | ·<br>·             |
| Operations Completed: Hour: 5:00 p.m.Day:  ACTUAL PLUGGING REPORT 1st plug sanded bac through bailer,  2nd plug pumped 3 sx hulls, 15 sx gel, 50 8 5/8" wiper plug and pumped 100 sx cemen  Maximum pressure 500 psi and shut in 300  Remarks: Used 60/40 Pozmix 6% gel by B.J. T | 24 Month: 2 Year:19 87  2k to 4750' and dumped 5 sx cement on top of sa  2  | West of the second |

Sw/volves &

## Petro-Log

## Radialion Guard Log

|   | COMPANY SILVER CREEK MANAGEMENT CORPORATION |  |  |                 |               |             |  |  |
|---|---|--|--|-----------------|---------------|-------------|--|--|
|   | WELL A                                      | CHENPACH "                                       | Δ" #1  |                 |               |             |  |  |
|   | FIELD                                       |  |  |                 |               | <del></del> |  |  |
|   | COUNTY B.                                   | SAS  | <del></del> -  |                 |               |             |  |  |
|   | Location N                                  | A-UN-NE  |  | Other           | Services:     | ,           |  |  |
|   | Sec. <u>17</u> Twi                          | o. <u>35</u> s Rge                               | <u>12w</u>   |                 |               | `           |  |  |
| Permanent Datum: GROUID LEVEL Elev. 1407 Elev.: K.B. 1417 Log Measured From K.B., 10 Ft. Above Perm. Datum Drilling Measured From KELLY BUSHING G.L. 1407 |   |  |  |                 |               |             |  |  |
| Date  | 1/31/81                                     |  | l  |                 |               |             |  |  |
| Run No.   | 011E  | <del> </del>                                     | <del> </del>   |                 | <del> </del>  |             |  |  |
| Depth-Driller   | 14970                                       | <u> </u>   | <del> </del>   | <del> </del>    |               |             |  |  |
| Depth-Logger  | 4972  | 1  | <u> </u>   |                 |               |             |  |  |
| Bim. Log Inter.   | 4971  |  |  |                 |               |             |  |  |
| Top Log Inter.  | SURF.                                       |  |  |                 |               |             |  |  |
| Casing-Driller  | 8 5/8 @ 346                                 | •  | 6  |                 |               |             |  |  |
| Casing-Logger   |   | <del>                                     </del> | <del></del>  | <del>-</del>    | <u>_</u>      |             |  |  |
| Bit Size  | 7 7/8                                       | <del> </del>                                     | <del></del>  |                 |               |             |  |  |
| Type Fluid in Hole  | STARCH                                      |  |  |                 |               | <del></del> |  |  |
| Dens. Visc.   | 9,4 52                                      | <del>                                     </del> |  | <del>-  -</del> | · <del></del> |             |  |  |
| pH Fluid Los  |   | † ml   | } <del></del>  | m]              | <del></del>   | ml          |  |  |
| Source of Sample  | FLOWL INF                                   | <del> </del>                                     | <del> </del>   | <del></del>     | !_            |             |  |  |
| R. Meas. Tem  | p. 1.29 @ 65 °F                             | Ø 'F   | @  | F               |               | • F         |  |  |
| Rat @ Meas. Tem   | p. 22 <b>@</b> 65 <b>*</b>                  | <u> </u>   |  |                 | <u>-</u> _    | · F         |  |  |
| Ras @ Meas. Tem   |   | <del></del>                                      | <del>\older\olde</del> | • <sub>F</sub>  | <u>@</u>      | ·F          |  |  |
| Source: Rar R   | <u> </u>                                    | 1 1  | <del></del>  |                 |               | ····        |  |  |
| R. @ BHT  | 15 @ 125 F                                  | @ 'F   | é  | ·F              | <del>-</del>  | F           |  |  |
| Time Since Circ.  | 4 HOURS                                     | <u> </u>   | <del>-</del>   | <del></del>     | <del></del>   |             |  |  |
| Max. Rec. Temp.   | 1251  | ·P   | <del></del>  | *F              |               | *F          |  |  |
| Equip.   Location   | H-3 I св                                    |  |  |                 | . 1           |             |  |  |
| Recorded By   | JOHN THAGG                                  | RD   | ,  |                 |               | •           |  |  |
| Witnessed By  | MR. GORDON                                  |  |  |                 |               |             |  |  |