* T / .	1 0400/8	API NUMBER 15-007-20,724-000
T6: STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION 200 COLORADO DERBY BUILDING WICHITA, KANSAS 67202 TECHNICIAN'S PLUGGING REPORT		NW SE , SEC. 7 , T 35 S, R 12 w/K 1980 feet from S section line
		1980 feet from E section line
-	Edminton Oil Company	Lease Name Haskard "D" Well 2
Name&	Edmiston Oil Company	County Barber 159.84
	1260 Kansas State Bank Bldg.	Well Total Depth 4918 feet
	Wichita, KS 67202	Conductor Pipe: Sizefeet
		Surface Casing: Size8 5/8 feet 325
Abandoned	Oli Weli X Gas Well	Input WellSWD WellD&A
Other well	t as hereinafter indicated	
Plugging (Contractor Kelso Casing Pulling	License Number 6050
	P.O. Box 347, Chase, KS 67524	
		30 Month: 3 Year:19 88
		· · · · · · · · · · · · · · · · · · ·
	proposal received from Millard Ke	
•		(phone) 316-938-2457
were: 4/2	" at 4893' Perfs at 4802-08, 481	2-22, 4800-10' PBTD 4893'
1st plug	sand back to 4750° and dump 4 sx	cement on top of sand through bailer,
2nd plug	pump 3 sx hulls, 10 sx gel, 50 sx	cement, 10 sx gel, 1 sx hulls, release 8 5/8"
wiper plu	g and pump 100 sx cement.	
·		
	Plugging Prop	osal Received by Steve Durrant (TECHNICIAN)
Plugging	Operations attended by Agent?: A	11X PartNone
		30 Month: 3 Year:19 88
		ck to 4750° and dumped 4 sx cement on top of
	ugh bailer,	
		hulls, 10 sx gel,50 sx cement, 10 sx gel,
- '		and pumped 100 sx cement. BTATE CORPORATION COMMISSION
	ressure 400 psi and shut in 200 p	
TEXTIBULE P	ressure 400 par and and in 200 p	APR 1-1-1988
		4-11-88
Remarks:_	Used 60/40 Pozmix 6% gel by B.J.	Titan. Recovered 3498: of 4½" CONSERVATION DIVISION
•	(If additional description is	necessary, use BACK of this form.
W 1/ 7 2 3 1 2 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3	NYMYNNY I Inheasua this sive-te-	, n (\ // .

| Nodo axex Dobserve this plugging

DATE 4-13-88

Signed Stephen (TEOMATCIAN) Serfer

FORM CP-2/3 Rev.01-84