

To: 1 051666
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

6-13 API NUMBER 15- 081-20,790 -0000
SE SE NW, SEC. 3, T 29 S, R 33 W/E

TECHNICIAN'S PLUGGING REPORT

Operator License # 5363

Operator: BEREXCO INC.
Name & Address: 970 Fourth Financial Ctr.
Wichita, KS 67202

2970 feet from S section line
2970 feet from E section line

Lease Name McLain Well # 2-3
County Haskell 187.20
Well Total Depth 5760 feet
Conductor Pipe: Size _____ feet
Surface Casing: Size 8 5/8 feet 1792

Abandoned Oil Well _____ Gas Well _____ Input Well _____ SWD Well _____ D&A X

Other well as hereinafter indicated _____

Plugging Contractor BEREDCO INC. License Number 5147

Address 401 E. Douglas, Ste. 402, Wichita, KS 67202

Company to plug at: Hour: _____ Day: 13 Month: 6 Year: 19 93

Plugging proposal received from Stan Wycoff

(company name) BEREDCO INC. (phone) 316-265-2856

work: to fill hole with heavy mud and spot cement through drill pipe

1st plug at Hugoton/Council Grove with 100 sx cement,

2nd plug at 1820' with 50 sx cement, 3rd plug at 800' with 40 sx cement,

4th plug at 40' with 10 sx cement, 5th plug to circulate rathole with 15 sx cement,

6th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Richard Lacey (TECHNICIAN)

Plugging Operations attended by Agent?: All _____ Part _____ None x

Operations Completed: Hour: 8:45 p.m. Day: 13 Month: 6 Year: 19 93

ACTUAL PLUGGING REPORT 1st plug at 3200' with 100 sx cement,

2nd plug at 1820' with 50 sx cement,

3rd plug at 800' with 40 sx cement,

4th plug at 40' with 10 sx cement,

5th plug to circulate rathole with 15 sx cement,

6th plug to circulate mousehole with 10 sx cement.

Remarks: Used 60/40 Pozmix 6% gel by HOWCO.

(If additional description is necessary, use BACK of this form.)

I (KKZ / did not) observe this plugging.

DATE 6-18-93

INV. NO. 37955

6-13

SEP 15 1993

Signed Richard W. Lacey (TECHNICIAN)

RECEIVED STATE CORPORATION COMMISSION

JUN 17 1993

CONSERVATION DIVISION Wichita, Kansas

REC USE:
 EFFECTIVE DATE: 6-6-93
 TRACT: 1
 Yes No

15-084-20790-0000

FORM C-1 7/91
 FORM MUST BE TYPED
 FORM MUST BE SIGNED
 ALL BLANKS MUST BE FILLED

State of Kansas
 NOTICE OF INTENTION TO DRILL 081-20,790

Must be approved by the K.C.C. five (5) days prior to commencing well

Drilled Spud Date: 6/4/93
 month day year

Spot SE - SE - NW Sec 3 Twp 29 S, Rg 33 East West

Operator: License # 5363
BEREDCO INC
 Address: 970 Fourth Financial Center
Wichita, KS 67202
 Contact Person: Evan Mayhew
(316) 265-3311

2970 feet from South / ~~North~~ line of Section
 2970 feet from East / ~~West~~ line of Section
 IS SECTION REGULAR IRREGULAR
 (NOTE: Locate well on the Section Plat on Reverse Side)

Operator: License # 5147
BEREDCO INC

County: Haskell
 Lease Name: McLain Well #: 2-3
 Field Name: WILDCAT
 Is this a Prorated/Spaced Field? yes no

Well Drilled For: Well Class: Type Equipment:
 Enh Rec Infield Mud Rotary
 Storage Pool Ext. Air Rotary
 Disposal Wildcat Cable
 Geologic: # of Holes Other

Target Formation(s): MORROW
 Nearest lease or unit boundary: 320
 Ground Surface Elevation: Est. 2957 feet MSL
 Water well within one-quarter mile: yes no

Operator: Old well information as follows:
 Well Name: Old Total Depth
 Sp. Date: Old Total Depth

Depth to bottom of fresh water: 650
750
 Depth to bottom of usable water: 1 2
 Surface Pipe by Alternate: 1 2
 Length of Surface Pipe Planned to be set: (800) 770

Additional, Deviated or Horizontal wellbores? yes no
 true vertical depth:
 Hole Location:

Projected Total Depth: 5700
 Formation at Total Depth: St. Louis
 Water Source for Drilling Operations:
 ... well ... farm pond other

OSR Permit #: applied for
 Will Cores be Taken? yes no
 If yes, proposed zone:

770' Alt. I Req.

AFFIDAVIT

Pusher Star Wagon
 SPUD DATE 6-2-93 INIT. SWB
 LENGTH SURFACE PLANNED 1800'-8 5/8"
 RESERVE PIT STATUS- REMOVE FLUID LINED
 after salt sect. bbls. when done bbls.
 RATHOLED AHEAD? Y N SIZE HOLE
 SURFACE PIPE 8 5/8" @ 1290 CONDUCTOR
 ANHYDRITE T- B- 2 ELEVATION
 TD 5760 FORMATION
 RAN PIPE @ DV TOOL ALT II DONE
 @ SX Y N
 Arbuckle Plug @ Ft. W/ SX
 Hug./Council @ 3200 Ft. W/ 100 SX
 Anhydrite Base @ 1820 Ft. W/ 50 SX
 1/2 Base Anyh. @ 800 Ft. W/ 40 SX
 1/2, 1/2 Plug @ Ft. W/ SX
 Bottom Surface @ Ft. W/ SX
 40' Plug @ 40 Ft. W/ 10 SX
 RAT HOLE CIRC/W 15 SX MOUSE HOLE W/10 SX
 WATER WELL SX (Irr. Well Pond)
 Hauling
 TECHNICIAN R.L. DATE 6-11-93
 TYPE OF CEMENT 60/40 per 60%
 STARTING TIME (AM/PM) DATE
 COMPLETION TIME (AM/PM) DATE 6-12-93
 CEMENT COMPANY Howco

RECEIVED
 KANSAS CORPORATION COMMISSION
 JUN 14 1993
 WICHITA, KANSAS
 DIVISION

LEASE NAME Mc LAIN

WELL NUMBER 2-3

2970 Ft. from S Section Line

2970 Ft. from E Section Line

SEC. 3 TWP. 29 RGE. 33 (E) or (W)

COUNTY HASKELL

Date Well Completed 6/14/93

Plugging Commenced 6/14/93

Plugging Completed 6/14/93

CONFIDENTIAL

TYPE OR PRINT
 NOTICE: Fill out completely
 and return to Cons. Div.
 office within 30 days.

LEASE OPERATOR BEREXCO INC.

ADDRESS 970 FOURTH FINANCIAL CENTER

PHONE#(316) 265-3311 OPERATORS LICENSE NO. 5363

Character of Well D&A

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

The plugging proposal was approved on 6/14/93 (date)

by RICHARD LACEY (KCC District Agent's Name).

Is ACO-1 filed? YES If not, is well log attached? _____

Producing Formation _____ Depth to Top _____ Bottom _____ T.D. 5760

How depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled out
	SURFACE			8-5/8	1790	NONE

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plug were used, state the character of same and depth placed, from ___ feet to ___ feet each set

100 SX @ 3700'; 50 SX @ 1820'; 40 SX @ 800'; 10 SX @ 40'; 15 SX IN RM; 10 SX IN MH.

Name of Plugging Contractor BEREDCO License No. _____

Address 401 E. DOUGLASS WICHITA KS 67202


NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: BEREDCO

STATE OF KANSAS COUNTY OF HASKELL, ss.

Even C. Mayhew (Employee of Operator or Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts and statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) Even C. Mayhew

(Address) 970 Fourth Financial Ctr



SUBSCRIBED AND SWORN TO before me this 28th day of September, 19 93

Dalaina Y. Suttle
 Notary Public

My Commission Expires: JUNE 15, 1997

USE ONLY ONE SIDE OF EACH FORM

RECEIVED
 KANSAS CORPORATION COMMISSION
 SEP 30 1993
 CONSERVATION DIVISION
 WICHITA, KS

RECEIVED

KANSAS CORPORATION COMMISSION

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
200 Colorado Derby Building
Wichita, Kansas 67202

FORM CP-1
Rev. 03/92

SEP 30 1993

CONFIDENTIAL

CONSERVATION DIVISION
WICHITA, KS

WELL PLUGGING APPLICATION FORM
(PLEASE TYPE FORM and File ONE Copy)

API # 081-20790 -0000 (Identifier number of this well). This must be listed for wells drilled since 1967; if no API# was issued, indicate spud or completion date.

WELL OPERATOR BEREXCO INC. KCC LICENSE # 5363
(owner/company name) (operator's)

ADDRESS 970 FOURTH FINANCIAL CTR. CITY WICHITA

STATE KS ZIP CODE 67202 CONTACT PHONE # (316) 265-3311

LEASE McLAIN WELL# 2-3 SEC. 3 T. 29 R. 33 (East/West)

- SE - SE - NW SPOT LOCATION/QQQQ COUNTY HASKELL

2310 FEET (in exact footage) FROM S/N (circle one) LINE OF SECTION (NOT Lease Line)

2310 FEET (in exact footage) FROM E/W (circle one) LINE OF SECTION (NOT Lease Line)

Check One: OIL WELL GAS WELL D&A SWD/ENHR WELL DOCKET# _____

CONDUCTOR CASING SIZE _____ SET AT _____ CEMENTED WITH _____ SACKS

SURFACE CASING SIZE 8-5/8 SET AT 1790 CEMENTED WITH 650 SACKS

PRODUCTION CASING SIZE _____ SET AT _____ CEMENTED WITH _____ SACKS

LIST (ALL) PERFORATIONS and BRIDGEPLUG SETS: _____

ELEVATION 2959/2971 T.D. 5760 PBDT 0 ANHYDRITE DEPTH 1785
(G.L./K.B.) (Stone Corral Formation)

CONDITION OF WELL: GOOD POOR CASING LEAK JUNK IN HOLE

PROPOSED METHOD OF PLUGGING 100 SX @ 3200'; 50 SX @ 1820'; 40 SX @ 800'; 10 SX @ 40';
15 SX in RH; 10 SX in MH.

(If additional space is needed attach separate page)

IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? Yes IS ACO-1 FILED? Yes

If not explain why? _____

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et. seq. AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:

STAN WYCKOFF PHONE# (316) 624-2434

ADDRESS Box 1672 City/State Liberal, KS 67901

PLUGGING CONTRACTOR BEREDCO KCC LICENSE # 5147
(company name) (contractor's)

ADDRESS 401 E. DOUGLASS PHONE # (316) 265-3511

PROPOSED DATE AND HOUR OF PLUGGING (If Known?) 6/14/93

PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED BY OPERATOR OR AGENT

DATE: 9-28-93 AUTHORIZED OPERATOR/AGENT: Ewan C. Moy
(signature)