COMPLDENTIAL		-					dele	ared	
CONFIDENT	IAT.			RTANT Durvey req	taeu	o Î	sele	6/8/	
KANSAS DRILLE		8	amples on	bis well.			s. <u>33</u> т	11_R22_W	
API No. 15 —	195	_ 2	0,607	this well.	Sing of		Loc. N	w se NW	
Operator	County	<del></del>	Number	1417 9E	-		County	Trego	
·	Co., Inc., a	nd Foxf	ire Explorat	ion 804	~ 1.			640 Acres N	
Address P. O. Box		ichita,	Kansas A	7201	A	2			
Well No. #2	Lease Name		Kulisus O	201			160		
" Z Footage Location	Flagler			·	<del></del>				
1650 feet from	(N) (第 line		1650 fee	t from XX (W)	ine				
Principal Contractor Red Tiger Dril	ling Compa	ny	Beologist Marth Don C.	na J. Tetr Ma <b>rchant</b>	ick &		160	60	
Sped Date January 3, 198	٠ <u>-</u>	7	Total Depth P.B.T.D. 3998					well correctly	
Date Completed			4080'		70		Elev.: Gr		
January 13, 1	.980		Clear Cre	ek, Inc.			DF	KB 2300	
			CASIN	G RECORD					
Report of all string	js set surface,	intermedia	te, production,	otc.					
Purpose of string	Size hole drilled	Size casing (In O.D.	set Weight lbs/f	Setting depth	Туре	cement	Socks	Type and percent additives	
Surface	12 <del>1</del> ''	8 5/8	'' 28#	257'	Comn	non	195	2% Gel, 3% Cal	
			1					Chlor	
<del></del>				<del> </del>	50/50		<del>-</del>	18% Salt, 0.75%	
Production	ļ	4 1/2	9.5#	4065'	Pozmi		200	CFR-2, 2% KC1	
	LINER RECO	RD				PERFOR	ATION RE	CORD	
Top, ft. Bottom, ft.		Saci	s coment	Shots	Shots per ft.		ze & type	Depth interval	
	·				3		ISB	3982-3987	
	TUBING RECO				2		SB	3987-4002	
2-3/8"	Setting depth 3973	Paci	uer set at — — —						
		CID, FRA	CTURE, SHOT	CEMENT SQ	JEEZE RE	CORD			
	Amos	int and kind	of material ased					Depth interval treated	
Gelled KCl wate sand, 3500# 1	•	t water	)60,500 g	al.; 25,50	0# 20/	40	308	2-4002	
Sand, 5500# 1	to/20 Sand				<del>,</del>	• • • • • • • • • • • • • • • • • • • •	350	1	
							<u> </u>	·	
,	••••		INITIAL F	RODUCTION				,	
Date of first production		Prod	ucing method (fic	wing, pumping, c	as lift, etc.	)			
February 18,	, 1980   OII	l_	Pumping Gos		Water	<del></del> -	<u> </u>	Gas-oil ratio	
RATE OF PRODUCTION PER 24 HOURS	1	0	bbls. MCF		MCF			СЕРВ	
Disposition of gas (vented	, used on lease or	sold)	ì			ducing inter	red(s) n. (3982–	4003)	
None									

"""RECEIVED

APR 1 3 2012

Operator Rupe	Oil Con	npany, Inc.	·		DRY HOLE, SWOW, ETC.		
Well No.		esse Name Flagler					
s <u>33</u> t <u>115</u> t	22V						
WELL LOG  Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.					SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.		
		TION, CONTENTS, ETC.	TOP	ВОТТОМ	NAME	DEPTH	
DST #1 fro	om 3604'	- 3735' 60", 60", 60"			Anhydrite	1819'	
		1st opening had stron 2nd opening had fair	~		Topeka	3391'	
		Recovered 740' Muddi ISIP 1022#, IFP 132#	Salt Wate	r	Heebner	3606'	
		FFP 366#-428#, FSI			Lansing	3640	
DST #2 fro	m 3811'	to 3880' 30", 30", 30",			Marmaton	3966'	
		Had weak blow died i Recovered 5' Mud wi ISIP 101#, IFP & FF FSIP 62#	h trace of	Oil on tod	•	·	
DST #3 fro	om 3960'	- 4005' 60", 60",60", Opened with weak bloom Recovered 275' Gas 73' Mud and Gas Cur 234' very Muddy Oil 15' free Oil. ISIP 1156#, IFP 54#, FSIP 1141#	w increase n Pipe, Oil (83% (97½% Oil)	Oil),			
		NCE ADDITIONAL PREETO IF	ECESCADA AV	COMPLETE W	III PECOPO		
Date R	eceived	USE ADDITIONAL SHEETS, IF N	<u> </u>	Oil Company			
			Martha	a J/Tetric	Signature		
				February 14	Title	•	
				RECEIVE	Date		

## DRILLERS LOG

No. 2 Flagler

CASING RECORD:

COMPANY:

Rupe Oil Co., Inc.

DESCRIPTION:

8 5/8" @ 257'

CONTRACTOR:

Red Tiger Drilling Company

NW/4 SE/4 NW/4 Sec. 33-T11S-R22W

w/195 sx cement

COMMENCED:

January 3, 1980

Trego County, Kansas

4 1/2" @ 4,065'

w/200 sx cement

TOTAL DEPTH: 4,080'

COMPLETED:

January 13, 1980

ELEVATION: 2,380' K.B.

FORMATION	FROM	<u>T0</u>	REMARKS
Surface Clay Shale Shale & Red Bed Shale, Red Bed & Sand Sandy Shale Red Bed & Shale Shale Anhydrite Shale Shale Lime & Shale Lime & Shale Streaks Lime Chert Lime Chert RTD	0 257 410 1025 1312 1560 1818 1831 1877 2051 2397 2720 2917 3981 4005 4045	257 410 1025 1312 1560 1818 1831 1877 2051 2397 2720 2917 3981 4005 4045 4080 4080	State Geological Sulvey WICHITA BRANCH

I certify that this is a true and correct copy of the above log to the best of my knowledge.

RED TIGER DRILLING COMPANY

Subscribed and sworn to before me this 16th day of January, 1980.

**RECEIVED** 

APR 1 3 2012

**KCC WICHITA** 

## QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025

Home Office P.O. Box 32 Russell, KS 67665

No. 477

Cell 785-324-1041												
Sec.	Twp.	Range		County	State	On Location	Finish					
Date 3- 1 3-	11	20	16.	+10	4.1-7	.*	17577					
Lease Figure 1	Well No.	2	Locati	on_T. 11_	Mulle tek	6.11 1 mg						
Contractor Michael	1. 11	e deller	1,4	Owner		<u> </u>	·					
Type Job Mine		<u> </u>		To Quality C You are here	Dilwell Cementing, Inc. eby requested to rent	cementing equipmen	t and furnish					
Hole Size	T.D.			cementer ar	nd helper to assist own	er or contractor to d	o work as listed.					
Csg. 11-	Depth			Charge VIX C								
Tbg. Size	Tbg. Size Depth					Street						
Tool			City State									
Cement Left in Csg.	Shoe Jo	oint		The above was done to satisfaction and supervision of owner agent or contractor.								
Meas Line	Meas Line Displace					60 40 But	<u> </u>					
EQUIP	MENT			Virigit 1.	. Luc	Proceeding the man						
	(14	<u> </u>		Common	<u> </u>							
Bulktrk // No. Driver L. Driver / I	97 É			Poz. Mix	·	·						
Bulktrk No. Driver / Driver	1 7			Gel.		<u>.                                    </u>	<u> </u>					
JOB SERVICES & REMARKS				Calcium								
Remarks:				Hulls								
Rat Hole			. *.	Salt								
Mouse Hole				Flowseal								
Centralizers				Kol-Seal								
Baskets				Mud CLR 48								
D/V or Port Collar				CFL-117 or CD110 CAF 38								
1 to 6. 38 0	7	1/1/ All 8	1.1	Sand								
Filiper 1 porter		- with suc	3 / 1/2	Handling								
The way to the first		1	Miléage									
2" The Topic USE		s on the foot										
port dry that's 3		Guide Shoe										
				Centralizer								
1 1 horas to 1200	· · · · · · · · · · · · · · · · · · ·	Baskets										
CAT DA 30 Mich	s 3,3.	AFU inserts AFU inserts										
	*	Float Shoe		RECEIVET	4.							
m, 15, day 2	, C	Latch Down	1	APR 1 : 2013	<i>3</i>							
las off is with							<u> </u>					
	S. S. S. S. S.	Programme Control				KCC WICHIT	A					
* the same	10 0	Cash, E	1 . 1	Pumptrk Ch	arge	7. 74 (5.)						
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Mileage										
The /	- T			Tax								
	, ,	4.5			d ti	Discount						
X Signature	15/1	V.		] .		· Total Charge						
				<del>-</del>			1					

## **TERMS AND CONDITIONS**

DEFINITIONS: In these terms and conditions, "Quality" shall mean Quality Oilwell Cementing, Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used sold, or furnished under the requirements of this contract.

- TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "QUALITY" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwith-standing the foregoing in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "QUALITY," refunded directly to "CUSTOMER." For purposes of this paragraph, QUALITY and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- -ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the term of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limit to, a reasonable sum as and attorney's fees.
- PRICES AND TAXES: All merchandise listed in "QUALITY'S" current price shall schedule are F.O.B. QUALITY'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by QUALITY shall be added to the quoted prices charged to CUSTOMER.
- TOWING CHARGES: QUALITY will make a reasonable attempt to get to and from each job site using its own equipment. Should QUALITY be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by QUALITY, will be charged to and paid by CUSTOMER.
- PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay QUALITY for the expenses incurred by QUALITY as a result of the cancellation.
- DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charges as set forth in QUALITY'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- SERVICE CONDITIONS AND LIABILITIES: 1. QUALITY carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond QUALITY'S control, QUALITY shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless QUALITY, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with QUALITY'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of QUALITY or its employees.
- 2. With respect to any of QUALITY'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to QUALITY at the landing, CUSTOMER shall either recover the lost item without cost to QUALITY or reimburse QUALITY the current replacement cost of the item unless the loss or damage results from the sole negligence of QUALITY or its employees.
- 3. QUALITY does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.
- WARRANTIES: 1. QUALITY warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. QUALITY'S obligation under this warranty is expressly limited to repair replacement, or allowance for credit, at its option, for any merchandise which is determined by QUALITY to be defective. THIS IS THE SOLE WARRANTY OF QUALITY AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and QUALITY shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.
  - 2. More specifically:
- (A) Nothing in this contract shall be constructed as a warranty by QUALITY of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
- (B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by QUALITY or any interpretation of test, meter readings, chart information, analysis or research, or recommendations made by QUALITY, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of QUALITY or its employees in the preparation or furnishing of such facts, information or data. (C) Work done by QUALITY shall be under the direct supervision and control of the CUSTOMER or his agent and QUALITY will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.