RECEIVED

Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Test				٠		•	(See Instru	ctions on Re	verse Side)		•			
Ор	en Flo	w .				. Test Date	. .			A D I	No. 15				
✔ Deliverabilty									5-007-2382	27-00-00					
Company F.G. Ho		mpa	any, L.L.C	 >.		ı		Lease THON	1PSON				Well N:	ımber	
County Location				Section		TWP			RNG (E/W)		Acres Attributed				
Barber SE NE NW SE			30		308										
Skinner				Reservoi Viola			Gas Gathering Conne ONEOK		tion						
Completion Date 06/04/2012				Plug Bac 4940'	k Total Dept	th	Packer Set at None								
Casing Size Weight					Internal [Diameter	Set at 4938'		Perforations 4596' - 4605'		То	То			
4-1/2" 10.5# Tubing Size Weight			Internal Diameter		Set at		Perforations		То	To					
2.3750 4.7#						4618'				,					
Type Completion (Describe) Gas (Single)				Type Flui SW	d Productio	n	Pump Unit or Traveling Plumper?				Yes / No				
•	Thru	(Ann	ulus / Tubing)	:	% Carbo	n Dioxide			% Nitrog	en	Gas G	avity -	3 _g	
Casing															
Vertical D	epth(H						Press Flar	sure Taps nge				(Meter F	Run) (Pi	over) Size	
Pressure	Buildu	p: \$	Shut in _01.	/28	/2014	∋at _9	:00	(AM) (PM)	Taken (01/28/20)14 19	at 9:10		(AM) (PM)	
Well on Li	ine:	S	Started 01/	29/	/2014 19	9at _9	:10	(AM) (PM)	Taken 0	1/29/20	14 19	at 9:15		(AM) (PM)	
							OBSERVI	ED SURFAC	E DATA			Duration of Shut	-in2	4 Hours	
Static / Orifice Dynamic Size		e Meter or		Pressure Differential ure in (h)		Flowing Well Head Temperature Temperature		Casing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)		Liquid Produced (Barrels)	
Property	inch	es	psig		Inches H ₂ 0	t	t	psig	psia	psig	psia	,,			
Shut-In						-			135			24			
Flow			·			·									
							FLOW ST	REAM ATTR	RIBUTES						
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia			Press Extension Š P _m x H _w	Fac	Gravity Factor F _g		Flowing Devi Temperature Factor F		Metered Flow R (Mcfd)	w GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m	
						(OPEN FL	OW) (DELI\	/ERABILITY	') CALCUL	ATIONS		· (P '	² = 0.2	207	
(P _c) ² =		_ :	(P _w) ² :	=	:	P _d =		%. (1	P _c - 14.4) +	14.4 =	:		2 =		
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P	$(P_c)^2 - (P_w)^2$ 1.		ose formula 1 or 2 1. P _c ² - P _a ² 2. P _c ² - P _d ²	LOG of formula 1. or 2. and divide	P _c ² -P _w ²	Backpressure Curve Slope = "n" or Assigned Standard Slope		n x !	LOG	Antilog	De	Open Flow Deliverability Equals R x Antilog Mcfd	
				divid	led by: P _c ² - P _w	by:		Stand	and Slobe			-			
Open Flow	v				Mcfd @ 14.6	5 psia		Deliverabil	lity	t		Mcfd @ 14.65 psi	a		
The u	ndersi	gned	authority, or	ı be	half of the C	ompany, sta	tes that he i	s duly autho	rized to ma	ike the ab	ove report and	that he has know	/ledge (of the facts	
			nt said report					6th	day o		February, 2			19	
)	-0	enes	SM	lı		
,			Witness	(if any	y)			_			For	Company K	CC	WICHI7	
			For Com	missi	on			-			Chec	cked by	FR	N 7 2014	

exempt status under Rule K.A.R. 82- and that the foregoing information a the best of my knowledge and belie tion and/or of type completion or up	and statements contained on this application form are true and correct to the based upon gas production records and records of equipment installation use of the gas well herein named. THOMPSON 1-30 ell:
is a coalbed met is cycled on plun is a source of na is on vacuum at	hane producer ger lift due to water tural gas for injection into an oil reservoir undergoing ER the present time; KCC approval Docket No roducing at a daily rate in excess of 250 mcf/D
D. t	
Date:02/06/2014	
	Signature: Loveness mpaye Title: Petroleum Geologist

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.

FEB 0 7 2014 RECEIVED