KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:					((See Instruc	ctions on Re	verse Side	?)					
✓ Open Flo	ow				Test Date	o:			ΛDI	No. 15				
Delivera	bilty				01/28/20					007-22545-	0000			
ompany tlas Operati	ng, LL0	<u> </u>					Lease Boggs E	Estate			5	Well N	umber	
County Location Barber 2300FSL, 1980FEL			Section 9		TWP 33		RNG (E/W) 12W			Acres Attributed 160				
eld hase		-			Reservoi Mississi					thering Conn an Pipeline	ection			
ompletion Da 1/14/1998	ate				Plug Bac 4975	k Total Dep	oth		Packer \$	Set at				
Casing Size Weight 1/2 15.5				Internal (4.950	Diameter	Set at 4990		Perforations 4439		To 4464	To 4464			
Tubing Size Weight 2 3/8 4.7			<u>. </u>	Internal [Diameter	Set at 4470		Perforations		То	То			
pe Completion	on (Des	cribe)			Type Flui	id Productio	on ·		Pump U		g Plunger? Yes	s / No		
oducing Thre	u· (Annu	lus / Tubii	ng)		% C	Carbon Diox	ride		% Nitrog		Gas (Gravity -	G _a	
Annulus				.003						.710				
/ertical Depth(H) I439			,			ssure Taps					(Meter Run) (Prover) Size			
essure Build	up: Sh	ut in 01	/28	20	14 at_		(AM) (PM)	Taken 0	1/29	20	14 at		(AM) (PM)	
ell on Line:	Śta	arted		20) at		(AM) (PM)	Taken	· · · · · · · · · · · · · · · · · · ·	20) at		(AM) (PM)	
						OBSERVE	ED SURFACI		1		Duration of Shu	_{ut-in} _24	Hour	
namic Si	fice ze hes)	Circle one: Meter rover Press	Differe sure in	ntial .	Flowing Well Ho				Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Duration (Hours)	,	Liquid Produced (Barrels)	
hut-In	-	psig (Pm)		H ₂ 0	<u> </u>		psig 50	psia	psig	psia			· · ·	
Flow							30							
					·	FLOW STI	REAM ATTR	BUTES	<u> </u>					
Plate Coeffiecient (F _b) (F _p) Mcfd	M. Prove	Circle one: Meter or Prover Pressure psia		Press Extension ✓ P _m x h		vity stor	Temperature Factor		viation Metered Flow actor R F _{pv} (Mcfd)		w GOF (Cubic I Barre	Feet/	Flowing Fluid Gravity G _m	
,) ² =		(P _w) ²	_		(OPEN FLO		VERABILITY % (F) CALCUL 2 - 14.4) +		_		$(a)^2 = 0.$ $(a)^2 = 0.$	207	
,	T ·	(' w/	Choose formul	1 or 2:	· d -			-		 :	(F.			
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$	(P _c) ²	'- (P _w) ²	1. P _c ² - 2. P _c ² - divided by: P _c	P _d ²	LOG of formula 1. or 2. and divide by:	P _c ² -P _w ²	Backpressure Curve Slope = "n" or Assigned Standard Slope		n x LOG		Antilog	De	Open Flow Deliverability Equals R. x Antilog (Mcfd)	
							1							
			,											
en Flow			Mcfd (14.6	35 psia		Deliverab	ility			Mcfd @ 14.65 p	sia		
The under	signed a	uthority,	on behalf o	the (Company, s	states that h	he is duly au	uthorized t	o make tl	ne above repo	ort and that he h	nas knov	wledge of	
facts stated	therein,	and that s	said report i	s true	and correc	t. Executed	this the 29	9th	day of	anuary	1-	,	20	
		Witness	(if any)						ICh	us Wa	MUR P	CC	WICHI	
		For Com									cked by	FEB	0 7 2014	
												RF	CEIVE	

r addition arradit portaity of	perjury under the laws of the state of Kansas that I am authorized to request
exempt status under Rule K.A.F	R. 82-3-304 on behalf of the operator Atlas Operating, LLC
and that the foregoing pressur	e information and statements contained on this application form are true and
orrect to the best of my knowle	edge and belief based upon available production summaries and lease records
• •	upon type of completion or upon use being made of the gas well herein named.
•	r exemption from open flow testing for the Boggs Estate #5
as well on the grounds that sa	id well:
(Check one)	
	methane producer
	plunger lift due to water
	of natural gas for injection into an oil reservoir undergoing ER
is on vacuur	m at the present time; KCC approval Docket No.
is not capab	ole of producing at a daily rate in excess of 250 mcf/D
	the best of my ability any and all supporting documents deemed by Commission
aff as necessary to corrobora	ate this claim for exemption from testing.
ate: 01/29/2014	_
ale	
ale.	
ne.	Signature: Row Wante

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The ferrometric signed and dated on the front side as though it was a verified report of annual test results.

FEB 07 2014