

**ORIGINAL**

Correction to include CIBP set @ **KCC WICHITA**

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION**

**APR 21 2014**

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

**RECEIVED**

Operator: License # 33074  
 Name: Dart Cherokee Basin Operating Co., LLC  
 Address: P O Box 177  
 City/State/Zip: Mason MI 48854-0177  
 Purchaser: Oneok  
 Operator Contact Person: Beth Oswald  
 Phone: (517) 244-8716  
 Contractor: Name: McPherson  
 License: 5675  
 Wellsite Geologist: Bill Barks  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

<u>5-30-03</u>	<u>6-4-03</u>	<u>6-7-03</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 125-30258-00-00  
 County: Montgomery  
NE NE SE Sec. 27 Twp. 32 S. R. 15  East  West  
2200' FSL \_\_\_\_\_ feet from S / N (circle one) Line of Section  
400' FEL \_\_\_\_\_ feet from E / W (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE SE NW SW  
 Lease Name: McMillin Well #: C4-27  
 Field Name: Jefferson-Sycamore  
 Producing Formation: Penn Coals  
 Elevation: Ground: 831' Kelly Bushing: \_\_\_\_\_  
 Total Depth: 1346' Plug Back Total Depth: 1080'  
 Amount of Surface Pipe Set and Cemented at 23' Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from \_\_\_\_\_  
 feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan**  
 (Data must be collected from the Reserve Pit)  
 Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
 Dewatering method used \_\_\_\_\_  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ East West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Beth Oswald  
 Title: Engr Support Supvr Date: 4.16.14  
 Subscribed and sworn to before me this 16<sup>th</sup> day of April  
2014  
 Notary Public: Pat Holmes  
 Date Commission Expires: 12/29/2014

**KCC Office Use ONLY**

Letter of Confidentiality Attached  
 If Denied: Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
Att 2 Dlg - 4/21/14 Dlg

Side Two

Handwritten: *11/15/07*  
Well #: **C4-27**

Operator Name: Dart Cherokee Basin Operating Co., LLC Lease Name: McMillin  
Sec. 27 Twp. 32 S. R. 15 ✓ East West County: Montgomery

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes ✓ No  
(Attach Additional Sheets)

Samples Sent to Geological Survey  Yes ✓ No

Cores Taken Yes ✓ No

Electric Log Run ✓ Yes No  
(Submit Copy)

List All E. Logs Run:

High Resolution Compensated Density Neutron & Dual Induction

Log Formation (Top), Depth and Datum ✓ Sample  
Name Top Datum  
See Attached

CASING RECORD							
				New	Used		
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surf	11"	8 5/8"		23'	Class A	4	
Prod	6 3/4"	4 1/2"	10.5	1338'	50/50 Poz	165	See Attached

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	See Attached		

TUBING RECORD		Size	Set At	Packer At	Liner Run	Yes	✓ No
		2 3/8"	1001'	NA			
Date of First, Resumed Production, SWD or Enhr.			Producing Method				
2-5-04			Flowing		✓ Pumping	Gas Lift	Other (Explain)
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity		
	NA	22	140	NA	NA		

Disposition of Gas:  Vented  Sold  Used on Lease  
(If vented, Sumit ACO-18.)

METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval: \_\_\_\_\_

Dart Cherokee Basin Operating Co LLC #33074  
 McMillin C4-27 API #15-125-30258-00-00  
 NE NE SE Sec 27 T32S-R15E  
 Attachment to ACO-1 Well Completion Form

Shots Per Foot	Perforation Record	Acid, Fracture, Shot, Cement Squeeze Record	Depth
2	1102'-1106'	300 gal 12% HCl, 8775# sd, 280 BBL fl	
	CIBP set @ 1080'		
6	960.5'-963.5'	300 gal 12% HCl, 5150# sd, 510 BBL fl	
6	882.5'-884.5'	300 gal 12% HCl, 1645# sd, 235 BBL fl	
6	845.5'-846.5'	300 gal 12% HCl, 520# sd, 295 BBL fl	
6	817.5'-818.5'	300 gal 12% HCl, 145 BBL fl	
6	798'-801.5'	300 gal 12% HCl, 8135# sd, 850 BBL fl	

KCC WICHITA  
 APR 21 2014  
 RECEIVED