


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to
Conservation Division
State Corporation Comm.
245 North Water
Wichita, KS 67202

Comanche County, Sec. 12 Twp. 32S Rge. 16 E/W
Location as "NE/CNW 1/4 SW 1/4" or footage from lines
C. - S.E.
Lease Owner Wild Boys and the Silver Bullet Oil Co's.
Lease Name Eatin' Dust & Drinkin' Whiskey Well No. 1
Office Address 807 N. Waco/Suite 3A/Wichita, KS 67203
Character of Well (Completed as Oil, Gas or Dry Hole) dry



Locate well correctly on above
Section Plot

Date Well completed 07/25/ 1981
Application for plugging filed 11/05/ 1982
Application for plugging approved 19
Plugging commenced 01/12/ 1983
Plugging completed 02/08/ 1983
Reason for abandonment of well or producing formation
Depleted
If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or
its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Tarbutton on bottom and top
Producing formation Depth to top Bottom Total Depth of Well 5380
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8"	570	none
				4 1/2"	5374	4093

Describe in detail the manner in which the well was plugged, indicating where the mud fluid
was placed and the method or methods used in introducing it into the hold. If cement or other
plugs were used, state the character of same and depth placed, from feet to
feet for each plug set. Plugged back at 5334'

Sand from 5334 to 4750.

4 sacks of cement from 4750 to 4720.

Allied pumped in 4 hulls, 20 jell, 100 cement, 15 sacks of jell, 1 sack of hulls

150 sacks of cement, 50 - 50 POZ, 4% jell, 3% c.c.

I talked to Bob Tarbutton for top plug 02/04/1983 10:00
Rich Lacy

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Clarke Corp.

STATE OF Kansas COUNTY OF Barber, ss.
Elmer J. Morgenstern (employee of owner) or (owner or operator)
of the above-described well, being first duly sworn on oath, says: That I have knowledge of
the facts, statements, and matters herein contained and the log of the above-described well
as filed and that the same are true and correct. So help me God.

(Signature) Elmer J. Morgenstern
Medicine Lodge, Ks.
(Address)

SUBSCRIBED AND SWORN TO before me this 10th day of February, 1983

Medicine Lodge, Ks.
Notary Public.

My commission expires April 4, 1986.

RECEIVED
STATE CORPORATION COMMISSION
2-14-83
FEB 14 1983

Schlumberger

DUAL INDUCTION-LOG
WITH LINEAR CORRELATION LOG

COUNTY _____
FIELD _____
LOCATION _____
WELL _____
COMPANY _____

COMPANY WILD BOYS LAND, CATTLE, & OIL CO.
AND THE SILVER BULLET OIL CO.
WELL EATIN DUST AND DRINKIN WHISKEY
FIELD N/A
COUNTY COMANCHE STATE KANSAS

LOCATION
APT. SERIAL NO. _____ SFC _____ TWP _____ RANGE _____
12 32 S 16 W

Other Services:
FDC - CNL - GR

Permanent Datum: GROUND LEVEL Elev.: 1927
Log Measured From: KB 1/2 Ft. Above Perm. Datum
Drilling Measured From: KB Elev.: KB 1939
D.F. _____
G.L. 1927

Date	8-7-81	
Run No.	ONE	
Depth-Driller	5380	
Depth-Logger	5368	
Btm. Log Interval	5362	
Top Log Interval	3432	
Casing - Driller	8518 @ 657	
Casing - Logger	557	
Bit Size	7 7/8	
Type Fluid in Hole	MUDCO - MAN PAC	
Dens. Visc.	8.8 @ 40	
pH	9.0 @ 10.4 ml	
Source of Sample	FLDWLINE	
Rm. @ Meas. Temp.	374 @ 83 F	267 @ 119 F
Rmf @ Meas. Temp.	328 @ 70 F	200 @ 119 F
Rmc @ Meas. Temp.	— @ — F	— @ — F
Source: Rmf	MA	—
Rm @ BHT	267 @ 119 F	— @ — F
Circulation Stopped	02:00	—
Logger on Bottom	05:30	—
Max. Rec. Temp.	—	—
Equip. Location	7747 WICHITA	—
Recorded By	BAUER	—


RECEIVED
STATE OPERATOR FIELD SUPERVISOR
MAR 26 1980
CONSERVATION DIVISION
Wichita-Kansas

FOLD HERE The well name, location and borehole reference data were furnished by the customer.

1 No.	ONE	SCALE CHANGES			
Service Order No.	218666	Type Log	Depth	Scale Up Hole	Scale D
Grid Level	SURF				
Conductivity ppm. cl	15,000				
Speed F.P.M.	60				
EQUIPMENT DATA					
Panel No.	DD 436	REMARKS			
Port No.	DA 537				
Panel No.	EA 654				
Panel No.	CA 590				
Panel No.	CA 590				
Cart No.	1AA-1056				
Pressure Recorder - (TTR)	—				
Depth Encoder - (DRE)	—				
Pressure Wheel - (CPW)	—				
Pressure Centralizers	FIN				
Band Off - Inches	1.5				
CALIBRATION DATA					
Log - ILM	1.0				
Log - ILM	8.4				
Log - ILD	9.7				
Scale per 100 Div.	79				
Source - CPS.	300				
Set In Hole - Depth	—				
Corr. - Hole Size	—				
LOGGING DATA					
Log - ILM	1.0				
Log - ILM	8.4				
Log - ILD	9.7				
Scale per 100 Div.	150				
T.C.	1				
Sens.	165				

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation and we will not be held liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule.


SPONTANEOUS-POTENTIAL	CONDUCTIVITY	MILLIMHOS. M =	1000 OHMS M ² /M
10 + - MILLIVOLTS	1000	DEEP INDUCTION	500



5100

5200

5300



FR

GR