

1 030776

Received
02-02-1987

API NUMBER 15- 033-20,703-00-00

To:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

C NW NW, SEC. 19, T 32 S, R 18 W/4
4620 feet from S section line
4500 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 6928

Lease Name Gates Well # 1

Operator: Walker Engineering
Name & Address 317 South Main Mall, Suite 400
Tulsa, OK 74103

County Comanche 188.166
Well Total Depth 5805 feet
Conductor Pipe: Size feet
Surface Casing: Size 8 5/8 feet 515

Abandoned Oil Well Gas Well Input Well SWD Well D&A X

Other well as hereinafter indicated

Plugging Contractor Red Tiger Drilling Company License Number 5302

Address 1720 KS State Bank Bldg., Wichita, KS 67202

Company to plug at: Hour: 3 p.m. Day: 17 Month: 1 Year: 19 87

Plugging proposal received from Mike Rempe

(company name) Red Tiger Drilling Company (phone) 316-263-1201

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1005'

1st plug at 1007' with 50 sx cement,

2nd plug at 500' with 50 sx cement,

3rd plug at 40' with 10 sx cement,

4th plug to circulate rathole with 15 sx cement.

Plugging Proposal Received by Glenn Barlow

(TECHNICIAN)

Plugging Operations attended by Agent?: All Part None X

Operations Completed: Hour: 4:30 p.m. Day: 17 Month: 1 Year: 19 87

ACTUAL PLUGGING REPORT 1st plug at 1040' with 50 sx cement,

2nd plug at 540' with 50 sx cement with 50 sx cement,

3rd plug at 40-0' with 10 sx cement,

4th plug to circulate rathole with 10 sx cement.

Remarks: Used 60/40 Pozmix 6% gel by Halliburton.

(If additional description is necessary, use BACK of this form.)

INVOICED (if not) observe this plugging.

Signed Steve Remont
(TECHNICIAN)

DATE 1-21-87

INV. NO. 15978

1-17

FORM CP-2/3
Rev. 01-84

CARD MUST BE TYPED

State of Kansas

CARD MUST BE SIGNED

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date 12 month 29 day 86 year 12:43

API Number 15- 033-20,703-00-00

OPERATOR: License # 6928
 Name Walker Engineering
 Address 317 S. Main Mall, Ste. 400
 City/State/Zip Tulsa, Oklahoma 74103
 Contact Person Clayton Walker
 Phone 918-584-5137

C NW NW Sec. 19 Twp. 32 S, Rg. 18W X East
 4620 Ft. from South Line of Section
 4500 Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # 5302
 Name Red Tiger Drilling Company
 City/State Wichita, Kansas 67202

Nearest lease or unit boundary line 4500 feet
 County Comanche

Well Drilled For: Well Class: Type Equipment:
 X Oil SWD Infield X Mud Rotary
 X Gas Inj Pool Ext. Air Rotary
 OWWO Expl Wildcat Cable

Lease Name Gates Well # 1
 Ground surface elevation 225 feet MSL
 Domestic well within 330 feet: yes X no
 Municipal well within one mile: yes X no
 Depth to bottom of fresh water 45
 Depth to bottom of usable water 225

If OWWO: old well info as follows:

Operator
 Well Name
 Comp Date Old Total Depth

Surface pipe by Alternate: 1 X 2
 Surface pipe planned to be set 450
 Conductor pipe required 130' 13-3/8"
 Projected Total Depth 6000 feet
 Formation ARB

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging in to the specifications.

Date 12-29-86 Signature of Operator or Agent BY RED TIGER DRILLING CO. OWNER

For KCC Use:

Conductor Pipe Required 6 feet; Minimum Surface Pipe Required 225 feet per Alt. 12-29-86
 This Authorization Expires 6-29-87 Approved By 90 ft 13 3/8 450 8 ft

Move in + Spud 12.31.86

..... Sec. 19.. Twp. 32... S, Rg. 18W X West

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ 1007 feet depth with 50 SX 60-40 poz., 6% gel
 2nd plug @ 500 feet depth with 50 SX
 3rd plug @ 40 feet depth with 10 SX
 4th plug @ feet depth with
 5th plug @ feet depth with
 (2) Rathole with 15 SX (b) Mousehole with SX

PUSHER Mike Ruyde
 TD 5805 FORMATION Simpson
 SURFACE PIPE 8 7/8 @ 515
 ANHYDRITE 1005 ELEVATION 114
 STARTING TIME & DATE 3:00 PM -
 COMPLETION TIME & DATE 4:30 1-17-87
 1st PLUG @ 1040 FT. W/ 50 SX
 2nd PLUG @ 540 FT. W/ 50 SX
 3rd PLUG @ 40-0 FT. W/ 10 SX
 4th PLUG @ FT. W/ SX
 RAT HOLE CIRCULATED W/ 10 SX
 MOUSE HOLE CIRCULATED W/ SX
 WATER WELL PLUGGED W/ 4 sandstone SX
 CEMENT COMPANY Halliburton
 TECHNICIAN G/46%

STATE CORPORATION COMMISSION

JAN 21 1987

CONSERVATION DIVISION
 Wichita, Kansas

15-037-01-005

WO

HARPER 2-A

OWWO -