## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  | t <b>:</b> |   |                          |   |                                | G  | See Ins                       | truct                                      | ions on Rev  | rerse Sido      | 9)   |                             |                      |                                 |  |   |   |
|--|------------|---|--------------------------|---|--------------------------------|--|-------------------------------|--|--|-----------------|--|-----------------------------|----------------------|---------------------------------|--|---|---|
| □ Ор   | en Flo     | w   |                          |   |                                | Test Date  |                               |  |  |                 | ADI  | No.                         | 15                   |                                 |  |   |   |
| Deliverabilty  |            |   |                          | 12-15-2   |                                | API No. 15<br>15-151- <b>35-38 22, 238 - 000 l</b> |                               |  |  |                 |  |                             |                      |                                 |  |   |   |
| Company<br>Rama O  |            | ng (  | Co., Inc                 |   |                                |  |                               |  | Lease<br>Andrews   |                 |  |                             |                      | •                               | W  | Vell Nur<br>6-24  | nber  |
| County Location Pratt 140' W of C-E/2-                               |            |   |                          | C-E/2-Se  | Section<br>24                  |  |                               | TWP<br>29                                  | RNG (E/W)<br>14w ,   |                 |  | ·                           | Acres Attributed 160 |                                 |  |   |   |
| Field<br>Coats   |            |   |                          | Reservoir<br>Lansing-Kansas City  |                                |  |                               |  | Gas Gathering Connec<br>Oneok  |                 |  |                             |                      |                                 |  |   |   |
| Completion Date  |            |   |                          | Plug Bac  | k Total                        | Dept   | h                             | Pac  |  |                 | Packer Set at  |                             |                      |                                 |  |   |   |
| Casing Size<br>5 1/2   |            |   | Weig                     | Internal Diameter   |                                |  | Set at<br>4460                |  | Perforations<br>3834   |                 |  | то<br>3910                  |                      |                                 |  |   |   |
| Tubing Size  |            |   | 14<br>Weight             |   |                                | Internal Diameter                                  |                               |  | Set at   |                 | Perforations   |                             |                      | To                              |  |   |   |
| 2 3/8 Type Completion (Describe)                                     |            |   |                          | Type Fluid Production   |                                |  | 3900                          | Pump Unit or Traveling Plunger? Yes / No   |  |                 |  |                             | -                    |                                 |  |   |   |
| Single (Gas +Oil) Producin Thru (Annulus / Tubing)                   |            |   |                          | water<br>% c  | arbon l                        | Dioxid   | de                            |  |  |                 | Pumping % Nitrogen   |                             |                      | Gas Gravity - G                 |  |   |   |
| Annulus  |            |   |                          |   |                                |  |                               |  |  |                 |  |                             |                      |                                 |  |   |   |
| ertical D  | epth(F     | l)  |                          |   |                                |  |                               | Press                                      | sure Taps  |                 |  |                             |                      |                                 | (Meter R                                 | un) (Pr   | over) Size                                    |
| Pressure   | Buildu     |   | Shut in12                |   |                                |  |                               |  |  |                 |  | 20 _                        |                      |                                 |  |   |   |
| Well on L  | ine:       |   | Started 12-16 20         |   | 13 at                          |  | (AM) (PM) Taken               |  |  | 20              |  | at                          |                      | (AM) (PM)                       |  |   |   |
|  |            |   |                          |   |                                |  | OBSE                          | RVE  | D SURFACE  | E DATA          |  |                             |                      | Duration                        | of Shut-in                               | 24  | Hours   |
| Static / Orifice<br>Dynamic Size                                     |            | е   | Meter<br>Prover Pressure |   | Pressure<br>Differential<br>in | Flowing<br>Temperature<br>I                        | Well Head<br>Temperature<br>t |  | Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) |                 | Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) |                             | Duration<br>(Hours)  |                                 |  | Liquid Produced<br>(Barrels)                                |   |
| Property   |            |   |                          |   | Inches H <sub>2</sub> 0        |  |                               |  | psig   | psia            | psig   | psia                        |                      |                                 |  |   |   |
| Shut-In  |            |   |                          |   |                                |  |                               |  | 215  |                 |  | +                           |                      |                                 | -  |   |   |
| Flow   |            |   |                          | !   |                                | ·  | FLOW                          | STR  | EAM ATTRI  | IBUTES          | <u> </u>   |                             |                      |                                 |  |   |   |
| Plate<br>Coefficcient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mold |            | Circle one:<br>Meter or<br>Prover Pressure<br>psia              |                          |   | Press<br>Extension             | Gravity<br>Factor<br>F <sub>g</sub>                |                               | Flowing Temperature Factor F <sub>it</sub> |  | De <sup>c</sup> | viation<br>actor<br>F <sub>pv</sub>  | Metered Flow<br>R<br>(Mcfd) |                      | v GOR<br>(Cubic Feet<br>Barrel) |  | v   | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub> |
|  |            |   |                          |   |                                |  |                               |  |  |                 |  | L                           |                      |                                 |  |   |   |
| <b>D</b> 12  |            | _   | (D. )2                   |   |                                | •  | OW) (Di                       |  | ERABILITY)<br>% (P   |                 |  |                             | _                    |                                 | (P <sub>a</sub> )²<br>(P <sub>d</sub> )² | = 0.20  | 07  |
| $\frac{(P_c)^2 = }{(P_c)^2 - (P_a)^2}$ or $(P_c)^2 - (P_d)^2$        |            | (P <sub>o</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> |                          | Choose formula 1 or 2:  1. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup> |                                | LOG of formula 1, or 2, and divide by:             |                               | _  | Backpressure Curve Slope = "n" or Assigned Standard Slope                            |                 | е  | LOG                         |                      | Antilog                         |  | Open Flow<br>Deliverability<br>Equals R x Antilog<br>(Mcfd) |   |
|  |            |   |                          |   |                                |  |                               |  | ·  |                 |  |                             |                      |                                 |  |   |   |
|  |            |   |                          |   |                                |  |                               |  |  | -               |  |                             |                      |                                 |  |   |   |
| Open Flo   |            |   |                          |   | Mcfd @ 14.                     |  |                               |  | Deliverab  |                 |  |                             |                      | •                               | 14.65 psia                               |   |   |
|  |            | -   |                          |   | ehalf of the                   |  |                               |  |  |                 |  |                             |                      |                                 |  | _   |   |
| e facts s  | tated t    | here  | ·                        |   | report is true                 | and correc   | t. Exec                       | uted                                       | this the   | <u>-</u>        | . day of   |                             |                      |                                 |  | •   | 20<br>C WICH                                  |
|  |            |   | Witness                  | (if an  | y)                             |  |                               |  |  |                 |  |                             |                      | Company                         |  |   |   |
|  |            |   | For Com                  | missi   | on                             |  |                               | _  | _  |                 |  |                             | Che                  | cked by                         |  | AP  | <del>R 03 2</del> 0                           |
|  |            |   |                          |   |                                |  |                               |  |  |                 |  |                             |                      |                                 |  | F   | RECEIV  |

| I declare u<br>exempt status<br>and that the fo | under penalty of perjury under the laws of the state of Kansas that I am authorized to request under Rule K.A.R. 82-3-304 on behalf of the operator Rama Operating Co., Inc.  pregoing pressure information and statements contained on this application form are true and  |
|---|---|
|   | pest of my knowledge and belief based upon available production summaries and lease records installation and/or upon type of completion or upon use being made of the gas well herein named.  |
|   | equest a one-year exemption from open flow testing for the Andrews 6-24   |
|   | e grounds that said well:   |
| [<br>[<br>[<br>I further aç                     | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D  gree to supply to the best of my ability any and all supporting documents deemed by Commission sary to corroborate this claim for exemption from testing. |
|   | Signature: Vice President   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

FOR WILHER

APR By LUL.

14VI-, [ -454