

RECEIVED

KANSAS CORPORATION COMMISSION

01-07-2002
JAN 07 2002

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM

ORIGINAL

CONSERVATION DIVISION WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

Operator: License # 5144
Name: Mull Drilling Company, Inc.
Address: P.O. Box 2758
City/State/Zip: Wichita KS 67201-2758
Purchaser: N/A
Operator Contact Person: Mark Shreve
Phone: (316) 264-6366
Contractor: Name: Duke Drilling Co., Inc.
License: 5929

Wellsite Geologist: Kim Shoemaker

Designate Type of Completion:

New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to Enhr./SWD

Plug Back Plug Back Total Depth

Commingled Docket No. _____

Dual Completion Docket No. _____

Other (SWD or Enhr.?) Docket No. _____

10/13/01	10/28/01	10/29/01
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 033-21271-00-00

County: Comanche

Approx. nw. ne. ne Sec. 22 Twp. 31s S. R. 19 East West

425 feet from S (N) (circle one) Line of Section

1175 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name: Vaughn Trust Well #: 1-22

Field Name: Wildcat

Producing Formation: N/A

Elevation: Ground: 2163' Kelly Bushing: 2172'

Total Depth: 6080' Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at 684 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) P.H. & G.L. 3.3.03

Chloride content _____ ppm Fluid volume _____ bbls

Dewatering method used _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License No.: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____

Title: President/COO Date: 1/4/02

Subscribed and sworn to before me this 4th day of January

2002
Notary Public: TANNIS L. TRITT
Notary Public - State of Kansas
My Appt. Expires 3-26-2003

Date Commission Expires: March 26, 2003

KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received **Release**
 Geologist Report Received
 UIC Distribution
MAR 03 2003
From Confidential

X

ALLIED CEMENTING CO., INC.

8173

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

CONFIDENTIAL

15-033-21271-00-08 SERVICE POINT:

ORIGINAL

med. lodge

DATE 10-12-01	SEC.	TWP.	RANGE	CALLED OUT 12:30P.M.	ON LOCATION 4:00P.M.	JOB START 5:00P.M.	JOB FINISH 5:20P.M.
LEASE Trust	WELL# 1-22	LOCATION Coldwater 4n-2 1/4w- 5/8			COUNTY Comanche	STATE KS.	
OLD OR NEW (Circle one)							

CONTRACTOR Arrow
 TYPE OF JOB Conductor
 HOLE SIZE 3" T.D. 80'
 CASING SIZE 20" DEPTH 79'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX 135 MINIMUM 75
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. 20' By Request
 PERFS. _____
 DISPLACEMENT 2 1/2 Bbls Fresh H₂O

OWNER Mull Doh
 CEMENT
 AMOUNT ORDERED 2205x CLASS A + 3% CC
Used 1655x CLASS A + 3% CC

EQUIPMENT
 PUMP TRUCK CEMENTER Larry Drilling
 # 2625 HELPER David Felio
 BULK TRUCK
 # 3625 DRIVER Dwayne West
 BULK TRUCK
 # _____ DRIVER _____

COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE KCC @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING _____ @ _____
 MILEAGE RECEIVED _____
 KANSAS CORPORATION COMMISSION

JAN 07 2002

TOTAL _____

REMARKS:

Pipe set 79' Pump 1655x
CLASS A + 3% CC Displace Cement
with 2 1/2 Bbls Fresh H₂O. Shut In.
Cement Did Cure

CONSERVATION DIVISION SERVICE

DEPTH OF JOB 79'
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE _____ @ _____
 MILEAGE _____ @ _____
 PLUG _____ @ _____
 _____ @ _____
 _____ @ _____

TOTAL _____

CHARGE TO: Mull Doh
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

Release
 @
MAR 03 2003
From
Confidential
 @

TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

[Signature]

PRINTED NAME

ALLIED CEMENTING CO., INC. 8424

Federal Tax I.D.

SHIP TO: P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Medicine Lodge, KS

DATE 10-14-01	SEC 22	TWP. 31S	RANGE 19	CALLED OUT 1:00 AM	ON LOCATION 3:00 AM	JOB START 9:30 AM	JOB FINISH 10:05 AM
LEASE Vaughn	WELL #	LOCATION Coldwater 4N		COUNTY Comanch	STATE KS		
OLD OR (NEW) (Circle one)		1 3/4 W 3/4 IN TO					

CONTRACTOR Duke #4
 TYPE OF JOB Surface
 HOLE SIZE 12 1/4" T.D. 683
 CASING SIZE 8 5/8" DEPTH 683-67
 TUBING SIZE DEPTH
 DRILL PIPE 4 1/2" DEPTH 683
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT 42.76
 CEMENT LEFT IN CSG. 42.76 FT
 PERFS.
 DISPLACEMENT Fresh H₂O 4 1/2 BBL

OWNER Mull Drlg. Co.

CEMENT
 AMOUNT ORDERED 250 SK 6.5:3.5:6+
 3% CC + 1/4" # Flo-Seal 100 SK
 Class A + 3% CC + 2% G-1

EQUIPMENT
 PUMP TRUCK CEMENTER David W.
 # HELPER Steve D.
 BULK TRUCK
 # DRIVER Ed E.
 BULK TRUCK
 # DRIVER

COMMON KCC @
 POZMIX @
 GEL JAN 0.4 2002 @
 CHLORIDE @
 CONFIDENTIAL @
 @
 @
 @
 @
 @
 @
 HANDLING CHARGE @
 MINE & CORPORATION COMMISSION

JAN 07 2002 TOTAL

REMARKS:

CONSERVATION DIVISION

P.P. on Bottom Break C.P.C.
 Pump 250 SK 6.5:3.5:6+3%CC 1/4" Flo-Seal
 Pump 100 SK A+3%CC 2% G-1
 Displace w/ Fresh H₂O
 Cement D.A. C.P.C.
 SHUT-IN

DEPTH OF JOB 683.67
 PUMP TRUCK CHARGE
 EXTRA FOOTAGE @
 MILEAGE @
 PLUG RUBBER @
 @
 @

Release

CHARGE TO: Mull Drlg. Co.
 STREET
 CITY STATE ZIP

MAR 03 2003
 From Confidential

FLOAT EQUIPMENT

1-Backflte Plate @
 21 Baskets @
 21 Controlzors @
 @
 @

TOTAL

To Allied Cementing Co., Inc:
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX
 TOTAL CHARGE
 DISCOUNT IF PAID IN 30 DAYS

SIGNATURE *Richard D. Roach*

Richard D. Roach
 PRINTED NAME

15-033-21271-00-00
ALLIED CEMENTING CO., INC. 08712

CONFIDENTIAL Federal (10) (D)

ORIGINAL SERVICE POINT: Medicine & D.G.

REMIT TO P.O. BOX 31
 RUSSELL, KANSAS 67665
 JAN 0-4 2002

DATE <u>10-29-01</u>	SEC. <u>22</u>	TWP. <u>31s</u>	RANGE <u>19 W</u>	RELEASED OUT <u>5:00 A.M.</u>	ON LOCATION <u>7:30 A.M.</u>	JOB START <u>8:30 A.M.</u>	JOB FINISH <u>4:00 P.M.</u>
LEASE <u>Kuyn</u>		WELL # <u>#1</u>	LOCATION <u>Coldwater</u>		COUNTY <u>Comanche</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			4 N 1 3/4 W 5/16 TO				

CONTRACTOR Ouke #4
 TYPE OF JOB Arbuckle Plug
 HOLE SIZE 7 7/8 T.D. 6045
 CASING SIZE 8 5/8 DEPTH 685
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2 DEPTH 6045
 TOOL _____ DEPTH _____
 PRES. MAX 450 MINIMUM 200
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT Fresh H₂O + Mud

EQUIPMENT

PUMP TRUCK CEMENTER David W.
 # 352 HELPER Ronald E.
 BULK TRUCK _____
 # 364 DRIVER Eric B.
 BULK TRUCK _____
 # _____ DRIVER _____

OWNER Mull Drilling Co.

CEMENT
 AMOUNT ORDERED 2155x 60:40:6+
1/4" Flo-Seal

COMMON	<u>129</u>	@ <u>6.65</u>	<u>857.85</u>
POZMIX	<u>86</u>	@ <u>3.55</u>	<u>305.30</u>
GEL	<u>11</u>	@ <u>10.00</u>	<u>110.00</u>
CHLORIDE		@	
<u>FLO-SEAL 54#</u>		@ <u>1.40</u>	<u>75.60</u>
		@	
		@	
		@	
		@	
HANDLING	<u>226</u>	@ <u>1.10</u>	<u>248.60</u>
MILEAGE	<u>226 x 45</u>	@ <u>.04</u>	<u>406.80</u>

TOTAL 2004.15

REMARKS:

Pump 50st at 6045 Dis w/mud
Pump 50st at 1100ft Dis w/sand
Pump 50st at 690ft Dis w/water
Pump 40st at 350ft Dis w/water
Pump 10st at 40ft Dis w/water
Plug Rat w 15st

SERVICE

DEPTH OF JOB 6045
 PUMP TRUCK CHARGE _____ 1600.00
 EXTRA FOOTAGE @ _____
 MILEAGE 45 @ 3.00 135.00
 PLUG @ _____
 @ _____
 @ _____

RECEIVED
 KANSAS CORPORATION COMMISSION
 TOTAL 1735.00

CHARGE TO: Mull Drilling Co.
 STREET _____
 CITY _____ STATE _____ ZIP _____

JAN 07 2002
 FLOAT EQUIPMENT
 CONSERVATION DIVISION
 @ _____
 @ Release
 @ _____
 @ Release
 @ MAR 03 2003
 @ From
 @ Confidential
 TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

MAR 03 2003
 From Confidential
 TAX _____
 TOTAL CHARGE 3739.15
 DISCOUNT 373.92 IF PAID IN 30 DAYS
3365.23
 SIGNATURE Colin D. Rouch
 PRINTED NAME _____

SIGNATURE Colin D. Rouch