

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM

Form ACO-1  
September 1999  
Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5123  
Name: Pickrell Drilling Company, Inc.  
Address: 100 S. Main, Suite 505  
City/State/Zip: Wichita, Kansas 67202-3738  
Purchaser: N/A

Operator Contact Person: Larry J. Richardson  
Phone: (316) 262-8427  
Contractor: Name: Company, Tools  
License: 5123  
Wellsite Geologist: Paul Gunzelman

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening  Re-perf.  Conv. to Enhr./SWD

Plug Back  Plug Back Total Depth

Commingled Docket No. \_\_\_\_\_

Dual Completion Docket No. \_\_\_\_\_

Other (SWD or Enhr.?) Docket No. \_\_\_\_\_

|                                   |                 |   |
|-----------------------------------|-----------------|---|
| <u>1-04-02</u>                    | <u>1-15-02</u>  | <u>1-16-02</u>                          |
| Spud Date or<br>Recompletion Date | Date Reached TD | Completion Date or<br>Recompletion Date |

CONFIDENTIAL

APR 07 2003

From  
CONFIDENTIAL

KCC

JAN 29 2003

CONFIDENTIAL

RECEIVED  
JAN 31 2003  
KCC WICHITA

API No. 15 - 15-033-21,293--00-00

County: Comanche

-NE-SW-SE Sec. 32 Twp. 31 S. R. 19  East  West

990' feet from (S) N (circle one) Line of Section

1650' feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE (SE) NW SW

Lease Name: Bird "M" Well #: 1

Field Name: \_\_\_\_\_

Producing Formation: None

Elevation: Ground: 2148 Kelly Bushing: 2153

Total Depth: 5400 Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 709' KB \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan YSA'ed 4.7.03  
(Data must be collected from the Reserve Pit)

Chloride content 7600 ppm Fluid volume 400 bbls

Dewatering method used \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: Star Resources

Lease Name: Carrier 20-9 License No.: 38389

Quarter E/2 Sec. 20 Twp. 32 S. R. 18  East  West

County: Comanche Docket No.: D-27,668

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: C.W. Sebitts - President Date: 1-29-02

Subscribed and sworn to before me this 29th day of January

10X2002.  
Notary Public: [Signature]

NOTARY PUBLIC - State of Kansas  
Date Commission Expires  
VERDELLA LEWIS  
My Appt. Exp. 6-6-2003

6-06-2002

**KCC Office Use ONLY**  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: Pickrell Drilling Co. Inc. Lease Name: Bird "M" Well # JAN13190  
 Sec. 32 Twp. 31 S. R. 19  East  West County: Comanche

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

| Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(Attach Additional Sheets)</i><br><br>Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br><br>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br><br>Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(Submit Copy)</i><br><br>List All E. Logs Run:<br>Dual Induction<br>Dual Compensated Porosity<br>Microresistivity | <input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample<br><br><table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Name</th> <th style="text-align: left;">Top</th> <th style="text-align: left;">Datum</th> </tr> </thead> <tbody> <tr> <td>Brown Lime</td> <td>4442 (-2289)</td> <td></td> </tr> <tr> <td>Lansing</td> <td>4469 (-2316)</td> <td></td> </tr> <tr> <td>Drum</td> <td>4759 (-2606)</td> <td></td> </tr> <tr> <td>Stark</td> <td>4867 (-2714)</td> <td></td> </tr> <tr> <td>Altamont</td> <td>5065 (-2912)</td> <td></td> </tr> <tr> <td>Pawnee</td> <td>5109 (-2956)</td> <td></td> </tr> <tr> <td>Cherokee</td> <td>5151 (-2998)</td> <td></td> </tr> <tr> <td>Mississippian</td> <td>5226 (-3073)</td> <td></td> </tr> </tbody> </table> | Name  | Top | Datum | Brown Lime | 4442 (-2289) |  | Lansing | 4469 (-2316) |  | Drum | 4759 (-2606) |  | Stark | 4867 (-2714) |  | Altamont | 5065 (-2912) |  | Pawnee | 5109 (-2956) |  | Cherokee | 5151 (-2998) |  | Mississippian | 5226 (-3073) |  |
|---|---|-------|-----|-------|------------|--------------|--|---------|--------------|--|------|--------------|--|-------|--------------|--|----------|--------------|--|--------|--------------|--|----------|--------------|--|---------------|--------------|--|
| Name  | Top   | Datum |     |       |            |              |  |         |              |  |      |              |  |       |              |  |          |              |  |        |              |  |          |              |  |               |              |  |
| Brown Lime  | 4442 (-2289)  |       |     |       |            |              |  |         |              |  |      |              |  |       |              |  |          |              |  |        |              |  |          |              |  |               |              |  |
| Lansing   | 4469 (-2316)  |       |     |       |            |              |  |         |              |  |      |              |  |       |              |  |          |              |  |        |              |  |          |              |  |               |              |  |
| Drum  | 4759 (-2606)  |       |     |       |            |              |  |         |              |  |      |              |  |       |              |  |          |              |  |        |              |  |          |              |  |               |              |  |
| Stark   | 4867 (-2714)  |       |     |       |            |              |  |         |              |  |      |              |  |       |              |  |          |              |  |        |              |  |          |              |  |               |              |  |
| Altamont  | 5065 (-2912)  |       |     |       |            |              |  |         |              |  |      |              |  |       |              |  |          |              |  |        |              |  |          |              |  |               |              |  |
| Pawnee  | 5109 (-2956)  |       |     |       |            |              |  |         |              |  |      |              |  |       |              |  |          |              |  |        |              |  |          |              |  |               |              |  |
| Cherokee  | 5151 (-2998)  |       |     |       |            |              |  |         |              |  |      |              |  |       |              |  |          |              |  |        |              |  |          |              |  |               |              |  |
| Mississippian   | 5226 (-3073)  |       |     |       |            |              |  |         |              |  |      |              |  |       |              |  |          |              |  |        |              |  |          |              |  |               |              |  |

| CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used |                   |                           |                   |               |                |             |                            |
|---|-------------------|---------------------------|-------------------|---------------|----------------|-------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc.           |                   |                           |                   |               |                |             |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacs Used | Type and Percent Additives |
| Conductor Csg   | 17-1/2"           | 13 3/8"                   | 48#               | 135'          | Class A        | 250sx       | 2%gel, 3%CC                |
| Surface Casing  | 12 1/4"           | 8 5/8"                    | 24#               | 709' KB       | Lite, 3%CC     | 250sx       | 1/4#FC/sx                  |
| Followed By   |                   |                           |                   |               | Class A        | 100sx       | 2%gel, 3%CC                |

| ADDITIONAL CEMENTING / SQUEEZE RECORD  |                  |                |             |                            |
|--|------------------|----------------|-------------|----------------------------|
| Purpose: P&A   | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate<br><input type="checkbox"/> Protect Casing<br><input type="checkbox"/> Plug Back TD<br><input type="checkbox"/> Plug Off Zone |                  | 60-40 poz      | 115sx       | 6% gel                     |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record<br><i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
| N/A            |   |  |       |
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |

| TUBING RECORD | Size | Set At | Packer At | Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No |
|---------------|------|--------|-----------|--|
| N/A           |      |        |           |  |

| Date of First, Resumerd Production, SWD or Enhr. | Producing Method   |
|--|--|
| N/A  | <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) |

| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |
|-----------------------------------|-----------|---------|-------------|---------------|---------|
|                                   |           |         |             |               |         |

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

# CONFIDENTIAL

## PICKRELL DRILLING COMPANY, INC.

100 SOUTH MAIN - SUITE 505  
WICHITA, KANSAS 67202-3738  
(316) 262-8427

Release

APR 07 2003

From

Confidential

#1 Bird "M"  
NE SW SE  
Section 32-31S-19W  
Comanche County, Kansas

Projected RTD: 5400'

API#: 15-033-21,293-~~20-00~~  
990' From South Line of Section  
1650' From East Line of Section  
ELEV: 2153' KB, 2151' DF, 2148' GL

1-04-02: MIRT, RURT & Spud.

1-07-02: (On 1-4) Spud @ 7:30 PM. Drilled 17 1/2" hole to 145'. (Had 110' sand). Ran 3 jts. of New 13 3/8" 48# Conductor Casing set @ 135', cmt w/250sx of Class A, 2% gel, 3% CC. PD @ 12:30 AM on 1-5-02. Drilled 12 1/4" hole to 715'. No loss circ. Ran 17 jts. of New 8 5/8" 24# Surface set @ 709' KB, cmt w/250sx Lite, 3% CC w/1/4# FC/sx, followed by 100sx Class A, 2% gel, 3% CC. Cmt circ. PD @ 6:45 PM on 1-5-02. (On 1-6) Drlg. out under surface. (On 1-7) Drlg. ahead @ 1930'.

1-08-02: Drlg. ahead @ 2793'.

1-09-02: Drlg. ahead @ 3605'.

1-10-02: Drlg. ahead @ 4225'.

1-11-02: Drlg. ahead @ 4783'.

1-14-02: (On 1-12) Drlg. ahead @ 5163'. (On 1-13) GBIH after DST #1 @ 5290'. DST #1 5194-5290' (Miss), 30"-60" 60"-90", GTS/29", 2<sup>nd</sup> op Ga: 3.9 MCF/10", 2.4 MCF/20", 3.7 MCF/30", 3.4 MCF/40", 2.4 MCF/50", 1.7 MCF/60". Rec: 180' GCM: IFP 42-56#, ISIP 677#, FFP 21-78#, FSIP 685#. BHT 123 degrees. (On 1-14) Drlg. @ 5354'. DST #2 5290-5322 (Miss), 30"-60"-60"-90", SB, OBB, Rec: 1265' GIP, 400' SW (CL 70,000 PPM). IFP 49-113#, ISIP 1690#, FFP 132-185#, ESIP 1621#. BHT 129 degrees. Will drill to 5400' and run logs.

1-15-02: Ran OH logs. Log looked good in Altamont, attempt to straddle test. DST #3 5052-5132 (Alt & Paw). Misrun - Packer failure. Will shorten anchor 4 ft. and attempt re-test. DST #4 5061-5133, 30"-60"-60"-90", Rec. 270'. MW w/sso, Chl: 33,000 ppm. IFP 26-79#, ISIP 1550#, FFP 87-126#, FSIP 1524#. P. & A as follows: 50sx @ 1000', 50sx @ 740', 10sx @ 40', 10sx in mousehole, 15sx in rathole, 60/40 poz. 6% gel. PD @ 4:40 AM 1/16/02.

KCC

JAN 29 2002

ORIGINAL

CONFIDENTIAL

RECEIVED

JAN 31 2002

KCC WICHITA

### SAMPLE TOPS

|               |              |
|---------------|--------------|
| Heebner       | 4367 (-2214) |
| Brown Lime    | 4544 (-2391) |
| Lansing       | 4557 (-2404) |
| Drum          | 4763 (-2610) |
| Stark         | 4872 (-2719) |
| Marmaton      | 5036 (-2883) |
| Altamont      | 5070 (-2917) |
| Pawnee        | 5115 (-2962) |
| Cherokee      | 5155 (-3002) |
| Mississippian | 5230 (-3077) |
| RTD           | 5400'        |

### ELECTRIC LOG TOPS

|               |              |
|---------------|--------------|
| Brown Lime    | 4442 (-2289) |
| Lansing       | 4469 (-2316) |
| Drum          | 4759 (-2606) |
| Stark         | 4867 (-2714) |
| Altamont      | 5065 (-2912) |
| Pawnee        | 5109 (-2956) |
| Cherokee      | 5151 (-2998) |
| Mississippian | 5226 (-3073) |
| LTD           | 5399'        |

# ALLIED CEMENTING CO., INC.

09009

Federal Tax I.D.# ~~000000000~~

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Med. Lodge, KS

|   |          |                                |                                    |                     |                      |                   |                    |
|---|----------|--------------------------------|------------------------------------|---------------------|----------------------|-------------------|--------------------|
| DATE 1-15-02  | SEC 32   | TWP 31S                        | RANGE 19W                          | CALLED OUT 10:30 pm | ON LOCATION 11:30 pm | JOB START 3:20 AM | JOB FINISH 4:10 AM |
| LEASE M. Bird   | WELL # 1 | LOCATION Coldwater 2N, 5W, 1S, |                                    |                     | COUNTY Comanche      | STATE KS          |                    |
| OLD OR <input checked="" type="checkbox"/> NEW (Circle one) |          |                                | 1E through pasture, 1/4 to 1/2 ac. |                     |                      |                   |                    |

|                                      |                         |
|--------------------------------------|-------------------------|
| CONTRACTOR Pickrell Drilling         | OWNER Pickrell Drilling |
| TYPE OF JOB Rotary Plug              |                         |
| HOLE SIZE 7 7/8                      | T.D. 5400               |
| CASING SIZE                          | DEPTH                   |
| TUBING SIZE                          | DEPTH                   |
| DRILL PIPE 4 1/2                     | DEPTH                   |
| TOOL                                 | DEPTH                   |
| PRES. MAX 100                        | MINIMUM 0               |
| MEAS. LINE                           | SHOE JOINT              |
| CEMENT LEFT IN CSG.                  |                         |
| PERFS.                               |                         |
| DISPLACEMENT                         |                         |
| EQUIPMENT                            |                         |
| PUMP TRUCK # 265                     | CEMENTER Mike Rucker    |
|                                      | HELPER Steve Davis      |
| BULK TRUCK # 2164                    | DRIVER Eric Brewer      |
| BULK TRUCK #                         | DRIVER                  |
| CEMENT AMOUNT ORDERED 135 sx 60:40:6 |                         |
| COMMON                               | @                       |
| POZMIX                               | @                       |
| GEL                                  | @                       |
| CHLORIDE                             | @                       |
|                                      | @                       |
|                                      | @                       |
|                                      | @                       |
|                                      | @                       |
| HANDLING                             | @                       |
| MILEAGE                              | @                       |

**CONFIDENTIAL**

**ORIGINAL**

TOTAL RECEIVED

JAN 31 2002

KCC WICHITA

REMARKS:

1000'  
1st plug: Pump 8 1/2 bbl ahead 3 1/2 am 3 1/2 am  
Start 50 sx 60:40:6. 3 1/2 Displace 3 Lbl fresh hc  
1 bbl mud, 3 1/2 am Stop Pump 2nd Plug 740 Pump  
8 1/2 bbl ahead 3 1/2 am Start 50 sx 60:40:6 3 1/2 am  
3 1/2 am Disp. 2 1/4 water, 3 1/2 bbl mud. 3rd Plug 90'  
4 1/2 am Start 10 sx 4 1/2 stop pumps 4 1/2 am Plug  
mousehole 10 sx 4 1/2 am Plug Rat hole 10 sx

|         |                   |
|---------|-------------------|
| SERVICE | DEPTH OF JOB 1000 |
|         | PUMP TRUCK CHARGE |
|         | EXTRA FOOTAGE @   |
|         | MILEAGE @         |
|         | PLUG @            |
|         | @                 |
|         | @                 |

KCC

CHARGE TO: Pickrell Drilling

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL \_\_\_\_\_

FLOAT EQUIPMENT \_\_\_\_\_

**CONFIDENTIAL**

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Mike Rucker x M, K, Rucker

PRINTED NAME

Release  
APR 07 2003  
From  
Confidential

# ALLIED CEMENTING CO., INC.

08953

**CONFIDENTIAL**

Federal Tax I.D.# ~~48-2022880~~

P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

MEDICINE LODGE

**ORIGINAL**

|                                  |                 |  |                  |                           |                            |                          |                           |
|----------------------------------|-----------------|--|------------------|---------------------------|----------------------------|--------------------------|---------------------------|
| DATE <u>1-05-02</u>              | SEC. <u>32</u>  | TWP. <u>31S</u>                          | RANGE <u>19W</u> | CALLED OUT <u>1:15 PM</u> | ON LOCATION <u>3:00 PM</u> | JOB START <u>6:15 PM</u> | JOB FINISH <u>6:45 PM</u> |
| LEASE <u>M. BERO</u>             | WELL # <u>1</u> | LOCATION <u>COLDWATER 2N, SW, 1S, 1E</u> |                  |                           | COUNTY <u>COMANCHE</u>     | STATE <u>KANSAS</u>      |                           |
| OLD OR <u>(NEW)</u> (Circle one) |                 | N/S                                      |                  |                           |                            |                          |                           |

CONTRACTOR PECKRELL DRIL. #1

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 714'

CASING SIZE 2 5/8" X 26# DEPTH 709'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 600# MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 43.79'

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 43 1/2 BBLs H<sub>2</sub>O

OWNER PECKRELL DRIL. Co Release

APR 07 2003

CEMENT From

AMOUNT ORDERED Confidential

250 SY 65:35:6 + 3% CC + 1/4# F/S

100 SY CLASS A + 3% CC + 2% BA

|          |          |         |         |
|----------|----------|---------|---------|
| COMMON A | 100      | @ 6.65  | 665.00  |
| POZMIX   |          | @       |         |
| GEL      | 2        | @ 10.00 | 20.00   |
| CHLORIDE | 12       | @ 30.00 | 360.00  |
| AW       | 250      | @ 6.30  | 1575.00 |
| FLO-SEAL | 63#      | @ 1.40  | 88.20   |
|          |          | @       |         |
|          |          | @       |         |
|          |          | @       |         |
| HANDLING | 377      | @ 1.10  | 414.70  |
| MILEAGE  | 377 X 49 | .04     | 438.92  |

EQUIPMENT

PUMP TRUCK CEMENTER KEVIN BRUNHARDT

# 368-265 HELPER DAVID FELTO

BULK TRUCK

# 363-314 DRIVER ED REED

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

RECEIVED

JAN 31 2002 SERVICE

KCC WICHITA

DEPTH OF JOB 709'

PUMP TRUCK CHARGE 0-300' 520.00

EXTRA FOOTAGE 409' @ .50 204.50

MILEAGE 49 @ 3.00 147.00

PLUG 2 5/8" TRP @ 100.00 100.00

KCC

REMARKS:

RUN 2 5/8" REG. + BREAK CIRCULATION

PUMP 5 BBLs WATER

MIX 250 SY AW + 3% CC + 1/4# F/S

MIX 100 SY CLASS A + 3% CC + 2% BA

DISPLACE PLUG TO 665' / 43 1/2 BBLs

CEMENT DED CIRCULATE ✓

CHARGE TO: PECKRELL DRIL. Co

STREET P.O. Box 13031

CITY Great Bend STATE KANSAS ZIP 67530

JAN 29 2002

CONFIDENTIAL

FLOAT EQUIPMENT

|                |          |        |
|----------------|----------|--------|
| 1-BATTLE PLATE | @ 45.00  | 45.00  |
| 1-BASKET       | @ 180.00 | 180.00 |
|                | @        |        |
|                | @        |        |
|                | @        |        |

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment

TOTAL 225.00

# ALLIED CEMENTING CO., INC.

08951

Federal Tax I.D.# ~~27-71733~~

**CONFIDENTIAL**

MIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

MED. LODGE

|                                |                 |                                      |                  |                           |                             |                        |                            |
|--------------------------------|-----------------|--------------------------------------|------------------|---------------------------|-----------------------------|------------------------|----------------------------|
| DATE <u>01-05-02</u>           | SEC. <u>32</u>  | TWP. <u>31S</u>                      | RANGE <u>19W</u> | CALLED OUT <u>7:00 PM</u> | ON LOCATION <u>11:00 PM</u> | JOB START <u>12:00</u> | JOB FINISH <u>12:30 AM</u> |
| LEASE <u>m. BIRD</u>           | WELL # <u>1</u> | LOCATION <u>COLDWATER 2N, SW, 15</u> |                  |                           | COUNTY <u>COMANCHE</u>      | STATE <u>KANSAS</u>    |                            |
| OLD OR <u>NEW</u> (Circle one) |                 | <u>3/4 E, N/5</u>                    |                  |                           |                             |                        |                            |

CONTRACTOR Co. Tools #1  
 TYPE OF JOB CONDUCTOR  
 HOLE SIZE 17 1/2" T.D. 145'  
 CASING SIZE 13 3/8" x 48.5" DEPTH 136'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 20'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 18 BBLs. H<sub>2</sub>O

OWNER BECKRELL DRUG CO.  
 CEMENT AMOUNT ORDERED  
250y CLASS A + 3% CC + 2% Gel

|          |            |                |                |
|----------|------------|----------------|----------------|
| COMMON A | <u>250</u> | @ <u>6.65</u>  | <u>1662.50</u> |
| POZMIX   |            | @              |                |
| GEL      | <u>5</u>   | @ <u>10.00</u> | <u>50.00</u>   |
| CHLORIDE | <u>9</u>   | @ <u>30.00</u> | <u>270.00</u>  |
|          | <u>KCC</u> | @              |                |

EQUIPMENT  
 PUMP TRUCK CEMENTER KEVIN BRENBALDT  
#368-265 HELPER DAVID FELTO  
 BULK TRUCK DRIVER ERIC BREWER  
#259-252  
 BULK TRUCK DRIVER \_\_\_\_\_  
 # \_\_\_\_\_

|                         |               |                      |
|-------------------------|---------------|----------------------|
| JAN 29 2002             | @             |                      |
| CONFIDENTIAL            | @             |                      |
| HANDLING <u>264</u>     | @ <u>1.10</u> | <u>290.40</u>        |
| MILEAGE <u>264 x 49</u> | <u>.04</u>    | <u>577.44</u>        |
|                         |               | TOTAL <u>2790.34</u> |

RECEIVED  
 JAN 31 2002  
 KCC WICHITA

REMARKS:

Run 13 3/8" CSS & BREAK GRP.  
MAX 250y CLASS A + 3% CC + 2% Gel  
DISPLACE CEMENT TO 146' / 18 BBLs  
CEMENT DRO CEMENTATE

|                   |               |               |
|-------------------|---------------|---------------|
| DEPTH OF JOB      | <u>136'</u>   |               |
| PUMP TRUCK CHARGE |               | <u>520.00</u> |
| EXTRA FOOTAGE     | @             |               |
| MILEAGE <u>49</u> | @ <u>3.00</u> | <u>147.00</u> |
| PLUG              | @             |               |
|                   | @             |               |
|                   | @             |               |

ORIGINAL

TOTAL 667.00

CHARGE TO: BECKRELL DRUG CO.  
 STREET P.O. Box 1303  
 CITY GREAT BEND STATE KANSAS ZIP 67630

FLOAT EQUIPMENT

|  |   |  |
|--|---|--|
|  | @ |  |
|  | @ |  |
|  | @ |  |
|  | @ |  |
|  | @ |  |

APR 07 2003  
 From  
 Confidential

# ALLIED CEMENTING CO., INC. 09009

Federal Tax I.D.# ~~63-0000000~~

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Med Lodge, KS

|                                |                 |                                      |   |                            |                             |                          |                           |
|--------------------------------|-----------------|--------------------------------------|---|----------------------------|-----------------------------|--------------------------|---------------------------|
| DATE <u>1-15-02</u>            | SEC <u>32</u>   | TWP <u>31S</u>                       | RANGE <u>19W</u>                                  | CALLED OUT <u>10:30 pm</u> | ON LOCATION <u>11:30 pm</u> | JOB START <u>3:20 AM</u> | JOB FINISH <u>4:40 AM</u> |
| LEASE <u>M. Bird</u>           | WELL # <u>1</u> | LOCATION <u>Coldwater 2N, 5W 1S,</u> |   |                            | COUNTY <u>Carriche</u>      | STATE <u>KS</u>          |                           |
| OLD OR <u>NEW</u> (Circle one) |                 |                                      | LOCATION <u>1/4 through pasture, 1/4 N taloc.</u> |                            |                             |                          |                           |

CONTRACTOR Pickrell Drilling OWNER Pickrell Drilling

TYPE OF JOB Rotary Plug

HOLE SIZE 7 7/8 T.D. 5400 CEMENT AMOUNT ORDERED 135 sk 60:40:6

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2 DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 100 MINIMUM 0 COMMON KCC

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_ POZMIX @ \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_ GEL JAN 29 @ 2002

PERFS. \_\_\_\_\_ CHLORIDE @ \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_ @ \_\_\_\_\_

EQUIPMENT CONFIDENTIAL

PUMP TRUCK CEMENTER Mike Raker # 265 HELPER Steve Davis

BULK TRUCK # 3164 DRIVER Eric Brewer

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

HANDLING @ \_\_\_\_\_

MILEAGE @ \_\_\_\_\_

# COPY SERVICE

RECEIVED  
JAN 31 2002  
KCC WICHITA  
TOTAL \_\_\_\_\_

REMARKS:

1000'

1st Plug: Pump 8 1/2 bbl ahead 3:20 pm, 3:40 pm  
Start 50 sk 60:40:6, 3:50 Displace 3 lbl fresh hc  
1 bbl mud, 3:55 am Stop Pumps 2nd Plug 7:40 Pump  
8 1/2 bbl ahead 3:40 am Start 50 sk 60:40:6, 3:40 pm  
3:40 am Disp. 2 1/4 water, 3 lbl mud, 3rd Plug 4:00  
4:00 am Start 10 sk 4:15 stop pumps, 4:30 am Plug  
household 10 sk 4:30 am Plug Rat hole 10 sk

DEPTH OF JOB 1000'

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE @ \_\_\_\_\_

PLUG @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

CHARGE TO: Pickrell Drilling

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**CONFIDENTIAL** TOTAL \_\_\_\_\_

FLOAT EQUIPMENT

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Mike Raker

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

Release

PRINTED NAME M, K & K

APR 07 2003  
 From  
 Confidential

# ALLIED CEMENTING CO., INC.

08953

Federal Tax I.D.# 40-100229

P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
MEDICINE COUSE

|                                  |                 |  |                  |                           |                            |                          |                           |
|----------------------------------|-----------------|--|------------------|---------------------------|----------------------------|--------------------------|---------------------------|
| DATE <u>1-05-02</u>              | SEC. <u>32</u>  | TWP. <u>31S</u>                          | RANGE <u>19W</u> | CALLED OUT <u>1:15 PM</u> | ON LOCATION <u>3:00 PM</u> | JOB START <u>6:15 PM</u> | JOB FINISH <u>6:45 PM</u> |
| LEASE <u>M. BIRD</u>             | WELL # <u>1</u> | LOCATION <u>COLDWATER 2N, SW, 1S, 1E</u> |                  |                           | COUNTY <u>COMANCHE</u>     | STATE <u>KANSAS</u>      |                           |
| OLD OR <u>(NEW)</u> (Circle one) |                 | N/S                                      |                  |                           |                            |                          |                           |

CONTRACTOR PECKRELL DRIL. #1 OWNER PECKRELL DRIL. Co

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 714'

CASING SIZE 2 5/8" X 2 1/2" DEPTH 709'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 600 # MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 43.79'

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 4 3/2 BBLs H<sub>2</sub>O

EQUIPMENT

PUMP TRUCK CEMENTER KEVIN BRUNHARDT

# 368-265 HELPER DAVID FELIO

BULK TRUCK

# 363-314 DRIVER ED REED

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

COPY

|          |  |                |                |
|----------|--|----------------|----------------|
| CEMENT   | AMOUNT ORDERED                                 |                |                |
|          | <u>250 SY LS: 35:6 + 3% CC + 1/4" #70-SEAL</u> |                |                |
|          | <u>100 SY CLASS A + 3% CC + 2% BR</u>          |                |                |
| COMMON A | <u>100</u>                                     | @ <u>6.65</u>  | <u>665.00</u>  |
| POZMIX   |  | @              |                |
| GEL      | <u>2</u>                                       | @ <u>10.00</u> | <u>20.00</u>   |
| CHLORIDE | <u>12</u>                                      | @ <u>30.00</u> | <u>360.00</u>  |
| ALW      | <u>250</u>                                     | @ <u>6.30</u>  | <u>1575.00</u> |
| FLO-SEAL | <u>63 #</u>                                    | @ <u>1.40</u>  | <u>88.20</u>   |
|          |  | @              |                |
|          |  | @              |                |
|          |  | @              |                |
| HANDLING | <u>377</u>                                     | @ <u>1.10</u>  | <u>414.70</u>  |
| MILEAGE  | <u>377 X 49</u>                                | @ <u>.04</u>   | <u>15.08</u>   |

TOTAL 3861.82

JAN 29 2002  
CONFIDENTIAL SERVICE

REMARKS:  
RUN 2 5/8" (SEG. + BREAK CIRCULATION)  
PUMP 5 BBLs WATER  
MIX 250 SY ALW + 3% CC + 1/4" #70-SEAL  
MIX 100 SY CLASS A + 3% CC + 2% BR  
DISPLACE PLUG TO 665' / 4 3/2 BBLs  
CEMENT DED CIRCULATE

|                        |               |                 |               |
|------------------------|---------------|-----------------|---------------|
| DEPTH OF JOB           | <u>709'</u>   |                 |               |
| PUMP TRUCK CHARGE      | <u>0-300'</u> |                 | <u>520.00</u> |
| EXTRA FOOTAGE          | <u>409'</u>   | @ <u>.50</u>    | <u>204.50</u> |
| MILEAGE                | <u>49</u>     | @ <u>3.00</u>   | <u>147.00</u> |
| PLUG <u>2 5/8" TRP</u> |               | @ <u>100.00</u> | <u>100.00</u> |
|                        |               | @               |               |
| Release                |               | @               |               |

CHARGE TO: PECKRELL DRIL. Co

STREET P.O. Box 13031

CITY Great Bend STATE KANSAS ZIP 67530

APR 07 2003  
From Confidential  
TOTAL 971.50  
FLOAT EQUIPMENT

|                |                 |               |
|----------------|-----------------|---------------|
| 1-BATTLE PLATE | @ <u>45.00</u>  | <u>45.00</u>  |
| 1-BASKET       | @ <u>180.00</u> | <u>180.00</u> |
|                | @               |               |
|                | @               |               |
|                | @               |               |

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment  
and furnish cement and water to assist owner or

TOTAL 225.00



# ALLIED CEMENTING CO., INC. 08951

Federal Tax I.D.# ~~000000000~~

MIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
MED. LODGE

|                                |                 |                                      |                  |                           |                             |                        |                            |
|--------------------------------|-----------------|--------------------------------------|------------------|---------------------------|-----------------------------|------------------------|----------------------------|
| DATE <u>01-05-02</u>           | SEC. <u>32</u>  | TWP. <u>31S</u>                      | RANGE <u>19W</u> | CALLED OUT <u>7:00 PM</u> | ON LOCATION <u>11:00 PM</u> | JOB START <u>12:00</u> | JOB FINISH <u>12:30 AM</u> |
| LEASE <u>m. BIRD</u>           | WELL # <u>1</u> | LOCATION <u>COLDWATER 2N, SW, 15</u> |                  |                           | COUNTY <u>COMANCHE</u>      | STATE <u>KANSAS</u>    |                            |
| OLD OR <u>NEW</u> (Circle one) |                 | <u>3/4 E, N/5</u>                    |                  |                           |                             |                        |                            |

|  |                                  |
|--|----------------------------------|
| CONTRACTOR <u>Co. Tools #1</u>             |                                  |
| TYPE OF JOB <u>CONDUCTOR</u>               |                                  |
| HOLE SIZE <u>17 1/2"</u>                   | T.D. <u>145'</u>                 |
| CASING SIZE <u>13 3/8" X 48.5'</u>         | DEPTH <u>136'</u>                |
| TUBING SIZE                                | DEPTH                            |
| DRILL PIPE                                 | DEPTH                            |
| TOOL                                       | DEPTH                            |
| PRES. MAX                                  | MINIMUM                          |
| MEAS. LINE                                 | SHOE JOINT                       |
| CEMENT LEFT IN CSG. <u>20'</u>             |                                  |
| PERFS.                                     |                                  |
| DISPLACEMENT <u>18 BBLs H<sub>2</sub>O</u> |                                  |
| EQUIPMENT                                  |                                  |
| PUMP TRUCK # <u>368-265</u>                | CEMENTER <u>KEITH BRONKHORST</u> |
|  | HELPER <u>DAVID FELTO</u>        |
| BULK TRUCK # <u>259-252</u>                | DRIVER <u>ERIC BREWER</u>        |
| BULK TRUCK #                               | DRIVER                           |

|  |                             |
|--|-----------------------------|
| OWNER <u>PICKRELL DRUG CO.</u>                               |                             |
| COPY   |                             |
| CEMENT AMOUNT ORDERED <u>250 CY CLASS A + 3% CC + 2% GEL</u> |                             |
| COMMON A   | <u>250 @ 6.65 = 1662.50</u> |
| POZMIX   | @                           |
| GEL  | <u>5 @ 10.00 = 50.00</u>    |
| CHLORIDE   | <u>9 @ 30.00 = 270.00</u>   |
|  | @                           |
|  | @                           |
|  | @                           |
|  | @                           |
|  | @                           |
|  | @                           |
| HANDLING   | <u>264 @ 1.10 = 290.40</u>  |
| MILEAGE  | <u>264 X .49 = 129.36</u>   |
| <b>KCC</b>   |                             |
| TOTAL <u>2790.34</u>   |                             |

REMARKS:  
RUN 13 3/8" CSG. & BREAK GRD.  
MAX 250 CY CLASS A + 3% CC + 2% GEL  
DISPLACE CEMENT TO 116' / 18 BBLs  
CEMENT DRO CEMENTATE

|                      |                           |
|----------------------|---------------------------|
| JAN 29 2002          |                           |
| CONFIDENTIAL SERVICE |                           |
| DEPTH OF JOB         | <u>136'</u>               |
| PUMP TRUCK CHARGE    | <u>520.00</u>             |
| EXTRA FOOTAGE        | @                         |
| MILEAGE              | <u>49 @ 3.00 = 147.00</u> |
| PLUG                 | @                         |
|                      | @                         |
|                      | @                         |

CHARGE TO: PICKRELL DRUG CO.  
STREET P.O. Box 1303  
CITY GREAT BEND STATE KANSAS ZIP 67530

APR 07 2003  
From Confidential  
TOTAL 667.00  
FLOAT EQUIPMENT