

RECEIVED

MAY 14 2002
5-14-02
KCC WICHITA

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 4058
Name: American Warrior inc
Address: P.O. Box 399,
City/State/Zip: Garden City, Ks 67846
Purchaser: None D/A
Operator Contact Person: Kevin Wiles Sr
Phone: 620-275-2963
Contractor: Name: Duke Drig,
License: 5929
Wellsite Geologist: Alan Downing
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____
8-28-01 9-5-01 9-6-01
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 033-21,239-0000
County: Comanche
21 N & 70 E of _____
C N/2 SE Sec. 36 Twp. 31 S. R. 20 W East West
2001 feet from (S) N (circle one) Line of Section
1250' feet from (E) W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: Kerstetter Well #: 1-36
Field Name: NA
Producing Formation: None
Elevation: Ground: 2095 Kelly Bushing: 2108
Total Depth: 5370' Plug Back Total Depth: NA
Amount of Surface Pipe Set and Cemented at 615' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan Act 1 P: 1-2-02 11-6-02
(Data must be collected from the Reserve Pit)
Chloride content 16,000 ppm Fluid volume 320 bbls
Dewatering method used Hauled Off Site
Location of fluid disposal if hauled offsite:
Operator Name: KBW Oil & Gas
Lease Name: Harmon SWD License No.: 5993
Quarter NW Sec. 11 Twp. 33 S. R. 20 W East West
County: Comanche Docket No.: 98329

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge

Signature: _____
Title: Production supt. Date: 5-9-02
Subscribed and sworn to before me this 9th day of May 2002
Notary Public: Debra Purcell
Date Commission Expires: 11/4/03

DEBRA J. PURCELL
Notary Public - State of Kansas
My Appt. Expires 11/4/03

KCC Office Use ONLY
 Letter of Confidentiality Attached
 If Denied, Yes Date: 5-17-02 DPA
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED

MAY 14 2002

Side Two

KCC WICHITA

Operator Name: American Warrior Inc Lease Name: Kerstetter Well #: 1-36
Sec. 36 Twp. 31s S. R. 20w East West County: Comanche

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, lime tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets)
Samples Sent to Geological Survey
Cores Taken
Electric Log Run (Submit Copy)

Table with 3 columns: Name, Top, Datum. Rows include Heebner, Doudlas, Lansing, Drum, Swope, BKC, Marmaton, Pawnee, Fort Scott, Miss.

List All E. Logs Run:
CDNL/GR. Micro. Sonic
Dual IND

CASING RECORD table with columns: Purpose of String, Size Hole Drilled, Size Casing Set, Weight Lbs./Ft., Setting Depth, Type of Cement, # Sacs Used, Type and Percent Additives.

ADDITIONAL CEMENTING / SQUEEZE RECORD table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives.

PERFORATION RECORD table with columns: Shots Per Foot, Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record, Depth.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run, Date of First Resumerd Production, Producing Method, Estimated Production Per 24 Hours.

Disposition of Gas, METHOD OF COMPLETION, Production Interval. Includes checkboxes for Vented, Sold, Used on Lease, Open Hole, Perf., Dually Comp., Commingled, Other.

ALLIED CEMENTING CO., INC. 8364

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Also Lodge

DATE <u>8-28-01</u>	SEC. <u>36</u>	TWP. <u>31S</u>	RANGE <u>20W</u>	CALLED OUT <u>2:00 pm</u>	ON LOCATION <u>11:00 pm</u>	JOB START <u>6:00</u>	JOB FINISH <u>7:00</u>
LEASE <u>Kressler</u>			WELL # <u>1-36</u>	LOCATION <u>Coldwater 2N-7W-5/4</u>		COUNTY <u>Cowiche</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)							

CONTRACTOR Duke Dalg. Co.

TYPE OF JOB _____

HOLE SIZE 12 1/4 T.D. 615'

CASING SIZE 8 5/8 DEPTH 614

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 39.97

CEMENT LEFT IN CSG. 39.97

PERFS. _____

DISPLACEMENT 37 bbl.

OWNER American Warrior

CEMENT

AMOUNT ORDERED 225 cu ft 35.6 + 39 cu ft 1/4 Fl. cement - 100 cu ft class 39 cu ft 290 Gal

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____ @ _____

TOTAL _____

EQUIPMENT

PUMP TRUCK CEMENTER Shane W.

343 HELPER Mark B.

BULK TRUCK

363-314 DRIVER Kevin C.

BULK TRUCK

_____ DRIVER _____

REMARKS:

on location Rig up - pipe at bottom break
ce. Pump 5 bbl H.P. spacer start lead
cement - pump 100 cu ft tail cement - Release
Plug stop Displ. 5 1/2 BPM 2 MPST
build plug 37 bbl out bump to 500 psi
2 RC. 15 cu cement to pit -

DEPTH OF JOB 614'

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

PLUG Rubber _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CHARGE TO: American Warrior

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

8 5/8

2 Baskets _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Kenneth M. Coire

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

45 P.M.

KENNETH M. COIRE

PRINTED NAME

ALLIED CEMENTING CO., INC.

3481

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Short Bend

DATE <i>9.6.00</i>	SEC. <i>36</i>	TWP. <i>31</i>	RANGE <i>20</i>	CALLED OUT <i>9:30 PM</i>	ON LOCATION <i>1:00 am</i>	JOB START <i>2:30 am</i>	JOB FINISH <i>11:45 am</i>
LEASE <i>Kodetta</i>	WELL # <i>1 36</i>	LOCATION # <i>1409 & North of Colquhoun</i>			COUNTY <i>Lincoln</i>	STATE <i>KS</i>	
OLD OR NEW (Circle one)			<i>2 N. 7 1/2 W.</i>				

CONTRACTOR *Duke*
 TYPE OF JOB *Rotary Plug*
 HOLE SIZE *7 1/8* T.D. *5271*
 CASING SIZE _____ DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE *4 1/2* DEPTH *1050*
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER *American Warrior*

CEMENT
 AMOUNT ORDERED *140 bx 60/40*
6% gel

COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING _____ @ _____

EQUIPMENT
M.B.
 PUMP TRUCK CEMENTER *Steve T. Drisking*
 # *120* HELPER *Steve T.*
 BULK TRUCK
 # *342* DRIVER *Burkenn*
 BULK TRUCK
 # _____ DRIVER _____

MILEAGE _____
 RECEIVED
 MAY 14 2002

REMARKS:

1" 50 dx - 1050'
2" 50 dx - 630'
3" 15 dx - 40'
15 dx - natural
15 dx - mousehole

DEPTH OF JOB *1050'*
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE _____ @ _____
 MILEAGE _____ @ _____
 PLUG ~~*7 8 1/2 dx hole*~~ @ _____
 _____ @ _____
 _____ @ _____

CHARGE TO: *American Warrior*
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

Thank You!

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____
 TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE *Kenneth McGuire*

KENNETH MCGUIRE
 PRINTED NAME