

ORIGINAL

SIDE ONE

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

Operator: License # 5506

Name: Woolsey Petroleum Corporation

Address 107 North Market,

Suite 600

City/State/Zip Wichita, Kansas 67202

Purchaser: n/a

Operator Contact Person: I. Wayne Woolsey

Phone (316) 267-4379

Contractor: Name: Abercrombie Drilling, Inc.

License: 5422

Wellsite Geologist: Robert W. Smith

Designate Type of Completion

New Well Re-Entry Workover

Oil SWD Temp. Abd.

Gas Inj Delayed Comp.

Dry Other (Core, Water Supply, etc.)

If OMO: old well info as follows:

Operator: _____

Well Name: _____

Comp. Date _____ Old Total Depth _____

Drilling Method:

Mud Rotary Air Rotary Cable

07/23/90 08/02/90 08/03/90

Spud Date Date Reached TD Completion Date

API NO. 15- 007-22,308-0000

County Barber

C NE SW Sec. 8 Twp. 30S Rge. 13W XX ^{East} West

1980 FSL Ft. North from Southeast Corner of Section

1980 FWL Ft. ^{east} _{west} from ^{southwest} _{northeast} Corner of Section
(NOTE: Locate well in section plat below.)


Lease Name Irene Larrison Well # 1

Field Name New pool - name pending

Producing Formation n/a

Elevation: Ground 1875' KB 1887'

Total Depth 4770' PBD n/a



Amount of Surface Pipe Set and Cemented at 1016' Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

INSTRUCTIONS: This form shall be completed in triplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date of any well. Rule 82-3-130, 82-3-107 and 82-3-106 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months. One copy of all wireline logs and drillers time log shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells. Any recompletion, workover or conversion of a well requires filing of ACO-2 within 120 days from commencement date of such work.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature I. Wayne Woolsey

Title President Date 08/15/90

Subscribed and sworn to before me this 15th day of August, 19 90.

Notary Public Debra K. Clingan

Date Commission Expires March 4, 1994

K.C.C. OFFICE USE ONLY

F Letter of Confidentiality Attached

C Wireline Log Received

C Drillers Time Log Received

Distribution

KCC SWD/Rep NGPA

KGS Plug Other

(Specify)

SEP 17 1990
9-17-90

ORIGINAL

OPERATOR NAME: Woolsey Petroleum Corporation
API#: 15-007-22,308 - ~~COO~~
LEASE NAME: Irene Larrison WELL#: 1
LOCATION: C NE SW
SURVEY: 1980' FSL & 1980' FWL
SEC: 8 TWP: 30 South RGE: 13 West
COUNTY: Barber

DST RESULTS

- DST #1 Marmaton, 4356-4422, 35-30-30-30
IFP: 70-70 Very weak blow died in 15 minutes
FFP: 70-70 No blow
ISIP: 70 FSIP: 70
Rec: 15' mud
- DST #2 Mississippian, 4419-4494, 30-60-60-60
IFP: 77-77 Strong blow in 25 minutes
FFP: 68-68 Strong blow throughout
ISIP: 89 FSIP: 265
Rec: 25' mud
- DST #3 Viola, 4577-4592, 30-60-60-126
IFP: 80-80 Very weak blow throughout
FFP: 80-80 Very weak blow throughout
ISIP: 80 FSIP: 80
Rec: 10' Slightly oil cut mud (1% oil)
- DST #4 Viola, 4578-4614, 30-30-30-60
IFP: 80-80 Very weak blow throughout
FFP: 79-79 Very weak blow died in 5 minutes
ISIP: 80 FSIP: 79
Rec: 30' drilling mud

Attachment to ACO-1

SEP 17 1990
9-17-90

15-007-22308-0000

ORIGINAL

Woolsey Petroleum Corporation
107 N. Market, Suite 600
Wichita, KS 67202

IRENE LARRISON #1
NE-SW Sec. 8-30S-13W
Barber County, Kansas

CONDUCTOR: 13 3/8" 48# casing set @ 101'
SURFACE: 8 5/8" set at 1016
CONTRACTOR: Abercrombie Drilling, Inc.

DRILLERS WELL LOG

		<u>7-23-90</u>
0 - 38'	Top soil & sand	
		<u>7-24-90</u>
38' - 105'	Sand & shale	
105' - 345'	Sand	
345' - 404'	Sand & shale	
		<u>7-25-90</u>
404' - 1023'	Sand & shale	
1023' - 1060'	Shale	
		<u>7-26-90</u>
1060' - 1995'	Sand & shale	
1995' - 2265'	Shale	
		<u>7-27-90</u>
2265' - 3165'	Shale	
		<u>7-28-90</u>
3165' - 3850'	Lime & shale	
		<u>7-29-90</u>
3850' - 4308'	Lime & shale	
		<u>7-30-90</u>
4308' - 4420'	Lime & shale	
		<u>7-31-90</u>
4420' - 4488'	Lime & shale	
4488' - 4492'	Lime	
4492' - 4530'	Lime & shale	
		<u>8-1-90</u>
4530' - 4623'	Lime & shale	
		<u>8-2-90</u>
4623' - 4770'	Lime & shale	

SEP 17 1990
9-17-90

15-007-22308-0000

Phone 913-483-2627, Russell, Kansas
Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812
Phone Ness City 913-798-3843

ORIGINAL

ALLIED CEMENTING CO., INC.

Home Office P. O. Box 31

Russell, Kansas 67665

AUG 10 1990

NEW

Date	Sec.	Twp.	Range	Called Out	On Location	Job Start	Finish
8-3-90	8	30	13	1:00 P.M.	5:00 P.M.	6:15 P.M.	7:30 P.M.
Lease	Well No.	Location		County	State		
Harrison	#1	Site # 10, 25, 110, 20		Barber	Ks		

Contractor	Owner
Abracombie #1	Same
Type Job	To Allied Cementing Co., Inc.
Rotary Plug	You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.
Hole Size	Charge
7 7/8	To Waulsey Petroleum CORP.
Csg.	Street
Tbg. Size	City
	State
Drill Pipe	The above was done to satisfaction and supervision of owner agent or contractor
4 1/2	
Tool	Purchase Order No.
	X 119116000
Cement Left in Csg.	CEMENT
Press Max.	Amount Ordered
	95 SKS @ 40 @ 206 lb
Meas Line	Consisting of
	Common
Perf.	Poz. Mix
	Gel.
	Chloride
	Quickset
	Handling
	Mileage
	Sub Total
	Total
	Floating Equipment

EQUIPMENT

#	No.	Cementer	Tim
Pumptrk	181	Helper	Carry
#	No.	Cementer	
Pumptrk		Helper	
#	No.	Driver	Jack S.
Bulktrk	68	Driver	

DEPTH of Job

Reference:	Pumptrk Charge	
	Pumptrk Mileage	
	Sub Total	
	Tax	
	Total	

Remarks: Mixed - 60 SKS at 1030'
10 SKS at 40'
15 SKS in Bottle
10 SKS in Mousehole

Owner	Same
To Allied Cementing Co., Inc.	
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.	
Charge	To Waulsey Petroleum CORP.
To	
Street	
City	State
The above was done to satisfaction and supervision of owner agent or contractor	
Purchase Order No.	X 119116000
CEMENT	
Amount Ordered	95 SKS @ 40 @ 206 lb
Consisting of	
Common	
Poz. Mix	
Gel.	
Chloride	
Quickset	
Handling	
Mileage	
Sub Total	
Total	
Floating Equipment	
#101-3250	
Rig # 6	
SEP 12 1990	
9-17-90	
SM	

Tim

15-007-22388-0000

Phone 913-483-2627, Russell, Kansas
Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812
Phone Ness City 913-798-3843

AUG 10 1990

ALLIED CEMENTING CO., INC.

No 6254

Home Office P. O. Box 31

Russell, Kansas 67665

N2W

Date	Sec.	Twp.	Range	Called Out	On Location	Job Start	Finish
7-25-90	8	30	13	3:00 A.M.	6:00 A.M.	9:30 A.M.	10:15 A.M.

Lease Harrison Well No. # 1 Location 2812 Coors Rd. Stokeland, Mo. 64575 County Prott State Mo.

Contractor Abercrombie Rig # 6

Owner Woolsey

Type Job Surface

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Hole Size 12 1/4" T.D. 1023'

Csg. 8 5/8" Depth 1020'

Tbg. Size _____ Depth _____

Drill Pipe _____ Depth _____

Tool _____ Depth _____

Cement Left in Csg. 41' Shoe Joint 41'

Prss Max. _____ Minimum _____

Meas Line _____ Displace 61.18 bbl.

Perf. _____

Charge To Abercrombie Drilling

Street _____

City _____ State _____

The above was done to satisfaction and supervision of owner agent or contractor

Purchase Order No. _____

X [Signature]

CEMENT

Amount Ordered 400 SKS 6 3/4" 370cc, 270 gal.

Consisting of

Common	
Poz. Mix	
Gel.	
Chloride	
Quickset	

Sales Tax _____

Handling _____

Mileage _____

Sub Total _____

Total _____

Floating Equipment _____

1 - 27 1/2" Baffle Plate # 101-3250

1 - 8 5/8" Basket

Rig # 6

SEP 17 1990
9-17-90

EM

EQUIPMENT

#	No.	Cementer	Helper
Pumptrk	<u>181</u>	<u>Tim</u>	<u>Cary</u>
Pumptrk	No.	Cementer	Helper
Bulktrk	<u>214</u>	Driver	<u>Spencer</u>
Bulktrk		Driver	

DEPTH of Job

Reference:	Item	Sub Total	Total
	<u>Pumptrk Charge</u>		
	<u>Pumptrk Mileage</u>		
<u>1</u>	<u>8 5/8" Rubber Plug</u>		
		Sub Total	
		Tax	
		Total	

Remarks: Ran 1020' of 8 5/8" csg. mixed
300 SKS 6 3/4" 370cc. Pumped Plug to
978' with fresh water.
Cement did not circulate.
Mixed approx. 400 SKS 6 3/4" 370cc. + filled
from 100' to surface.

15-007-22308-0000

Phone 913-483-2627, Russell, Kansas
Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812
Phone Ness City 913-798-3843

ALLIED CEMENTING CO., INC.

JUL 26 1990
No. 6207

Home Office P. O. Box 31

Russell, Kansas 67665

New

Date	Sec.	Twp.	Range	Called Out	On Location	Job Start	Finish
7-24-90	9	30	13	10:45 PM	1:50 AM	2:30 AM	3:10 AM
Lease	Well No.	Location		County	State		
EPENE LARRISON	L	Smyer 4/25 (60) VANUS		Barber	KS		
Contractor				Owner			
Abescombie Daly # U				SAME			
Type Job				To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cement and helper to assist owner or contractor to do work as listed.			
Conductor Pipe				Abescombie Daly			
Hole Size	T.D.	Depth		Charge To			
17"	105'	101'		Woolsey Petroleum Corporation			
Csg.	Depth	Depth		Street			
13 7/8				City			
Tbg. Size	Depth	Depth		State			
				The above was done to satisfaction and supervision of owner agent or contractor			
Drill Pipe	Depth	Shoe Joint		Purchase Order No.			
				X 110/1102			
Tool	Depth	Minimum		CEMENT			
				Amount Ordered			
Cement Left in Csg.	Displace	Meas Line		180 SKS 60/40 2% gel 3% cc			
15'	13.8 BBL			Consisting of			
Perf.				Common			

EQUIPMENT

P1 Bono No.	Cementer	
120	Phil	
Pumptrk No.	Helper	
	Joe	
Pumptrk No.	Cementer	
	J	
Pumptrk No.	Helper	
Bulktrk No.	Driver	
116	SPENCER	
Bulktrk No.	Driver	

DEPTH of Job

Reference:	
	Pump ab okg
	Pump ab mly
	Sub Total
	Tax
	Total

Remarks: Cement and Circulate

Handling	
Mileage	
Sub Total	
Total	
Floating Equipment	
	# 101-3250
	Rig # 6
	SEP 17 1990
	9-17-90

R.P. Thank You!