


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Comanche County. Sec. 4 Twp. 32s Rge. 16 (E) W (W)
Location as "NE/CNW¹/₄SW¹/₄" or footage from lines SE¹/₄ SE¹/₄ SE¹/₄
Lease Owner Wentworth & Sons
Lease Name Rice Price Well No. 1
Office Address 910 Palace Building, Tulsa, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed 10-27 1951
Application for plugging filed 10-27 1951
Application for plugging approved 10-27 1951
Plugging commenced 10-27 1951
Plugging completed 10-27 1951
Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production None 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well C. D. Stough
Producing formation None Depth to top Bottom Total Depth of Well 5450 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				13 3/8	280'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Pushed 13" Plug to 280' with Drill Pipe and spotted twenty sacks cement through drill pipe by Halliburton - Hole was then filled with mud to a point thirty feet below the surface and then ten sacks of cement were dumped to fill hole level with bottom of cellar. Four stands of drill pipe and Kelly were used for above operation.

RECEIVED
STATE CORPORATION COMMISSION
11-6-51
NOV - 6 1951

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Wentworth & Sons
Address 910 Palace Building, Tulsa, Oklahoma
Wichita, Kansas

STATE OF Oklahoma, COUNTY OF Tulsa, ss.
Wesley G. Wentworth (employer or owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Wesley G. Wentworth
910 Palace Building, Tulsa, Oklahoma
(Address)

SUBSCRIBED AND SWORN TO before me this 5th day of November, 1951

My commission expires 12-20-54

Marion W. Parr
Notary Public.

PLUGGING
23-8390-6-51-20M
FILE SEC 4 T 32 R 16
BOOK PAGE 120 LINE 16

GEOLOGICAL REPORT

Wentworth #1 Price
SE Cor. 4-32S-16N
Comanche County, Kansas

Contractor: Wentworth Drilling Company
Elevation: 1856 D.F.

<u>Formation Tops</u>	<u>Rotary Bushing</u>	<u>Derrick Floor</u>
Lansing	4172	4170 (-2314)
Mississippi	4770	4768 (-2912)
Viola	4982	4980 (-3124)
Simpson	5276	5274 (-3418)
Arbuckle	5368	5366 (-3510)

Zones: (Rotary Bushing Measurement)

Douglas Sand

4111 - 4142 Fine, grey micaceous and silty sand stone. Poor porosity, no shows.

Lansing 4172

4220 - 4239 Grey to buff fine xln. lime. Slight oolitic and porosity. No shows.

4393 - 4399 Buff, fine xln. oolitic and partly oolitic lime. Fair to good porosity. No shows.

Mississippi 4770

4770 - 4780 White to grey residual, spongy chert. Poor porosity, slight spotted stain. No odor. Do not recommend testing.

Viola 4982

This entire section as far as I could observe did not contain any porosity breaks and therefore, is not recommended for testing.

Simpson 5276

5280 - 5286 Grey, medium to coarse sub-rounded and frosted sand. No show.

5300 - 5304 Same as above.

Arbuckle 5368

5381 - 5386 Grey, medium xln. dolomite. Some sand inclusions, poor porosity, no show.

PLUGGING
FILE SEC 4 T3V R1600
BOOK PAGE 120 LINE 16

STATE COLLEGE
NOV - 6 1951
WICHITA, KANSAS

REMARKS:

This well is approximately normal for the area. Our section, up to and including the top of the Mississippi, held its own as far as surrounding wells were concerned, but after the Mississippi section, fell off rather radically. The nearest production to our location is located approximately $4\frac{1}{2}$ miles north-east. From this production, we ran approximately 150 feet low from the Viola to total depth. Our only possible evidence for structure was to be found in the Mississippi chat which came up considerably, but in my opinion was not sufficient for any possible chance of production. Neither sample analysis nor the electric log showed any breaks or zones worth testing. Therefore, it is my recommendation that the well be plugged and abandoned as a dry hole.



M. E. Wilkinson
310 Bitting Building
Wichita 2, Kansas

TIME LOG

Wentworth #1 Price
SE Cor. 4-32S-16W
Comanche County, Kansas

3000 - 3010 4-5-5-4-5-4-4-4-5-4
3020 5-5-5-4-4-5-5-5-4-5
3030 4-5-4-2-4-2-5-5-6-6
3040 4-5-5-5-5-5-6-6-6-6
3050 6-5-5-6-8-8-9-9-8-8
3060 8-8-8-8-5-5-5-4-4-6
3070 6-6-6-6-9-9-9-4-3-5
3080 6-6-5-5-6-5-7-7-7-6
3090 3-2-2-5-5-4-3-3-3-3
3100 5-4-3-3-3-4-3-4-4-4

3100 - 3110 4-3-3-2-2-4-3-2-2-2
3120 2-2-2-4-4-3-4-4-4-3
3130 4-5-5-4-6-11-8-8-9-8
3140 5-5-8-8-7-8-10-12-8-7
3150 6-7-7-7-8-8-9-8-11-6
3160 10-5-6-10-9-7-5-5-5-5
3170 7-8-8-10-10-9-10-9-7-6
3180 6-5-5-5-5-5-5-5-6-6
3190 7-5-6-5-6-5-5-6-5-6
3200 6-5-5-6-6-6-6-6-5-6

3200 - 3210 5-5-7-10-7-8-6-12-5-5
3220 6-6-4-6-6-6-5-5-5-4
3230 4-5-3-4-4-5-4-3-3-2
3240 2-3-3-3-2-3-2-4-3-3
3250 4-4-6-3-5-4-6-3-3-4
3260 3-3-4-4-4-5-5-4-5-5
3270 3-4-5-4-5-7-6-4-4-3
3280 6-3-4-4-3-4-4-4-7-5
3290 6-5-5-5-5-6-7-6-5-5-
3300 7-7-6-5-5-5-5-5-5-5

Trip OSQ

3300 - 3310 5-5-6-6-6-8-8-6-8-4
3320 6-4-4-4-5-5-6-6-5-5
3330 7-6-7-6-6-5-5-5-3-3
3340 3-6-5-5-4-4-5-6-7-8
3350 8-8-7-8-8-8-7-8-4-6
3360 8-8-9-8-8-4-4-7-6-7
3370 9-8-8-8-9-7-8-6-5-3
3380 3-5-7-4-4-4-3-3-3-3
3390 3-3-4-3-3-5-4-3-4-4
3400 4-9-11-10-8-9-11-10-10-9

3400 - 3410 10-9-8-7-6-5-5-5-6-6
3420 6-8-8-8-6-6-3-3-4-9
3430 8-8-7-5-4-5-5-4-3-3
3440 8-8-8-6-8-8-8-7-8-8
3450 8-8-7-5-5-6-7-6-6-5
3460 5-3-3-5-3-3-4-4-6-5-
3470 6-6-8-8-7-5-7-5-4-4
3480 4-4-4-3-5-7-8-7-5-8
3490 8-9-10-8-9-9-9-9-9
3500 10-11-11-11-11-5-4-4-3

Trip OSQ

3500 - 3510 4-4-5-5-5-7-5-5-7-6
3520 4-5-5-3-2-2-2-2-2-3
3530 3-3-4-3-4-4-4-4-3-4
3540 4-4-3-4-4-4-5-4-5-4
3550 7-4-4-3-3-3-4-5-4-4
3560 5-4-3-3-3-3-3-4-3-3
3570 3-3-3-3-3-3-3-3-3-3
3580 5-6-6-6-6-5-5-7-5-6
3590 8-5-8-5-5-5-5-5-7-7-
3600 8-5-8-5-5-5-5-5-7-7

RECEIVED
STATE DEPARTMENT
NOV - 2 1951
CONSERVATION DIVISION
Wichita, Kansas

3600 - 3610	6-5-7-8-5-5-5-5-6	
3620	7-6-6-6-6-6-5-5-7	
3630	5-5-5-4-3-3-2-4-5-8	
3640	6-7-9-8-7-9-6-6-9	
3650	4-7-5-5-4-7-6-7-7-7	
3660	7-7-6-6-8-7-7-5-7-7	
3670	7-7-6-6-5-7-6-6-7-9-7	
3680	7-6-7-6-8-7-7-8-5-7	
3690	5-7-8-6-7-7-6-8-8-6	
3700	7-7-7-6-7-7-7-7-6	
3700 - 3710	8-8-9-8-7-6-7-7-8-8	
3720	8-7-7-7-7-8-6-6-5-5	
3730	4-4-5-4-4-2-5-4-5-5	
3740	5-4-4-3-4-7-7-7-6-6	
3750	6-6-6-5-5-5-5-5-4-5	
3760	2-3-3-4-3-3-4-4-3-3	
3770	3-3-3-3-3-5-5-3-4-5	
3780	5-5-5-5-5-5-5-4-3-3	
3790	5-3-4-3-4-3-3-3-3-3	
3800	3-3-4-4-5-5-4-4-6-5	
38		
3800 - 3810	4-4-4-5-5-4-7-8-7-8	
3820	11-15-15-16-14-18-5-5-4-4-	Trip OWS
3830	3-3-2-2-2-1-2-2-2-2	
3840	2-2-6-4-4-6-5-5-5-7	
3850	8-9-8-6-7-7-6-7-6-6	
3860	6-5-5-6-6-6-6-5-7-7-6	
3870	6-4-4-3-5-6-5-6-6-7	
3880	10-7-6-6-6-6-5-5-4-4	
3890	5-6-9-8-7-7-8-7-7-6	
3900	6-6-7-6-6-8-8-8-6-6	
3900 - 3910	7-5-6-5-5-5-5-4-5-5	
3920	5-5-6-6-6-7-7-7-6-7	
3930	6-6-5-6-5-6-6-6-6-6	
3940	6-8-7-6-6-8-8-8-7-8	
3950	8-8-7-7-7-11-11-8-9-8	
3960	8-8-8-8-10-10-8-9-6-7	
3970	9-9-8-9-7-4-5-6-7-6	
3980	10-11-11-14-10-10-7-8-8-10	
3990	9-14-10-13-16-18-20-7-7-6	Trip OWS
4000	7-7-6-6-7-6-6-6-6-6	
4000 - 4010	7-7-7-5-6-6-8-7-6-6-	
4020	5-4-5-5-6-4-4-4-6-7	
4030	7-8-7-8-8-7-7-8-6-6-	
4040	5-5-5-7-6-6-6-5-6-6	
4050	6-7-9-8-4-4-4-5-5-7	
4060	6-8-7-8-8-9-8-9-9-9	
4070	8-8-9-9-9-8-8-9-9-9	
4080	8-8-8-7-7-7-7-7-7-7	
4090	6-8-9-10-9-9-9-12-11-21	
4100	11-10-11-11-11-12-12-13-15-12	
4100 - 4110	14-11-13-19-15-18-17-12-11-15	
4120	14-6-5-4-7-7-6-7-7-7	
4130	7-7-5-7-4-7-9-7-8-8	
4140	8-6-8-5-5-7-7-9-8-7	
4150	7-7-7-9-6-5-5-5-4-3	
4160	3-2-4-10-12-12-12-12-10-10	
4170	9-9-8-9-10-8-8-8-7-7	
4180	8-10-12-14-12-14-11-12-12-15	Trip W7
4190	9-8-7-9-9-8-11-10-8-8	
4200	17-17-11-11-12-9-9-10-9-8	
4200 - 4210	7-11-13-9-6-7-11-12-15-13	
4220	13-16-18-22-21-19-17-14-12-7	
4230	7-7-6-6-6-5-6-6-6-5	
4240	5-5-5-5-6-7-6-6-6-7-	
4250	10-10-8-8-7-7-10-8-4-8	
4260	18-13-11-7-12-4-15-9-10	
4270	10-10-5-7-10-7-7-10-10-9-	
4280	10-7-7-7-8-9-13-14-10-7	

7500	7500	7500
7510	7510	7510
7520	7520	7520
7530	7530	7530
7540	7540	7540
7550	7550	7550
7560	7560	7560
7570	7570	7570
7580	7580	7580
7590	7590	7590
7600	7600	7600
7610	7610	7610
7620	7620	7620
7630	7630	7630
7640	7640	7640
7650	7650	7650
7660	7660	7660
7670	7670	7670
7680	7680	7680
7690	7690	7690
7700	7700	7700
7710	7710	7710
7720	7720	7720
7730	7730	7730
7740	7740	7740
7750	7750	7750
7760	7760	7760
7770	7770	7770
7780	7780	7780
7790	7790	7790
7800	7800	7800
7810	7810	7810
7820	7820	7820
7830	7830	7830
7840	7840	7840
7850	7850	7850
7860	7860	7860
7870	7870	7870
7880	7880	7880
7890	7890	7890
7900	7900	7900
7910	7910	7910
7920	7920	7920
7930	7930	7930
7940	7940	7940
7950	7950	7950
7960	7960	7960
7970	7970	7970
7980	7980	7980
7990	7990	7990
8000	8000	8000
8010	8010	8010
8020	8020	8020
8030	8030	8030
8040	8040	8040
8050	8050	8050
8060	8060	8060
8070	8070	8070
8080	8080	8080
8090	8090	8090
8100	8100	8100
8110	8110	8110
8120	8120	8120
8130	8130	8130
8140	8140	8140
8150	8150	8150
8160	8160	8160
8170	8170	8170
8180	8180	8180
8190	8190	8190
8200	8200	8200
8210	8210	8210
8220	8220	8220
8230	8230	8230
8240	8240	8240
8250	8250	8250
8260	8260	8260
8270	8270	8270
8280	8280	8280
8290	8290	8290
8300	8300	8300
8310	8310	8310
8320	8320	8320
8330	8330	8330
8340	8340	8340
8350	8350	8350
8360	8360	8360
8370	8370	8370
8380	8380	8380
8390	8390	8390
8400	8400	8400
8410	8410	8410
8420	8420	8420
8430	8430	8430
8440	8440	8440
8450	8450	8450
8460	8460	8460
8470	8470	8470
8480	8480	8480
8490	8490	8490
8500	8500	8500
8510	8510	8510
8520	8520	8520
8530	8530	8530
8540	8540	8540
8550	8550	8550
8560	8560	8560
8570	8570	8570
8580	8580	8580
8590	8590	8590
8600	8600	8600
8610	8610	8610
8620	8620	8620
8630	8630	8630
8640	8640	8640
8650	8650	8650
8660	8660	8660
8670	8670	8670
8680	8680	8680
8690	8690	8690
8700	8700	8700
8710	8710	8710
8720	8720	8720
8730	8730	8730
8740	8740	8740
8750	8750	8750
8760	8760	8760
8770	8770	8770
8780	8780	8780
8790	8790	8790
8800	8800	8800
8810	8810	8810
8820	8820	8820
8830	8830	8830
8840	8840	8840
8850	8850	8850
8860	8860	8860
8870	8870	8870
8880	8880	8880
8890	8890	8890
8900	8900	8900
8910	8910	8910
8920	8920	8920
8930	8930	8930
8940	8940	8940
8950	8950	8950
8960	8960	8960
8970	8970	8970
8980	8980	8980
8990	8990	8990
9000	9000	9000

4290	4290	7-7-13-13-12-11-13-13-13-8	
	4300	9-9-6-12-9-9-5-10-10-11	
4300	4310	9-8-10-9-11-11-7-5-10-10	
	4320	10-7-12-16-12-11-14-6-8-6	
	4330	6-6-6-6-7-7-6-8-9-9	Trip OWS
	4340	7-8-6-8-6-5-5-5-3-10	
	4350	14-11-12-5-5-10-10-8-5-5	
	4360	5-6-6-6-3-4-4-4-6-9	
	4370	9-3-3-7-6-5-7-7-8-8	
	4380	7-13-10-7-13-12-7-5-8-8	
	4390	7-6-10-10-10-11-9-9-9-8-	
	4400	8-7-5-2-1-1- $\frac{1}{2}$ - $\frac{1}{2}$ -5-12	
4400	4410	13-12-11-11-11-11-12-11-12-7	
	4420	7-9-9-9-13-13-10-10-13-17- 18-11	
	4430	16-17-17-19-19-25-8-14-21-20	Trip W7
	4440	16-10-8-7-7-11-11-12-10-8	
	4450	7-10-15-10-5-8-8-12-20-22	
	4460	16-14-21-18-17-20-17-16-18-17	
	4470	15-15-11-9-12-11-12-12-12-11	
	4480	12-10-11-9-9-10-9-10-12-12- 11	
	4490	11-12-13-14-16-13-10-5-11-13	
	4500	13-14-14-10-9-9-8-7-8-10	
4500	4510	14-15-15-15-11-10-8-12-14-15	
	4520	13-12-15-15-16-14-7-7-9-7	
	4530	10-16-15-21-25-6-8-8-7-10	Trip OWS
	4540	12-7-8-6-6-7-12-12-12-10	
	4550	10-10-9-11-14-13-13-10-13-12	
	4560	12-12-11-10-12-11-12-9-12-12	
	4570	17-13-15-13-13-12-12-12-11-10	
	4580	10-9-9-9-10-10-10-10-10-9	
	4590	14-14-14-12-15-14-12-12-12-16	
	4600	15-15-15-16-15-15-15-14-11-14	
4600	4610	16-17-15-15-14-15-13-15-14-16	
	4620	15-17-15-15-16-16-18-15-15-15	
	4630	14-12-14-16-18-15-15-14-17-22	Trip W7
	4640	7-8-10-10-6-9-9-7-8-8	
	4650	9-9-8-9-10-9-10-10-9-9	
	4660	9-8-9-8-9-16-10-10-10-10-	
	4670	9-13-10-10-11-10-10-9-8-9	
	4680	10-10-9-9-10-9-9-11-9-9	
	4690	9-9-9-9-9-9-9-10-9-9	
	4700	10-9-9-9-9-10-10-10-9-8	
4700	4710	9-9-10-9-9-6-8-8-7-8	
	4720	8-9-11-10-13-10-6-6-8-7	
	4730	9-12-12-14-14-14-14-14-14-14	
	4740	14-15-15-13-11-12-10-7-7-4	
	4750	5-9-8-10-10-9-12-13-13-13	
	4760	12-11-11-12-10-12-10-12-13-12	
	4770	13-11-11-11-11-9-9-9-12-9	
	4780	6-6-5-5-4-4-4-4-4-6	
	4790	5-6-6-6-7-6-7-8-8-6	
	4800	6-7-6-5-5-4-5-5-4-5	
4800	4810	5-6-8-6-5-6-5-5-5-4	Circ. for Samples 2 hr. 22 min.
	4820	6-6-7-7-8-8-5-6-5-5-4	
	4830	4-3-4-4-6-6-6-6-7-7	
	4840	6-6-6-7-6-6-7-7-7-8	
	4850	8-7-7-8-7-8-8-8-7-7	
	4860	9-10-9-9-9-9-6-6-6-11	
	4870	9-10-8-10-12-13-14-13-13-13-	Trip W7
	4880	20-8-9-10-11-10-10-11-11-12	
	4890	11-12-10-12-10-10-9-12-10-11	
	4900	13-11-10-12-11-12-11-12-12-13	
4900	4910	12-10-12-13-12-11-12-11-14-14	Trip OWS
	4920	13-13-13-14-15-15-18-6-10	
	4930	12-11-12-10-19-15-16-17-14-21	
	4940	20-20-20-20-22-24-30-27-27-30	
	4950	36-35-30-30-36-31-22-20-26-27	