

To: 1 040656 5-7
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API NUMBER 15-033-20,844-00-00 210
110' S of
SW NW NW, SEC. 34, T. 33 S, R 16 W/E

TECHNICIAN'S PLUGGING REPORT

Operator License # 5278

Operator: Enron Oil & Gas Company
Name:
Address 20 N. Broadway, Suite 830
Oklahoma City, OK 73102

4180 feet from S section line

4950 feet from E section line

Lease Name Merrill Ranch Well # 34-1

County Comanche 161.94

Well Total Depth 4983 feet

Conductor Pipe: Size 10 3/4 feet 228

Surface Casing: Size 8 5/8 feet 993

Abandoned Oil Well _____ Gas Well Input Well _____ SWD Well _____ D&A _____

Other well as hereinafter indicated _____

Plugging Contractor Pratt Well Service License Number 5893

Address P.O. Box 847, Pratt, KS 67124-0847

Company to plug at: Hour: 5:30 p.m. Day: 7 Month: 5 Year: 19 92

Plugging proposal received from Terry Richardson

(company name) Enron (phone) 915-686-3600

were: 4 1/2" at 4982' w/200 sx cement, PBD 4937', Perfs at 4892-96'

1st plug set CIBP at 4850' and dump 2 sx cement on top,

2nd plug pump 300 lbs. hulls, 10 sx gel, 50 sx cement, 10 sx gel, 100 lbs. hulls, release wiper plug and pump 150 sx cement.

Plugging Proposal Received by Richard Lacey
(TECHNICIAN)

Plugging Operations attended by Agent?: All Part _____ None _____

Operations Completed: Hour: 6:15 p.m. Day: 7 Month: 5 Year: 19 92

ACTUAL PLUGGING REPORT 1st plug set CIBP at 4850' and dumped 2 sx cement on top,

2nd plug pumped down 8 5/8" surface pipe with 300 lbs. hulls, 10 sx gel, 50 sx cement, 10 sx gel, 100 lbs. hulls, released 8 5/8" wiper plug and pumped 150 sx cement.
Maximum pressure 500 psi and shut in 100 psi.

Remarks: Used 60/40 Pozmix 4% gel by Allied. Recovered 3918' of 4 1/2" casing.
(If additional description is necessary, use BACK of this form.)

INVOICED

DATE 6-5-92

INV. NO. 35416

JUL 08 1992

Signed Stephen L. Pappas
(TECHNICIAN)

RECEIVED
STATE CORPORATION COMMISSION
MAY 12 1992
CONSERVATION DIVISION
Wichita, Kansas