TO: STATE CORPORATION COMMISSION COMSERVATION DIVISION - PLUGGING SECT	TION S/2 SW SE, SEC. 28, T 33 S, R 16 W/E
200 COLORADO DERBY BUILDING WICHITA, KANSAS 67202	550 feet from S section line
TECHNICIAN'S PLUGGING REPORT	1590 feet from E section line
Operator License # 5278	Lease Name Merrill Ranch Well # 28-2
Operator: Enron Oil & Gas Company	County Comanche
Name& 20 N. Broadway, Ste. 830	Well Total Depth 5038 163.73
Oklahoma City, OK 73102	Conductor Pipe: Sizefeet
	Surface Casing: Size 10 3/4 feet 214
Abandoned Oli Weil Gas Weil	X Input Well SWD Well D&A
Other well as hereinafter indicated_	·
	ice License Number 5893
•	
Company to plug at: Hour: 10:30 a.m.	Dey: 13 Month: 7 Year:19 ⁹³
Plugging proposal received from	(phone) 316-672-2531
(company name) Pratt Well Service	
1st plug set CIBP at 4800' with 2 sx ce	
	O sx cement, 10 sx gel, 1 sx hulls, release wiper plug
	osk cement, 10 sk ger, 1 sk hurrs, rerease writer prug
and pump 175 sx cement.	
	Case Morris
Pluggin	Technician)
Plugging Operations attended by Agen	nt?: AllXPartNone
Operations Completed: Hour: 11:40 a.	^m Day: 13 Month: 7 Year:19 93
ACTUAL PLUGGING REPORT 1st plug set	CIBP at 4800! and dumped 2 sx cement on top,
2nd plug pumped down surface pipe with	300 lbs. hulls, 10 sx gel, 50 sx cement, 10 sx gel,
100 lbs. hulls, release wiper plug and	pumped 175 sx cement. HEULITATION COMMISSION
Maximum pressure 200 psi and shut in 10	11/1-1/4 1993
	ISERVATION DIVISION
	Wichita, Kansas
Personal Used 60/40 Pozmix 6% gel hv	Allied. Recovered 3652' of $4\frac{1}{2}$ " casing.
NVO COMPONENT OF BELLEY	tion is necessary, use BACK of this form.)
1 (did / XXXXXXXXXXX) observe this plug	
38209	Signed Richard M. Falley