For KCC Use:	7-14-2001
Effective Date:	1-14-84WI
District #	
SGA? XYes] No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 September 1999 Form must be Typed Form must be Signed Ill blanks must be Filled

20 L	(5) days prior to commencing well
	Spot 106'N - 120'W
Expected Spud Date August 1, 2001	
,	C - NW - SW Sec. 10 Twp. 32 S. R. 20 West
OPERATOR: License# 31821 /	/ 2086feet from \$\infty\$ / N (circle one) Line of Section
Name: J-F Oil Company LLC Address: 1119 Toulon Ave City/State/Zip: Hays, Kansas 67601	✓ 540 feet from E / (Circle one) Line of Section
Address: 1119 Toulon Ave	ls SECTIONRegularIrregular?
City/State/Zip: Hays, Kansas 67601	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Frank Taggart	County: Comanche
Phone: 785-623-9438	Lease Name: FellersWell #: 2
CONTRACTOR: License#_5822	Field Name: unnamed
Name: Val Energy Inc.	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 540'
☑Oil Enh Rec Infield ☑ Mud Rotary	Ground Surface Elevation: 1904 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water: 65'
Other	Depth to bottom of usable water: 185'
_	Surface Pipe by Alternate: X 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 500' Length of Conductor Pipe required: 70'
Operator:	Projected Total Depth: 6000'
Well Name:	Formation at Total Depth: Viola
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other_X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	DWR Permit #:
	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ☑ No
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ☑ No If Yes, proposed zone: □ Yes ☑ Yes
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ☑ No
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ☑ No If Yes, proposed zone: □ Yes ☑ NO IDAVIT KANSAS CORPORATION COMMISSI
Bottom Hole Location: KCC DKT #: AFF	Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Value
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday Iday
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the design of the set	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55-101, et. seq. In drilling rig; In drilling rig; In drilling rig; In drilling rig; In drilling rig; In drilling rig; In drilling rig; In drilling
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the desired property of the surface pipe as specified before well is dry hole, an agreement between the operator and the control of the surface plus and the control of the surface plus and	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55-101, et. seq. In drilling rig; In drilling rig; In drilling rig; In drilling rig; In drilling rig; In drilling rig; In drilling rig; In drilling
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the design of the set	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Iduging of this well will comply with K.S.A. 55-101, et. seq. In the drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Iduging of this well will comply with K.S.A. 55-101, et. seq. In the drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement date. In all cases, NOTIFY district office prior to any cementing.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Iduging of this well will comply with K.S.A. 55-101, et. seq. In the drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Iduging of this well will comply with K.S.A. 55-101, et. seq. In the drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Iduging of this well will comply with K.S.A. 55-101, et. seq. In the drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the complete statement of the statement between the operator and the complete statement of the stat	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial Industrial
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set	Will Cores be taken? If Yes, proposed zone: IDAVIT IVANSAS CORPORATION COMMISSION of this well will comply with K.S.A. 55-101, et. seq. ICH drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; In the underlying casing is cemented in; Ited from below any usable water to surface within 120 days of spud If my knowledge and belief. Itel: Operator Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set	Will Cores be taken? If Yes, proposed zone: IDAVIT IVANSAS CORPORATION COMMISSING Integration of this well will comply with K.S.A. 55-101, et. seq. IDAVIT IVANSAS CORPORATION COMMISSING INTEGRATION COMMISSION INTEG
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the set of t	Will Cores be taken? If Yes, proposed zone: IDAVIT KANSAS CORPORATION COMMISSION In the sequence of this well will comply with K.S.A. 55-101, et. sequence of the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the sec	Will Cores be taken? If Yes, proposed zone: IDAVIT KANSAS CORPORATION COMMISSION Integration of this well will comply with K.S.A. 55-101, et. seq. IDAVIT INTEGRATION COMMISSION Integration of this well will comply with K.S.A. 55-101, et. seq. IDIVISION Integration of this well will comply with K.S.A. 55-101, et. seq. IDIVISION Integration of this well will comply with K.S.A. 55-101, et. seq. IDIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the appropriate district office will be notified before well is either plug to the set of the se	Will Cores be taken? If Yes, proposed zone: IDAVIT IMANSAS CORPORATION COMMISS Integration of this well will comply with K.S.A. 55-101, et. seq. IDAVIT IMANSAS CORPORATION COMMISS INVALID DIVISION INVAL
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the appropriate district office will be notified before well is either plug to the set of the se	Will Cores be taken? If Yes, proposed zone: IDAVIT KANSAS CORPORATION COMMISSION Integration of this well will comply with K.S.A. 55-101, et. seq. IDAVIT INTEGRATION COMMISSION Integration of this well will comply with K.S.A. 55-101, et. seq. IDIVISION Integration of this well will comply with K.S.A. 55-101, et. seq. IDIVISION Integration of this well will comply with K.S.A. 55-101, et. seq. IDIVISION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: Comanche		
Operator: J-F Oil Company LLC	2086 feet from S N (circle one) Line of Section		
Lease: Fellers	feet from E W circle one) Line of Section		
Well Number: 2 Field: unnamed	Sec. 10 Twp. 32 S. R. 20 East West		
Number of Acres attributable to well:	Is Section Regular or Irregular		
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used:NENWSESW		

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

'		•		•	•	•
1 .			L			
l						
1						
1			1			
•		•		•		•
-	•		ľ	-		•
•		-		•		•
<u> </u>						
			Ι'			
				• .		
	•	•		•	•	•
1 .						
1						•
1						
		, , , , ,				
•	•	•				•
		. 1				
		1				
•	•				,	•
1			ľ	_		_
			<u>ا</u> ما	•		•
			<i>O</i> —			
	•	•	•	•		•
f						
				•		
540 0						•
1						
1 1						
1 ' 1 1		'	'	•	.*	•
1 . (1						
1 1						
1 . 1						•
}						
, , ,						
1						•
			_			
1 '1 '	•			•		-
1						
2026						
1						
2086						
	•					
	-					
				•		•



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).