
### STATE OF KANSAS STATE CORPORATION COMMISSION

Giv Mak Mai

## WELL PLUGGING RECORD

Location as "NE/CNW\s\\s\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Give All Information Completel	J						
Conservation Division State Corporation Comm. 245 North Water Wichita, KS 67202    Lease Owner K R M Petroleum	Make Required Affidavit			Cou	nty. Sec.	22 Twp.	33S Rge.	20W E/W
State Corporation Comm.  245 North Water Wichita, KS 67202    Character of Well (Completed as Oil, Gas or Dry Hole)	<del>-</del>	Locatio	on as "NE/	CNW SW	" or foota	ge from l	ines	· 
Describe in detail the manner in which the well was plugged, indicating where the mud fluis splaced and the method or methods used in introducing it into the hold. If cement or othe lugs were used, state the character of same and depth placed, from    Lease Name   Gohn   Size   PUT IN   Puble   802						<del></del>		
Wichita, KS 67202  Office Address Guaranty Bank Bldg., 817-17th St., Denver Character of Well (Completed as Oil, Gas or Dry Hole)  Ground was giving away - had to skid rig 100'  Date Well completed 1-5 1981 Application for plugging filed 1-23 1981 Application for plugging approved 1-23 1981 Plugging commenced 1-23 1981 Plugging commenced 1-23 1981 Plugging completed 1-23 1981 Pluging completed			<del></del>		oleum	TAI	011 No	1-22
Character of Well (Completed as Oil, Gas or Dry Hole)  Ground was giving away - had to skid rig 100'  Date Well completed					v Bank Bld			
Ground was giving away - had to skid rig 100  Date Well completed 1-5 1981 Application for plugging filed 1-23 1981 Plugging commenced 1-23 1981 Plugging commenced 1-23 1981 Plugging completed 1-23 1981 Plugging commenced 1-23 1981 Plugging completed 1-23 1981 Plugging completed 1-23 1981 Plugging completed 1-23 1981 Plugging completed 1-23 1981 Reason for abandonment of well or producing formation  If a producing well is abandoned, date of last production 19  Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes roducing formation  Depth to top Bottom Total Depth of Well how depth and thickness of all water, oil and gas formations.  OIL, GAS OR WATER RECORDS  ONTENT FROM TO SIZE PUT IN PULLED OUT  O 600' 8 5/8"  Describe in detail the manner in which the well was plugged, indicating where the mud flui as placed and the method or methods used in introducing it into the hold. If cement or othe feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  PRECENCED  STATE COMPONATION COMMISSIONAL AND	·							
Date Well completed   1-5   1981   Application for plugging filed   1-23   1981   Application for plugging approved   1-23   1981   Plugging commenced   1-23   1981   Plugging commenced   1-23   1981   Reason for abandonment of well or producing formation   If a producing well is abandoned, date of last production   19   Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes   Yes								. <del></del>
Application for plugging filed   -23   1981   Application for plugging approved   -23   1981   Application for plugging approved   -23   1981   Plugging commenced   1-23   1981   Plugging completed   1-23   1981   Reason for abandonment of well or producing formation   If a producing well is abandoned, date of last production   19   Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes   roducing formation   Depth to top   Rottom   Total Depth of Well   how depth and thickness of all water, oil and gas   formations.  OIL, CAS OR WATER RECORDS   CASING RECORD   FORMATION   CONTENT   FROM   TO   SIZE   PUT IN   PULLED OUT    Describe in detail the manner in which the well was plugged, indicating where the mud flui as placed and the method or methods used in introducing it into the hold. If cement or othe lugs were used, state the character of same and depth placed, from   feet to   feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used    RECEIVED   STATE CORPORATION COMMISSION   STATE CORPORATION COMMISSION   MAN   PICK   PUT IN   PROMOTER   PUT IN   PUT IN					y Had LO	SKIU IIY		1081
Application for plugging approved 1-23 1981 Plugging commenced 1-23 1981 Plugging commenced 1-23 1981 Plugging commeted 1-23 1981 Reason for abandonment of well or producing formation  If a producing well is abandoned, date of last production 19 Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes ame of Conservation Agent who supervised plugging of this well Maurice Leasley reducing formation Depth to top Rottom Total Depth of Well now depth and thickness of all water, oil and gas formations.  OIL, GAS OR WATER RECORDS  FORMATION  CONTENT FROM TO SIZE PUT IN PULLED OUT  O 600' 8 5/8"  Describe in detail the manner in which the well was plugged, indicating where the mud fluings placed and the method or methods used in introducing it into the hold. If cement or other feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  RECEIVED  STATE CORPORATION COMMISSION  AND STATE CORPORATION COMMISSION					g filed			
Plugging commenced 1-23 1981 Reason for abandonment of well or producing formation  If a producing well is abandoned, date of last production 19  Vas permission obtained from the Conservation Division or its agents before plugging was commenced? Yes roducing formation  Depth to top Bottom Total Depth of Well Maurice Leasley Total Depth of Well How depth and thickness of all water, oil and gas formations.  OIL, CAS OR WATER RECORDS  CASING RECORD  FORMATION  ONTENT FROM TO SIZE PUT IN PULLED OUT  Describe in detail the manner in which the well was plugged, indicating where the mud flui as placed and the method or methods used in introducing it into the hold. If cement or othe feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  Reason for abandonment of well or producing State the character of same and depth placed, from feet to STATE CUMPORATION COMMINSSION.  RECEIVED  STATE CUMPORATION COMMINSSION.						I		1981
Plugging completed Reason for abandonment of well or producing formation  If a producing well is abandoned, date of last production 19  Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes  ame of Conservation Agent who supervised plugging of this well Maurice Leasley reducing formation  Depth to top Rottom Total Depth of Well how depth and thickness of all water, oil and gas formations.  OIL, GAS OR WATER RECORDS  FORMATION CONTENT FROM TO SIZE PUT IN PULLED OUT  Describe in detail the manner in which the well was plugged, indicating where the mud fluid as a placed and the method or methods used in introducing it into the hold. If cement or othe feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100" used.  RECEIVED  STATE CORPORATION CONNESSION  RECEIVED  STATE CORPORATION CONNESSION  NAME 2 0 1985	<del> </del>	Pluggir	ng commenc	ed			1-23	1981
Reason for abandonment of well or producing formation  If a producing well is abandoned, date of last production 19  Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes  ame of Conservation Agent who supervised plugging of this well Maurice Leasley Depth to top Rottom Total Depth of Well  OIL, CAS OR WATER RECORDS  CASING RECORD  FORMATION CONTENT FROM TO SIZE PUT IN PULLED OUT  O 600' 8 5/8"  Describe in detail the manner in which the well was plugged, indicating where the mud flui as placed and the method or methods used in introducing it into the hold. If cement or othe feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  RECEIVED STATE COMPGRATION COMMISSION MANY 2 0 1987							_1-23	1981
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes ame of Conservation Agent who supervised plugging of this well Maurice leasley oducing formation Depth to top Bottom Total Depth of Well now depth and thickness of all water, oil and gas formations.  OIL, CAS OR WATER RECORDS  CASING RECORD  FORMATION  CONTENT FROM TO SIZE PUT IN PULLED OUT  0 600' 8 5/8"  Describe in detail the manner in which the well was plugged, indicating where the mud fluits placed and the method or methods used in introducing it into the hold. If cement or other feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  RECEIVED  STATE CORPORATION COMMINSSIAN  STATE CORPORATION COMMINSSIAN		Reason	for aband	onment o	of well or	producin	g format	ion
Vas permission obtained from the Conservation Division or its agents before plugging was commenced? Yes		If a pr	roducing w	ell is	abandoned,	date of	last pro	
its agents before plugging was commenced? Yes are of Conservation Agent who supervised plugging of this well Maurice Leasley roducing formation Depth to top Bottom Total Depth of Well now depth and thickness of all water, oil and gas formations.  OIL, GAS OR WATER RECORDS  CASING RECORD  FORMATION CONTENT FROM TO SIZE PUT IN PULLED OUT  O 600' 8 5/8"  Describe in detail the manner in which the well was plugged, indicating where the mud fluits placed and the method or methods used in introducing it into the hold. If cement or othe lugs were used, state the character of same and depth placed, from feet to feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  RECEIVED  STATE CORPORATION COMMISSION  STATE CORPORATION COMMISSION  STATE OUR PROCEDURED.		<del></del>	<del></del>		<u> </u>		<del></del> .	
The agent who supervised plugging of this well Maurice Leasley Producing formation Depth to top Bottom Total Depth of Well now depth and thickness of all water, oil and gas formations.  OIL, GAS OR WATER RECORDS  CASING RECORD  FORMATION  CONTENT FROM TO SIZE PUT IN PULLED OUT  0 600' 8 5/8"  Describe in detail the manner in which the well was plugged, indicating where the mud fluing placed and the method or methods used in introducing it into the hold. If cement or other feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  RECEIVED  STATE COMPORATION COMMISSION	Locate well correctly on above Section Plat	_						sion or
Depth to top Bottom Total Depth of Well how depth and thickness of all water, oil and gas formations.  OIL, GAS OR WATER RECORDS  CASING RECORD  FORMATION  CONTENT FROM TO SIZE PUT IN PULLED OUT  0 600' 8 5/8"  Describe in detail the manner in which the well was plugged, indicating where the mud fluing as placed and the method or methods used in introducing it into the hold. If cement or othe lugs were used, state the character of same and depth placed, from feet to feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  RECEIVED  STATE CORPORATION COMMISSION  MAY 2 9 1987	ame of Conservation Agent who							
OIL, GAS OR WATER RECORDS  CASING RECORD  FORMATION  CONTENT  FROM  O  600'  8 5/8"  Describe in detail the manner in which the well was plugged, indicating where the mud fluing splaced and the method or methods used in introducing it into the hold. If cement or other lugs were used, state the character of same and depth placed, from  feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  RECEIVED  STATE CORPORATION COMMISSION  AND 2 9 1987		-				Total De	nth of W	ell
FORMATION  CONTENT  FROM  TO SIZE  PUT IN PULLED OUT  0 600' 8 5/8"  Describe in detail the manner in which the well was plugged, indicating where the mud fluing as placed and the method or methods used in introducing it into the hold. If cement or other state the character of same and depth placed, from feet to feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  RECEIVED  STATE CORPORATION COMMISSION  STATE CORPORATION COMMISSION	now depth and thickness of al					<del></del>	•	
FORMATION  CONTENT  FROM  TO SIZE  PUT IN PULLED OUT  0 600' 8 5/8"  Describe in detail the manner in which the well was plugged, indicating where the mud fluing as placed and the method or methods used in introducing it into the hold. If cement or other state the character of same and depth placed, from feet to feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  RECEIVED  STATE CORPORATION COMMISSION  STATE CORPORATION COMMISSION								
Describe in detail the manner in which the well was plugged, indicating where the mud fluites placed and the method or methods used in introducing it into the hold. If cement or other lugs were used, state the character of same and depth placed, from feet to feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100' used.  RECEIVED  STATE CORPORATION COMMISSION	OIL, GAS OR WATER RECORDS						CASING R	ECORD
Describe in detail the manner in which the well was plugged, indicating where the mud fluit as placed and the method or methods used in introducing it into the hold. If cement or othe lugs were used, state the character of same and depth placed, from feet to feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100" used.  RECEIVED  STATE CORPORATION COMMISSION  STATE CORPORATION COMMISSION	FORMATION	CONTENT	. FROM	то	SIZE	PUT IN	PULLET	OUT
s placed and the method or methods used in introducing it into the hold. If cement or othe ugs were used, state the character of same and depth placed, from feet to feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100" used.  RECEIVED  STATE CORPORATION COMMISSION  STATE CORPORATION COMMISSION			0	600'	8 5/8"			
s placed and the method or methods used in introducing it into the hold. If cement or othe ugs were used, state the character of same and depth placed, from feet to feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100" used.  RECEIVED  STATE CORPORATION COMMISSION  NIAY 201987			} 		ļ		<u> </u>	
s placed and the method or methods used in introducing it into the hold. If cement or othe ugs were used, state the character of same and depth placed, from feet to feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100" used.  RECEIVED  STATE CORPORATION COMMISSION  STATE CORPORATION COMMISSION			<u> </u>	ļ	<del>                                     </del>		<del> </del>	
s placed and the method or methods used in introducing it into the hold. If cement or othe ugs were used, state the character of same and depth placed, from feet to feet for each plug set.  Cement was filled above 6" pipe - Used 8 yards of Ready Mix Cement - 100" used.  RECEIVED  STATE CORPORATION COMMISSION  STATE CORPORATION COMMISSION		<del></del>	<del> </del>		<del> </del>	<del> </del>	<del> </del>	<del></del>
STATE CURPORATION COMMINE STATE CURPORATION	feet for each plu	ug set.				ent = 100'	used.	
STATE CURPORATION COMMINE STATE COMMINE STATE CURPORATION COMMINE STAT								
STATE CURPORATION COMMINENT 2 9 1981							-12.112.11	
STATE CURPORATION COMMINENT 2 9 1981	<del></del>	<del></del>	<del></del>			REC	EIVED	<del>5810N</del>
MAY 2 0 1981		<del></del>	<del></del>		<del></del>	CTATE CORPOR	VIION COMME	
MAI			<del></del>		<u>.</u>	SIAIL	00108	
(If additional description is necessary, use BACK of this sheet it a. Kansas me of Plugging Contractor Hildinger's				<del></del>		MAIN	6	<u></u>
(If additional description is necessary, use BACK of this sheeth)ta Kansas  ime of Plugging Contractor Hildinger's						.acD	IVIO NOITAL	21014
me of Plugging Contractor Hildinger's	/7.0	description	is necess		BACK of	this shop	hita Kansas	5
	(If additional o			ary, use		ていてつ ついらん		
	(If additional of ame of Plugging Contractor	Hildinger'	s necepso.	ary, use	5 DROK OI	cura andd	HMICH	
	(If additional o	Hildinger'	S	ary, use		ciirs sii (M)	уиси.	
ATE OF KANSAS COUNTY OF SEDEMICK			·		- BACK OI		<del> </del>	
SEDUMICK , SS.	ATE OF KANSAS	COUNT	·	DGWICK			ss.	<del></del>
Kirby C. Evers, Vice-President (employee of owner) or (owner or operator	ATE OF KANSAS Kirby C. Evers, Vice-Pres	COUNT	ry of s	DGWICK (emplo	yee of own	er) or (o	ss.	operator
Kirby C. Evers, Vice-President (employee of owner) or (owner or operator the above-described well, being first duly sworn on oath, says: That I have knowledge of e facts, statements, and matters herein contained and the log of the above-described well	ATE OF KANSAS  Kirby C. Evers, Vice-Pres the above-described well, be e facts, statements, and matt	COUNT ident ing first du ers herein o	TY OF SI	DGWICK (employon oath	yee of own , says: T log of th	er) or (o	ss. wner or e knowle	operator
Kirby C. Evers, Vice-President (employee of owner) or (owner or operator the above-described well, being first duly sworn on oath, says: That I have knowledge of e facts, statements, and matters herein contained and the log of the above-described well filed and that they are true and correct. So help me God.	ATE OF KANSAS  Kirby C. Evers, Vice-Pres the above-described well, be e facts, statements, and matt	COUNT ident ing first du ers herein c true and con	TY OF SHOULD SHOULD SHOULD SHOULD SO	DGWICK (employon oath	yee of own , says: T log of th	er) or (o	ss. wner or e knowle	operator
Kirby C. Evers, Vice-President (employee of owner) or (owner or operator the above-described well, being first duly sworn on oath, says: That I have knowledge of e facts, statements, and matters herein contained and the log of the above-described well filed and the meys are true and correct. So help me God.  (Signature)  P. O. Box 18611, Wichita, Kansas 67207	ATE OF KANSAS  Kirby C. Evers, Vice-Pres the above-described well, be e facts, statements, and matt	COUNT ident ing first du ers herein c true and con	TY OF SI uly sworn contained crect. So nature)	DGWICK (employ on oath and the help m	yee of own, says: Tog of the God.	ner) or (o That I hav be above-d MMA	ss. wner or e knowle escribed	operator dge of well
Kirby C. Evers, Vice-President (employee of owner) or (owner or operator the above-described well, being first duly sworn on oath, says: That I have knowledge of e facts, statements, and matters herein contained and the log of the above-described well filed and that the value are true and correct. So help me God.  (Signature)	ATE OF KANSAS  Kirby C. Evers, Vice-Pres the above-described well, be e facts, statements and matt filed and the they are	COUNT ident ing first du ers herein d true and con (Sign	ry OF SI  sly sworn contained crect. So  nature) P.	DGWICK (employon oath and the help mo	yee of own, says: Tog of the God.  18611, Wic	ner) or (o That I hav be above-d MMA	ss. wner or e knowle escribed	operator dge of well
Kirby C. Evers, Vice-President  (employee of owner) or (owner or operator the above-described well, being first duly sworn on oath, says: That I have knowledge of e facts, statements and matters herein contained and the log of the above-described well filed and that they are true and correct. So help me God.  (Signature)  P. O. Box 18611, Wichita, Kansas 67207  (Address)  SUBSCRIBED AND SWORN TO before me this 26th day of May  , 1981	ATE OF KANSAS  Kirby C. Evers, Vice-Pres the above-described well, be e facts, statements and matt filed and the they are  SUBSCRIBED AND SWORN TO be	COUNT ident ing first du ers herein d true and con (Sign	ry OF SI  sly sworn contained crect. So  nature) P.	DGWICK (employon oath and the help mode)  O. Box	yee of own, says: Tog of the God.  18611, Wice (A	er) or (or hat I have above-de thita, Kanndaress)	ss. wner or e knowle escribed	operator dge of well
Kirby C. Evers, Vice-President  (employee of owner) or (owner or operator the above-described well, being first duly sworn on oath, says: That I have knowledge of e facts, statements and matters herein contained and the log of the above-described well filed and that the value and correct. So help me God.  (Signature)  P. 0. Box 18611, Wichita, Kansas 67207  (Address)  SUBSCRIBED AND SWORN TO before me this 26th day of May  Notary Public.	MATE OF KANSAS  Kirby C. Evers, Vice-Pres  the above-described well, be ne facts, statements and matt s filed and the they are  SUBSCRIBED AND SWORN TO BE OF KANSAS	COUNTION I COUNTING TO THE COU	ry OF Silly sworn contained rect. So nature) P. 26th	DGWICK (employ on oath and the help m 0. Box	yee of own, says: Tog of the God.  18611, Wice (A	ner) or (of that I have above-defined to the latest terms of the l	ss. wner or e knowle escribed sas 6720	operator dge of well



## 453 SOUTH WEBB ROAD P. O. BOX 18611 WICHITA, KANSAS 67207 (316) 685-5372

#### WELL LOG

APLOR  OPERATOR: KRM Petroleum  CONTRACTOR: Xplor Drilling Co., Inc.  COMMENCED: 1-3-81 COMPLETED: 1-5-81  CASING RECORD:  FORMATION  FROM  TO  RECEIVED STATE CORPORATION COMMISSION  MAY 2 9 1981	MATE MONTH KANKA	316) 685-5372			- '
COMMENCED: 1-3-81 COMPLETED: 1-5-81  CASING RECORD:  FORMATION FROM TO  Red Bed -0- 600'  RECEIVED STATE CORPORATION COMMISSION MAY 2 9 1981	XPLOR O				<del>.</del>
FORMATION FROM TO  Red Bed -0- 600'  RECEIVED  STATE CORPORATION COMMISSION  MAY 2 9 1981	LLING				
Red Bed -0- 600'  RECEIVED  STATE CORPORATION COMMISSION  MAY 2 9 1981	CASING RECORD:				· · · · · · ·
RECEIVED STATE CORPORATION COMMISSION MAY 29 1981	FORMATION	FR	ом	<u>TO</u>	
STATE CORPORATION DIVISION	Red Bed	-0	<u>-</u>	600'	
STATE CORPORATION DIVISION					
STATE CORPORATION OF STATE CORPORATION DIVISION			•	:	
TOURTION DIVISION				STATE CORPORATION 000	
STATE OF KANSAS ) SS: COUNTY OF SEDGWICK )	<b>)</b>	<b>SS:</b>		CONSERVATION DIVISI Wichita, Kansas	ON

Subscribed and sworn to before me this 26th day of May, 1981

MY APPOINTMENT EXPIRES NOV. 28, 1984

Mary Kay Olding

FORM C-2

# STATE OF KANSAS STATE CORPORATION COMMISSION - CONSERVATION DIVISION 245 North Water

Wichita, Kansas 67202

#### DATA AND AFFIDAVIT

(On Cementing in Surface or Drive Pipe and required by Rule 82-2-123 of the Commission for compliance with Section 55-136, 55-137 and 55-138, 1947 Supplement to G. S. Kansas 1935)

LEASE OWNER	K R M Petroleu	m	<del></del>			· · · · · · · · · · · · · · · · · · ·	
OFFICE ADDRESS	Guaranty Bank	Bldg., 817 Seve	nteenth St.	, Denver,	Colorado	80202	
LEASE NAME	Gohn	, - <u></u>	WELL NO.	1-22	COUNTY_C	omanche	
EXACT SPOT LOCA	ATION SE SE	<del></del>	SEC. 22	TWP	33S I	RGE. 20W	(W) (E)
CONTRACTOR	Xplor Drilling	Co., Inc.			<del> </del>		
OFFICE ADDRESS	453 S. Webb Ro	ad, P. O. Box I	8611, Wichi	ta, Kansas	67207		
Drilled with (	Cable) or (Rotar	y) tools:	Date pip	e set	None se	t	
SURF	FACE HOLE DATA	<u>.</u>	SURF	ACE PIPE I	)ATA		,
Size of Hole	12 1/4"	Csg. (	new) or (us	ed) Size	8 5/8"	wt. 24	
Depth		Where	set				
		METHOD OF CEM	ENTING	•			
Cement: Amo	ount and kind	Ready Mix -	8 yards			·	
Met	thod: (By Servi	ce Co., Dump, T	og., etc.)_	Dump			
Est	. Height Cement	behind pipe		16''			
. •		GROUND WATER IN	FORMATION		,		
Depth to bottom	of lowest fres	h water produci	ng stratum				
Name of lowest	fresh water pro	ducing stratum_			RF	CEIVED ORATION COM	MISSION
Surface elevati	on of well				STATE CORP	W. S 8 18	81
		ADDITIONAL INF	ORMATION			ERVATION DI Wichita, Kans	VISION
(A	dditional infor	mation may be s	ubmitted on	separate			<del></del>
		AFFIDA	<u>v i t</u>				
STATE OF KANSA	S	·	, COUN	ry or sed	GWICK	- 1	ss,
oeing first dul	C. Evers y sworn on oath ein contained a	, state: That	of the <u>Xp</u> I have know e are true 2	ledge of t	he facts	Compa , stateme	iny, ents
QY KA	AR POR	· · · · · · · · · · · · · · · · · · ·	K	ily C	0 L	iev	<u>/</u>
Subscribed and	Sworn to before	me on this	26th	_ day of !	1ay	19	81
WE O	FKAN	Nota	ry Public	ray 6	Solve /	<u> </u>	

MY APPOINTMENT EXPIRES NOV. 28, 1984