ik

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | : | | | | (| See Instruc | tions on Re | verse Side | ej | | | | | |
|---|-------------|---|--------------------------------------|--|------------------------------------|--|--|--|---|--------------------------------------|-----------------------------|---|---|--|
| □ Ор | en Flo | W | | | Toot Date | | | | AD | I No. 1E | | | | |
| Deliverabilty | | | | | Test Date: 5-1-2013 | | | | api no. 15 15-025 -000- /0 , 010 - 000/ | | | | | |
| Company John H. Booth, Inc | | | | | Lease Swayze | | | | Well Number | | | | | |
| County Clark | | | Location C NE | | Section 23 | | | TWP 33S | | /W) | Acres Attributed | | Iributed | |
| Field Sitka | | | ' | | | Reservoir Morrow | | Gas Ga DCP | | thering Connection | | | | |
| Completion Date 9-8-1960 | | | | | Plug Bac 5438 | Plug Back Total Depth 5438 | | | Packer Set at | | | | | |
| Casing Size V 4 1/2 | | | Weig | ht | Internal D | Internal Diameter | | Set at 5437 | | orations 7-29 | то 5339-45 | | | |
| Tubing Size 2 3/8 | | | Weig | ht | Internal C | Internal Diameter | | Set at 5361 | | orations | To . | | | |
| Type Completion (Descri Single/Gas | | | escribe) | | Type Flui | Type Fluid Production KCL | | <u> </u> | | Pump Unit or Traveling Pl Plunger | | Plunger? Yes / No | | |
| Producing Thru (Annulus / 1 | | | nulus / Tubin |)g) | ide | | | | Gas Gravity - G | | | | | |
| Tubing Vertical D | epth(H | 1) | | <u></u> | | Pres | ssure Taps | _ | | | (Meter | Run) (Pro | over) Size | |
| Draceura. | Ruildu | m· | Shut in 5- | 1 . | 20 13 at 2 | :00 pm | (AM) (PM) | Taken 5- | | 20 | 13 _{at} 2;00 | pm ,, | .M) (PM) | |
| Well on L | | | | | | | | | | 20 at (AM) | | | | |
| | | | _ | | | OBSERVE | ED SURFAC | ——— E Data | | | Duration of Shut | t-in | Hours | |
| Static / Dynamic Property | ynamic Size | | Circle one: Meter Prover Press | Differential in | Flowing Temperature t | Well Head Temperature | wethead Pressure $(P_{\bullet}) \propto (P_{t}) \propto (P_{o})$ | | Tubing Wellhead Pressure (P_{ψ}) or (P_1) or (P_0) | | Duration (Hours) | Liquid | Liquid Produced (Barrels) | |
| Shut-In | | _ | psig (Pm) | Inches H ₂ 0 | | | 310 | psia | 100 | psia | | | | |
| Flow | | | | | | | | | | | 2 | | | |
| | | | | | | FLOW ST | REAM ATTR | IBUTES | | | <u> </u> | • | | |
| Plate Coefficient (F _b) (F _p) Mofd | | Circle one: Meter of Prover Pressure Psia | | Press Extension Pmxh | Grav Fac | tor | Flowing Temperature Factor F ₁₁ | Deviation Factor F _{pv} | | Metered Flo R (McId) | W GOR (Cubic F Barrel | eeV | Flowing Fluid Gravity G _m | |
| | | | | | | | _ | <u> </u> | | <u> </u> | | | | |
| (P _c) ² = | | _: | (P _w)²: | =: | (OPEN FL | • • | VERABILITY .% (F |) CALCUL ² c - 14.4) + | | : | |) ² = 0.20 | 7 | |
| $(P_e)^2 - (P_e)^2$ or $(P_e)^2 - (P_d)^2$ | | (P ₀) ² ~ (P ₀) ² | | Choose formula 1 or 1. $P_0^2 - P_0^2$ 2. $P_0^2 - P_0^2$ divided by: $P_0^2 - P_0^2$ | LOG of formula 1. or 2. and divide | P _c ² -P _w ² | Backpressure Slope = or Assigne Standard 5 | | | rog | Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) | | |
| | | | | | | | - | _ | | | | | | |
| Open Flow | | | Mcfd @ 14 | .65 psia | Deliverabilit | | ility | | | Mcfd @ 14.65 ps | Mcfd @ 14.65 psia | | | |
| | <u>i</u> _ | igne | d authority, o | | | states that I | | | | | ort and that he h | | edge of | |
| lhe facts s | tated t | here | in, and that s | said report is tru | e and correc | t. Executed | d this the 9 | | day of | lune | 2111 7 | .2 | o <u>14</u> | |
| | | | Witness | (if arry) | | | Receive | ed | Soll | 1 # 6 | Company 1 | <u>C</u> | / , , | |
| | | ·. | ForCom | mission | | KANSAS | CORPORATION | | ON | BUU | addles | _ <i>Q</i> } | white | |
| | | | Forcom | | | J | UN 10 | 2014 | | Cit | , / | , | | |

CONSERVATION DIVISION WICHITA, KS

| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator |
|--|
| (Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing. |
| Signature: All Mallu Title: Laretney |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

Received KANSAS CORPORATION COMMISSION

JUN 1 0 2014