

Operator Name: STAR RESOURCES LLC Lease Name: CORBETT-GATES Well #: 13-5
 Sec. 13 Twp. 34 S. R. 17 East West County: COMANCHE

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Attach Additional Sheets) Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Submit Copy) List All E. Logs Run: <p style="text-align: center;">COMP. NEUTRON DENSITY DUAL INDUCTION SONIC</p>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">Name</td> <td style="width:25%;">Top</td> <td style="width:25%;">Datum</td> </tr> <tr> <td>PAWNEE</td> <td>4918'</td> <td>- 3217'</td> </tr> <tr> <td>MISSISSIPPI</td> <td>5024'</td> <td>- 3323'</td> </tr> <tr> <td>VIOLA</td> <td>5699'</td> <td>- 3998'</td> </tr> </table> <p style="text-align: center;">(Also see attached)</p>	Name	Top	Datum	PAWNEE	4918'	- 3217'	MISSISSIPPI	5024'	- 3323'	VIOLA	5699'	- 3998'
Name	Top	Datum											
PAWNEE	4918'	- 3217'											
MISSISSIPPI	5024'	- 3323'											
VIOLA	5699'	- 3998'											

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	24 #	724	65-35 pol	225	3% CaCl + 1/4 # Floccul
					CLASS A	100	3% CaCl + 2% Gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
		RECEIVED KANSAS CORPORATION COMMISSION FEB 07 2001 2-7-01 CONSERVATION DIVISION WICHITA, KS	

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	------	--------	-----------	--

Date of First, Resumed Production, SWD or Enhr. D&A	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
---	--

Estimated Production Per 24 Hours	Oil N/A Bbls.	Gas N/A Mcf	Water N/A Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	----------------------	--------------------	------------------------	---------------	---------

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (if vented, Sumit ACO-18.)	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	

ORIGINAL

ELECTRIC LOG FORMATION TOPS - KB Elevation 2139'

<u>FORMATION</u>	<u>DEPTH</u>	<u>DATUM</u>
Stone Corral	734'	+967'
Hutchenson Salt	1542'	+159'
Foraker	2930'	-1229'
Wabaunsee	3172'	-1471'
Stotler	3320'	-1619'
Howard	3375'	-1674'
Topeka	3672'	-1971'
LeCompton	3846'	-2145'
Elgin SS	4010'	-2309'
Heebner	4131'	-2430'
Toronto	4146'	-2445'
Douglas	4176'	-2474'
Lansing	4320'	-2619'
B Zone	4359'	-2658'
H Zone, Drum	4556'	-2855'
Stark SH	4678'	-2977'
Swoop	4682'	-2981'
BKC	4786'	-3085'
Marmaton	4830'	-3129'
Altamont	4886'	-3185'
Pawnee	4918'	-3217'
Ft. Scott	4946'	-3145'
Cherokee	4955'	-3254'
Mississippi	5024'	-3323'
Warsaw	5130'	-3429'
Osage	5174'	-3473'
Gilmore City	5570'	-3869'
Kinderhook	5588'	-3887'
Viola	5699'	-3998'
TD	5700'	-3998'

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 07 2001

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

1136

Federal Tax I.D.# 48-0727860

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

MEDICINE LODGE
4-16-00 4-16-00

DATE <u>4-15-00</u>	SEC. <u>13</u>	TWP. <u>34s</u>	RANGE <u>17W</u>	CALLED OUT <u>4:30 PM</u>	ON LOCATION <u>7:30 PM</u>	JOB START <u>1:30 AM</u>	JOB FINISH <u>2:00 AM</u>
LEASE <u>GATES</u>		WELL # <u>13-S</u>	LOCATION <u>MDM#193 ON 160 11s TO D.E.</u>		COUNTY <u>COMANCHE</u>	STATE <u>KANSAS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>1W, 2s, 3 1/2 E, 4/1s</u>				

CONTRACTOR VAL ENERGY #2

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 725'

CASING SIZE 8 5/8" X 2 1/4" DEPTH 724'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 500# MINIMUM 50#

MEAS. LINE _____ SHOE JOINT 40.58'

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 44 BBLs FRESH WATER

EQUIPMENT _____

PUMP TRUCK CEMENTER KEVIN BUNGARDT

233-302 HELPER MARK BUNGARDT

BULK TRUCK _____

214-314 DRIVER DAVID FELZO

BULK TRUCK _____

_____ DRIVER _____

OWNER STAR RESOURCES LLC

CEMENT AMOUNT ORDERED

225 SX 65:35:6 + 3% CMC + 1/4" FLO-SEAL

100 SX CLASS A + 3% CMC

COMMON <u>A</u>	<u>100</u>	@ <u>6.35</u>	<u>635.00</u>
POZMIX		@	
GEL	<u>2</u>	@ <u>9.50</u>	<u>19.00</u>
CHLORIDE	<u>11</u>	@ <u>28.00</u>	<u>308.00</u>
ALLW	<u>225</u>	@ <u>6.00</u>	<u>1350.00</u>
FLO-SEAL	<u>56#</u>	@ <u>1.15</u>	<u>64.40</u>
		@	
		@	
HANDLING	<u>325</u>	@ <u>1.05</u>	<u>341.25</u>
MILEAGE	<u>325 X 50</u>	X <u>.04</u>	<u>650.00</u>

RECEIVED _____

KANSAS CORPORATION COMMISSION

TOTAL \$3367.65

FEB 07 2001

REMARKS:

SERVICE

RUN 8 5/8" CASING + BREAK CIRCULATION

MIX 225 SX 65:35:6 + 3% CMC + 1/4" FLO-SEAL

MIX 100 SX CLASS A + 3% CMC + 2% BIL

DISPLACE PLUG TO 684' WITH 44 BBLs

CEMENT DID CIRCULATE TO BOTTOM

OF CELLAR

CONSERVATION DIVISION

DEPTH OF JOB 724'

PUMP TRUCK CHARGE 0-300' 470.00

EXTRA FOOTAGE 424' @ .43 182.32

MILEAGE 50 @ 3.00 150.00

PLUG 8 5/8" TRP @ 105.00 105.00

_____ @ _____

_____ @ _____

TOTAL \$907.32

CHARGE TO: STAR RESOURCES LLC

STREET _____

CITY ENGLEWOOD STATE COLORADO ZIP _____

FLOAT EQUIPMENT

<u>1 - GUIDE SHOE</u>	@ <u>215.00</u>	<u>215.00</u>
<u>1 - Baffle Plate</u>	@ <u>45.00</u>	<u>45.00</u>
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____

TOTAL \$260.00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE \$ 4534.97

DISCOUNT 680.25 IF PAID IN 30 DAYS

NET \$ 3854.72

SIGNATURE x Dale Smith

PRINTED NAME

ALLIED CEMENTING CO., INC.

1489

Federal Tax I.D.# 48-0727860

ORIGINAL

SHIP TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Medicine Lodge

DATE <u>5-1-00</u>	SEC. <u>13</u>	TWP. <u>34s</u>	RANGE <u>17w</u>	CALLED OUT <u>12:00 Am</u>	ON LOCATION <u>2:30 Am</u>	JOB START <u>4:30 Am</u>	JOB FINISH <u>6:30 Am</u>
LEASE <u>Conbetta Gates</u>	WELL # <u>13-5</u>	LOCATION <u>MM 15-160 11s, 1w, 2s, 3 1/2 E 1/4 S</u>			COUNTY <u>Comanche</u>	STATE <u>KS.</u>	
OLD OR NEW (Circle one)							

CONTRACTOR VAI Energies

TYPE OF JOB Rotary Plug

HOLE SIZE 7 7/8 T.D.

CASING SIZE 8 5/8 DEPTH 724'

TUBING SIZE DEPTH

DRILL PIPE 4 1/2 x 16.60 DEPTH 760'

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

OWNER Star Resources

CEMENT

AMOUNT ORDERED 125 sk 60:40:6

COMMON	<u>75</u>	@	<u>6.35</u>	<u>476.25</u>
POZMIX	<u>50</u>	@	<u>3.25</u>	<u>162.50</u>
GEL	<u>6</u>	@	<u>9.50</u>	<u>57.00</u>
CHLORIDE		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>125</u>	@	<u>1.05</u>	<u>131.25</u>
MILEAGE	<u>125 x 50</u>	@	<u>.04</u>	<u>250.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Carl Balding

343 HELPER Justin Hart

BULK TRUCK

301 DRIVER Mike Rucker

BULK TRUCK

DRIVER

KANSAS CORPORATION COMMISSION

TOTAL \$1077.00

FEB 07 2001

REMARKS:

Pump 50 sk - 760'

40 sk - 300'

10 sk - 40'

10 sk - Mouse Hole

15 sk - Rat-Hole

SERVICE

CONSERVATION DIVISION
WICHITA, KS

DEPTH OF JOB

PUMP TRUCK CHARGE 470.00

EXTRA FOOTAGE @

MILEAGE 50 @ 3.00 150.00

PLUG wooden 8 3/8" @ 23.00 23.00

@

@

TOTAL \$643.00

CHARGE TO: Star Resources LLC

STREET P.O. Box 5185

CITY Englewood STATE Colo. ZIP 80155

FLOAT EQUIPMENT

@

@

@

@

@

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL

TAX

TOTAL CHARGE \$1720.00

DISCOUNT 172.00 IF PAID IN 30 DAYS \$1548.00

SIGNATURE John Roberts

John Roberts
PRINTED NAME



Resources LLC

P.O. Box 5185
Englewood, CO 80155-5185

303-296-1434 Phone
303-295-3414 Fax

October 5, 2000

Kansas Corporation Commission
Conservation Division
Attn: Mr. Virgil Clothier
Finney State Office Building
130 S. Market, Room 2078
Wichita, Kansas 67202-3802

RE: ACO-1 Form for Corbett-Gates # 13-5 Well
Comanche Co., Kansas

Dear Mr. Clothier:

Attached please find the ACO-1 Form along with relevant documentation for the above well. This documentation includes:

- Copy of Electric Logs
- Copy of Geologist's Report
- Copy of Cement Invoices
- Copy of Drill-Stem Tests.

If there are any questions, please do not hesitate to call me at (303) 228-3322.
Thank you for your assistance in this matter.

Sincerely,

A handwritten signature in black ink, appearing to read "Al Iakovakis".

Al Iakovakis
V.P. Reservoir Engineering

RECEIVED
STATE CORPORATION COMMISSION

OCT 10 2000

CONSERVATION DIVISION
Wichita, Kansas