

KANSAS

FORM CP-3
Rev. 6-4-68

STATE CORPORATION COMMISSION

CONSERVATION DIVISION AGEN'T REPORT

J. Lewis Breck
Administrator
245 North Water
Wichita, Ks. 67202

API Number 15 -033 20,348-~~0000~~ (of this well)

Operator's Full Name Lear Pet., Exploration Inc.

Complete Address 2601 NW Expressway, 2601 Oil Ctr., Bldg., Ok., City, Ok. 73112

Lease Name Brass Well No. 1-2

Location C NW NW Sec. 2 Twp. 34s Rge. 19 (E) (W) X

County Comanche Total Depth 6573

Abandoned Oil Well Gas Well Input Well SWD Well D&A X

Other well as hereafter indicated

Plugging Contractor Thomas Drilling Co., Inc.

Address Box 400, Duncan, Pkla. 73533 License No.

Operation Completed: Hour 8 Am Day 27 Month 5 Year 1980

The Above well was plugged as follows:

292' 8 5/8" casing. Set 50 sax cement plug at 700'-Set 40 sax cement
plug at 300'-Bridge at 40' & 10 sax cement to 5' below Gl. 5 sax in
rat hole. Cemented by Howco.

RECEIVED
STATE CORPORATION COMMISSION

MAY 30 1980
5-30-80
CONSERVATION DIVISION
Wichita, Kansas

I hereby certify that the above well was plugged as herein stated.

Signed: [Signature]
Well Plugging Supervisor

INVOICED

DATE 5-30-80


INV. NO. 2264u

15-033-20348-0000



Dual Induction Focused Log

with Linear Correlation Log



FILE NO. _____

COMPANY LEAR PETROLEUM CORPORATION

WELL BRASS # 1-2

FIELD WILDCAT

COUNTY COMANCHE STATE KANSAS

LOCATION: NW-NW

Other Services
CDL/CN/GR
BHCL/GR/CAL

SEC 2 TWP 34S RGE 19W

Permanent Datum GL Elev. 1939

Log Measured from KB 11 Ft. Above Permanent Datum

Drilling Measured from KB

Elevations:
 KB 1950
 DF NA
 GL 1939

| | | | | | |
|------------------------|----------------------|-------------|------------|----|----|
| Date | <u>5-26-80</u> | | | | |
| Run No. | <u>ONE</u> | | | | |
| Service Order | <u>05316</u> | | | | |
| Depth- Driller | <u>6580</u> | | | | |
| Depth- Logger | <u>6575</u> | | | | |
| Bottom Logged Interval | <u>6573</u> | | | | |
| Top Logged Interval | <u>295</u> | | | | |
| Casing- Driller | <u>858 @ 292</u> | @ | | @ | |
| Casing- Logger | <u>295</u> | | | | |
| Bit Size | <u>7 7/8</u> | | | | |
| Type Fluid in Hole | <u>PREMIX</u> | | | | |
| Density and Viscosity | <u>8.9</u> | <u>65</u> | | | |
| pH and Fluid Loss | <u>10.0</u> | <u>16.0</u> | cc | cc | cc |
| Source of Sample | <u>FLOWLINE</u> | | | | |
| Rm @ Meas. Temp. | <u>.271 @ 76 °F</u> | @ | °F | @ | °F |
| Rmf @ Meas. Temp. | <u>.203 @ 76 °F</u> | @ | REFLECTIVE | @ | °F |
| Rmc @ Meas. Temp. | <u>.338 @ 76 °F</u> | @ | °F | @ | °F |
| Source of Rmf and Rmc | <u>M</u> | <u>M</u> | | | |
| Rm @ BHT | <u>.168 @ 127 °F</u> | @ | °F | @ | °F |
| Time Since Circ | <u>4 HR</u> | | | | |
| Max Rec. Temp. Deg. F. | <u>127</u> | °F | | °F | °F |
| Equip No and Location | <u>6117</u> | <u>WDWD</u> | | | |
| Recorded By | <u>HICKS</u> | | | | |
| Witnessed By | <u>BIRD</u> | | | | |

RECEIVED
 BIRMINGHAM