

KANSAS

Form CP-3
Rev. 6-4-68

STATE CORPORATION COMMISSION
CONSERVATION DIVISION AGENT'S REPORT

J. Lewis Brock
Administrator
245 North Water
Wichita, KS 67202

API Number 15-033-20265-0000 (of this well)

Operator's Full Name K.R.M. Pet., Corp.

Complete Address 817 17th St., Suite 820, Denver, Colo. 80202

Lease Name R.P. Warren Estate Well No. 1

Location NW NE Sec. 1 Twp. 34s Rge. 17 (E) (W) X

County Comanche Total Depth 5125

Abandoned Oil Well Gas Well X Input Well SWD Well D & A

Other well as hereafter indicated

Plugging Contractor Kelso Casing Pulling.

Address Box 176-Chase, Ks. 67524 License No. 683

Operation Completed: Hour 3 Pm. Day 12 Month 9 Year 1980

The above well was plugged as follows:

400' 8 5/8" casing. 4 1/2" casing set at 5124' w/250 sax cement. Top
perforation at 5022'-Allied mixed & pumped in 4 1/2" casing 35 sax
common cement to 4700'-Pull 4030' casing. Allied mixed & pumped in
8 5/8" casing 8 sax hulls-25 sax gel-125 sax 50/50 posmix cement w/
4% gel & 3% cc to top of casing. Shut in w/200# pressure

RECEIVED
STATE CORPORATION COMMISSION
SEP 15 1980
CONSERVATION DIVISION
Wichita, Kansas

I hereby certify that the above well was plugged as herein stated.

Signed: [Signature]
Well Plugging Supervisor

INVOICED

DATE

9-15-80

INV. NO.

3117W

15-033-26265-0000
5014-79



**MICRO-SEISMOGRAM[®]
LOG-CASED HOLE**

COMPANY	WELL	FIELD	State
	FIELD	County	State
	COMPANY <u>KAM PETROLEUM CORPORATION</u>		STATE <u>KANSAS</u>
	WELL <u>B.P. WARREN ESTATE #1</u>		Other Services: <u>PERF</u>
FIELD <u>WILDCAT</u>		Location	
COUNTY <u>COMANCHE</u>		<u>C-NW-NE</u>	
Location		Sec. <u>1</u> Twp. <u>34^S</u> Rge. <u>17^W</u>	
Permanent Datum		<u>GROUND LEVEL Elev. 1756</u>	Elev. K.B. <u>1768</u>
Log Measured From		<u>12</u> Ft. Above Perm. Datum	D.F. <u>---</u>
Drilling Measured From		<u>KELLY BUSHING</u>	G.L. <u>1756</u>
Run No.	<u>ONE</u>		
Date & Time Survey	<u>11-8-78 3:30 PM</u>		
Date & Time Cementing	<u>10-11-78</u>		
Type Cementing Operation	<u>PRIMARY</u>		
Depth Driller	<u>5125</u>		
Depth Welex	<u>5122</u>		
Logged Interval	<u>5119 1/2 to 4050</u>		
Casing, Driller	<u>4 1/2 @ 5121</u>		
Float Collar - D.V. Tool	<u>---</u>		
Squeeze Depth	<u>---</u>		
Amount & Type Cement	<u>250 SAs 50-50 POZ</u>		
Amount & Type Admix	<u>15% SALT</u>		
Type Fluid in Hole	<u>WATER</u>		
Fluid Level	<u>FULL</u>		
Salinity PPM Cl ⁻	<u>---</u>		
Weight lb/gal - Vis.	<u>---</u>		
Approx. Logged Cem Top	<u>4214</u>		
Calculated Cement Top	<u>---</u>		
Max. Hole Temperature	<u>---</u>		
Tool No	<u>3034-501</u>		
Spacing Recorded	<u>4</u>		
Equipment - Location	<u>381 GT. BEND</u>		
Recorded by	<u>J. JARMER</u>		
Witnessed by	<u>MR. KINDLE</u>		