

This form shall be filed in duplicate with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ten days after the completion of the well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on side one will be of public record and side two will then be held confidential.

Circle one: Oil, Gas, Dry, SWD, OWWO, Injection. Type and complete ALL sections. Applications must be filed for dual completion, commingling, SWD and injection.

Attach wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). KCC # (316) 263-3238. (Rules 82-2-105 & 82-2-125)

OPERATOR R.J. Patrick Operating Company

API NO. 15-033-28558-0000

ADDRESS P. O. Box 1314

COUNTY Comanche County

Liberal, Kansas 67901

FIELD Collier Flats South

\*\*CONTACT PERSON R. J. Patrick

PROD. FORMATION NA

PHONE 316-624-8483

LEASE ORA H. BAKER

PURCHASER NA

WELL NO. 4

ADDRESS

WELL LOCATION Comanche County

DRILLING NRG Drilling

660' Ft. from North Line and

CONTRACTOR

810' Ft. from East Line of

ADDRESS Box 1157

the NE SEC. 2 TWP. 34 RGE. 20


Liberal, Kansas 67901

WELL FLAT

PLUGGING Halliburton

CONTRACTOR

ADDRESS W 54 Hwy



KCC 
KGS 
(Office Use)

Liberal, Kansas 67901

TOTAL DEPTH 4830 PBD 4828

SPUD DATE 3/9/82 DATE COMPLETED 3/22/82

ELEV: GR 1804' DF KB

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS

Amount of surface pipe set and cemented 642' DV Tool Used? NO

A F F I D A V I T

STATE OF Kansas, COUNTY OF Seward ss, I, R.J. Patrick

OF LAWFUL AGE, BEING FIRST DULY SWORN UPON HIS OATH,

DEPOSES THAT HE IS Owner (FOR)(OF) R. J. Patrick Operating Company

OPERATOR OF THE Ora H. Baker LEASE, AND IS DULY AUTHORIZED TO MAKE

THIS AFFIDAVIT FOR AND ON THE BEHALF OF SAID OPERATOR, THAT WELL NO. 4 ON


SAID LEASE HAS BEEN COMPLETED AS OF THE 22nd DAY OF March, 19 82, AND THAT

ALL INFORMATION ENTERED HEREIN WITH RESPECT TO SAID WELL IS TRUE AND CORRECT.

FURTHER AFFIANT SAITH NOT.

(S) [Signature]

SUBSCRIBED AND SWORN BEFORE ME THIS 24 DAY OF March, 19 82.



[Signature]
NOTARY PUBLIC

MY COMMISSION EXPIRES: 8-20-83

\*\*The person who can be reached by phone regarding any questions concerning this information. Within 45 days of completion, a witnessed initial test by the Commission is required if the well produces more than 25 BOPD or is located in a Basic Order Pool.

SIDE TWO

WELL LOG

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
see attached				

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Conductor	30"	20"		57'	Grout	5 1/2 yd 10 sks	2%
Surface	12 1/2	8 5/8	23#	642'	Class H	650	2% & 3 %

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

Date of first production	Producing method (flowing, pumping, gas lift, etc.)	Gravity
RATE OF PRODUCTION PER 24 HOURS	Gas bbls.	Water % MCF
Disposition of gas (vented, used on lease or sold)		Gas-oil ratio bbls. CFPB
	Perforations	

RECEIVED  
 CONSERVATION DIVISION  
 WICHITA, KANSAS  
 MAR 25 1982

15-033-20550-0000

DRILLER'S LOG

R.J. Patrick Operating Company  
P.O. Box 1314  
Liberal, Kansas 67901

Total Depth: 4830'

Ora Baker #4  
NE of NE of Section 2-34S-20W  
Comanche County, Kansas

Surface Casing: Drilled 837' of 12 1/4" hole.  
Ran 16 jnts. of 8 5/8" new 23# pipe, total  
644.18 set @ 642 K.B., cemented with 200 sks  
of lite W/2% CC, tailed w/150 sks class H, 3%  
CC, plugged down @ 6:am 3/10/82. 1" w/300 sks  
class H, 3% CC, spuded on 3/9/82 @ 3:pm.

Commenced: 3/9/82  
Completed: 3/21/82

Rotary Total Depth: 4830'  
Loggers Total Depth: 4828'

FORMATION	FROM	TO	REMARKS
Surface sand & Red Bed	0'	1190'	
Lime & Shale	1190'	4830'	

I certify that this is a true and correct copy of the log on the above captioned well to the best of my knowledge.

NRG Drilling, Inc.

By Elmer Jack Taylor  
Elmer Jack Taylor, Vice-President

Subscribed and sworn to before me this 22 day of March 19 82

	MARNELL PRIBBLE
	Seward County, Kansas
	My Appt. Expires <u>8-20-83</u>

Marnell Pribble  
Marnell Pribble

My commission expires: 8-20-83