

Kansas Corporation Commission
Oil & Gas Conservation Division

1084878

Form ACO-4 Form must be typed March 2009

# APPLICATION FOR COMMINGLING OF Commingling ID # CO071217 PRODUCTION (K.A.R. 82-3-123) OR FLUIDS (K.A.R. 82-3-123a)

OPERATOR: License # 33343	API No. 1515-133-26383-00-00
Name: PostRock Midcontinent Production LLC	Spot Description:
Address 1: Oklahoma Tower	NW SE NE NE Sec. 20 Twp. 28 S. R. 19
Address 2: 210 Park Ave, Ste 2750	
City: OKLAHOMA CITY State: OK Zip: 73102 +	556 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: CLARK EDWARDS	County: Neosho
Phone: (602 ) 432-4200	Lease Name: STICH WILLIAM A Well #: 20-3
,	
<ol> <li>Name and upper and lower limit of each production interval t</li> </ol>	to be commingled:
Formation: RIVERTON	(Perfs): 875-879
Formation: ROWE	(Perfs): 820-822
Formation: FLEMING	(Perfs): 633-635
Formation: FLEMING	(Perfs): 616-618
Formation: CROWEBURG	(Perfs): 577-580
2. Estimated amount of fluid production to be commingled from	each interval:
Formation: RIVERTON	BOPD: 0 MCFPD: 6.63 BWPD: 5
Formation: ROWE	BOPD: 0 MCFPD: 6.63 BWPD: 5
Formation: ELEMING	BOPD: U MCFPD: 0.03 BWPD: 5
Formation: FLEMING	BOPD: 0 MCFPD: 6.63 BWPD: 5
Formation: CROWEBURG	BOPD: 0 MCFPD: 6.63 BWPD: 5
<ul> <li>Plat map showing the location of the subject well, all other w the subject well, and for each well the names and addresses</li> <li>Signed certificate showing service of the application and affirm</li> </ul>	·
For Commingling of PRODUCTION ONLY, include the following:	
5. Wireline log of subject well. Previously Filed with ACO-1:	☑Yes ☐ No
6. Complete Form ACO-1 (Well Completion form) for the subject	ct well.
•	
For Commingling of FLUIDS ONLY, include the following:	
7. Well construction diagram of subject well.	
8. Any available water chemistry data demonstrating the compa	atibility of the fluids to be commingled.
AFFIDAVIT: I am the affiant and hereby certify that to the best of m current information, knowledge and personal belief, this request for commingling is true and proper and I have no information or knowledge, which is inconsistent with the information supplied in this application.	Submitted Electronically
KCC Office Use Only	Protects may be filed by any party having a valid interact in the application. Protects must be
□ Denied	Protests may be filed by any party having a valid interest in the application. Protests must be in writing and comply with K.A.R. 82-3-135b and must be filed within 15 days of publication of the police of configuration.
15-Day Periods Ends: 7/14/2012	the notice of application.
Rick Hestermann 07/16/201	2




### **Wellbore Schematic**

WELL: Stich, William A 20-3

SSI: 609130

	SSI: 609130	.D.G -8.074
	API: 15-133-26383	TOC - Surface
	LOCATION: NE NE Sec. 20 28S-19E	
	COUNTY: Neosho	
	STATE: Kansas	
l	8.625" @ 22'	
١٠ڃ	4.5" 10.5# J-55, 4.05" ID w/ 0.0159 bbl/ft	
Casing	capacity @ 983'	
i	Original Perfs: 1/9/05	<b>ૄૼ</b> 8.625" @ 22'
	- Riverton 875-879' (17)	4 sks cement
١.,	- Rowe 820-822' (9)	
8	- Fleming 633-635' (9)	
at	- Fleming 616-618' (9)	
Perforations	- Croweburg 577-580' (13)	
P <sub>e</sub>	- Bevier 552-554' (9)	
	- Mulky 471-475' (17)	
	- Summit 459-463' (17)	
-	· · ·	
1	Spud Date: 12/23/05	
i		
	RV Completion: 1/9/05	
İ	- 400 gal 15% HCl	<u>1885</u>
	- 14 BPM	
	- 2,600# 20/40	
	- 397 bbls	
	BCF Completion: 1/9/05	
۾	- 450 gal 15% HCl	§8T T8
<u>ë</u> .	- 17 BPM	
음	- 9,800# 20/40	<u>                                   </u>
Completions	- 586 bbls	
١٥		
1	SM Completion: 1/9/05	
	- 400 gal 15% HCl	
1	- 18 BPM	
1	- 11,200# 20/40	
	- 539 bbls	
1		<b>T</b> 45"40 5# 6 2021
1		4.5" 10.5# @ 993'
		157 sks cement
		TD 40001
		TD - 1000'



### **KGS STATUS**

- ⊕ EOR
- ♥ GAS
- △ INJ/SWD
- OIL
- **★** OIL/GAS
- o OTHER

Stich, William A 20-3 20-28S-19E 1" = 1,000'

Produced Patable   1   2   3   4   5	$\overline{}$	Α	В	С	D	E	F	G	н	1	J	T K
Selection between   Selection   Selectio	<del>,  </del>		<del></del>							<u> </u>	<u> </u>	1 1
Section   Sec	•		Units						· · · -	Click ho	<b>7</b> 0	Click
Sample ID   Sy sheeking   Short   S	_						<u> </u>		Mixed brine:			
Date										to ruii oc	•	Click
For   Post   P				3/19/2012	3/4/2012	3/14/2012	1/20/2012	1/20/2012				
B.   Securities	_		Row 3				PostRock		Cells H35-38			Click
District	7 V	Well Name		Ward Feed	Ward Feed	Clinesmith	Clinesmith	Clinesmith	are used in	Goal Seek	SSP	
10   No.	_								mixed brines			Click
1   N° (if not known =0)	_			CBM	CBM	Bartles	Bartles	Bartles	calculations.			
12   Mr.	10 N	Na T	(mg/i)*	19,433.00	27,381.00	26,534.00	25689.00	24220.00	24654.20	Initial(BH)	Final(WH)	SI/SR
12   Ne"	11 K	K* (if not known =0)	(mg/l)						0.00	Saturation Index	values	(Final-Initial)
13   Cash   Ca	12 N	Alg <sup>2+</sup>		1.096.00	872.00	1,200,00	953.00	858.00	995.91	Ca	lcite	
14   5p <sup>2</sup>	_				<u> </u>		1920.00	1948.00	2040.23	-0.73	-0.60	0.13
15   Sta*				7,000,000				25 15:55				1
16   Fe <sup>2</sup>								·		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1116	-1
1.7   2x <sup>2</sup>   (mg/b)				40.00		40.00						<del></del>
15   Dr				40.00	21,00	18.00	82,00	90.00	·			<del></del>
S   CT	·		(mg/l)								-1.80	-0.03
20   St.			(mg/l)									<b>.</b>
22   Br   (mg/l)			(mg/l)	36,299.00	48,965.00	47,874.00	45632.00	43147.00	44388.44	-3.19	-3.18	0.00
22 Bir	20 S	50 <sub>4</sub> "	(mg/l)	1.00	1,00	8.00	1,00	1.00	2.40	Hemil	hydrate	<u> </u>
23   SiO2	21 F	ī	(mg/l)						0.00	-3.96	-3.90	0.06
23   SiO2	22 B	3r <sup>-</sup>	(mg/l)						0.00	Anh	ydrite	
	_	SiO2							0.00		-3.36	0.12
Section   Contemple   Contem	_			190,00	234,00	259.00	268.00	254,00	241,03			
26   Carbovylie selds**	_											1
27   Anmonia   CompL NHB	_								0.00	Iron S	Sulfide	1
28   Borate   (mgL) H3BO3	_	· ·				•					-0.22	-0.06
29   TDS (Measured)   (mpli)   1.038   1.055   1.048   1.045   1.047   Calcium fluoride   1.051   CO, Gas Analysis   (%)   1.937   18.76   2.241   35.53   33.79   26.16	_											
30   Calc. Density (STP)   (g/ml)   1.038   1.051   1.050   1.048   1.045   1.047   Calcium fluoride   1.050   1.050   1.048   1.045   1.047   Calcium fluoride   1.050   1.050   1.050   1.048   1.045   1.047   Calcium fluoride   1.050   1.050   1.050   1.048   1.045   1.045   1.045   1.045   1.050	_		_							Zinc a	Suntae	1
131 CO, Gas Analysis	_			1.020	1.051	1.050	* 0.40	1045		0.1.	9 77	+
132   H.S. Gas Analysis***   (%)   0.0289   0.0292   0.0296   0.0306   0.0151   0.0269   1 Fron Carbenate										Calcium	lluoride	1
33   Total H2Suq										Iron C	rhonate	
34 pH, measured (STP)	_	· · · · · · · · · · · · · · · · · · ·	, .								-0.51	0.23
Choose on option   -pH+Aik.   Choose on option   -pH+Aik.   to calculate \$17\$   2-CO2%+pH   0   0   0   0   0   0   0   0   0	_											0.20
Choose one option  - pH-Alk ,	<del>~ </del> *	in industrie (D11)		5.07	50						NTMP	-1
Second   Company   Compa												
37   Oil/Day   (B/D)   10   0   1   1   1   4   Bartie   BHI			,	0	0	0	0	0				_
38   Water/Day   (B/D)   100   100   100   100   500   0.00   0.01	_										0.00	_
39   For mixed brines, enter values for temperatures and pressures in Cells (H40-H43)   (Enter H40-H43)   pH	_						1	1			ВНРМР	_
40   Initial T   (F)   66.0   71.0   70.0   41.0   49.0   66.0   5.69   5.4     41   Initial T   (F)   66.0   71.0   70.0   41.0   49.0   89.0   Viscosity (Centifue)     42   Initial P   (psia)   25.0   25.0   25.0   25.0   25.0   25.0   25.0   11.96   0.8     43   Final P   (psia)   25.0   25.0   25.0   25.0   25.0   120.0   Heat Capacity (cal/ml Viscosity (Centifue)     44   Use TP on Calcite sheet?   1-Yes-0-No             45   API Oil Grav.   API grav.               46   Gas Sp. Grav.   Sp. Grav.               47   AFI Oil Grav.   API grav.               48   MEG/Day   (B/D)   0							100	100			0.00	<b>-</b>
Final T							41.0	49.0			5.60	-
A2	_								1			1
43   Final P   (psia)   25.0   25.0   25.0   25.0   25.0   120.0   Heat Capacity (cal/mid 44   Use TP on Calcite sheet?   1-Yes;0-No   0.955	42 L	nitial P		25.0	25.0	25.0	25,0	25.0	25.0		0.826	~ <b> </b>
44   Use TP on Calcite sheet?   1-Ycs;O-No	43 F	Final P		25,0	25.0	25.0	25.0	25.0	120.0	Heat Capaci	ty (cal/ml/°C)	
46   Gas Sp.Grav.   Sp.Grav.   Sp.Grav.   0.60   Cypsum   HD7     47   McOH/Day   (B/D)   0   0.00   0.00   0.00     48   MEG/Day   (B/D)   0   0   Anhydrite   HD7     49   Conc. Multiplier   0   0.00   0.00     50   H* (Strong acid)											0.959	<b>J</b>
MeOH/Day												
AB   MEG/Day   (B/D)   0   0   0   0   0   0   0   0   0	_								0.60		HDTMP	4
49   Conc. Multiplier				0							0.00 HDTMP	┥ .
50   H* (Strong acid) * (N)   51   OH* (Strong base) † (N)   52   Quality Control Checks at STP:   53   H <sub>2</sub> S Gas   (%)   54   Total H2Saq (STP)   (mgH2S/l)   55   pH Calculated   (pH)   (%)   56   PCO2 Calculated   (mg/l) at HCO3   58   ECations=   (equiv./l)   (equiv./l)   59   EAnions=   (equiv./l)   (equiv./l)   60   Calc TDS=   (mg/l)   (mg/l)			(U/U)						<b>-</b>		0.00	-
STOP   Calculated   Capuiv.   Control Checks at STP:			(NT)							0.00	1 0.00	_
52   Quality Control Checks at STP:	_											
53   H <sub>2</sub> S Gas   (%)	_			<i>-</i>					٠.,			
Total H2Saq (STP)   (mgH2S/I)									_			
Description						<del></del>			·			
From Unit   From Unit   From Unit   From Unit   From Unit   Value   To Unit   Value   From Unit   Fr												
58   ECations=   (equiv./I)			(%)									
59   EAnions=   (equiv./l)   (mg/l)   (lahibitor Selection   Input   Unit   #   Inhibitor   From Unit   Value   To Uni												
Calc TDS=												
61   Inhibitor Selection   Input   Unit   #   Inhibitor   Inhibi												
62   Protection Time   120   min   1   NTMP   From Unit   Value   To Unit   Value   176			_	Unit	#	Inhibitor	Unit Converte	(From metric	to English)			
63   Have ScaleSoftPitzer									• .	Value		
65 If No, inhibitor # is: 4 # 4 DTPMP m³ 100 bbl(42 US gal) 629 66 If you select Mixed, 5 PPCA MPn 1,000 psia 145,074							°C					
65 If No, inhibitor # is: 4 # 4 DTPMP m³ 100 bbl(42 US gal) 629 66 If you select Mixed, 5 PPCA MP: 1,000 psia 145,074	64	pick inhibitor for you?	1 1	1-Yes;0-No	3	PAA	m <sup>3</sup>	100	ft³	3,531		
66 If you select Mixed, 5 PPCA MP: 1,000 psia 145,074							m3		bbl(42 US gal)			
67 1 <sup>st</sup> inhibitor # is: 1 # 6 SPA Bar 496 psia 7,194		1 <sup>st</sup> inhibitor # is:	1	#	6	SPA	Bar	496	psia			
68 % of 1 <sup>st</sup> inhibitor is: 50 % 7 HEDP Torr 10,000 psia 193									-	-		
69 2 <sup>nd</sup> inhibitor # is: 2 # 8 HDTMP Gat 10,000 bbi(42 US gal) 238									-			
70 Display act. coefs? 0 1-Yes:0-No 9 Average Liters 10,000 bbl(42 US gal) 63	70 D											
71 10 Mixed	71	=					[		- '			

#### **Saturation Index Calculations**

Champion Technologies, Inc. (Based on the Tomson-Oddo Model)

Brine 1: Ward Feed Yard 34-1 Brine 2: Ward Feed Yard 4-1

Brine 3: Clinesmith 5-4
Brine 4: Clinesmith 1
Brine 5: Clinesmith 2

			Ratio			
]	20%	20%	20%	20%	20	
Component (mg/L)	Brine 1	Brine 2	Brine 3	Brine 4	Brine 5	Mixed Brine
Calcium	1836	2452	2044	1920	1948	1952
Magnesium	1096	872	1200	953	858	865
Barium	0	0	0	0	0	0
Strontium	0	0	0	0	0	0
Bicarbonate	190	234	259	268	254	253
Sulfate	1	1	8	1	1	1
Chloride	36299	48965	47874	45632	43147	43206
CO <sub>2</sub> in Brine	246	220	264	422	405	401
Ionic Strength	1.12	1.48	1.46	1.38	1.31	1.31
Temperature (°F)	89	89	89	89	89	89
Pressure (psia)	50	50	120	120	120	119

#### Saturation Index

					_	
Calcite	-1.71	-1.41	-1.48	-1.68	-1.69	-1.69
Gypsum	-3.71	-3.64	-2.82	-3.73	-3.72	-3.69
Hemihydrate	-3.70	-3.65	-2.83	-3.74	-3.71	-3.69
Anhydrite	-3.89	-3.79	-2.97	-3.89	-3.88	-3.85
Barite	N/A	N/A	N/A	N/A	N/A	N/A
Celestite	N/A	N/A	N/A	N/A	N/A	N/A

#### PTR

Calcite	N/A	N/A	N/A	N/A	N/A	N/A
Gypsum	N/A	N/A	N/A	N/A	N/A	N/A
Hemihydrate	N/A	N/A	N/A	N/A	N/A	N/A
Anhydrite	N/A	N/A	N/A	N/A	N/A	N/A
Barite	N/A	N/A	N/A	N/A	N/A	N/A
Celestite	N/A	N/A	N/A	N/A	N/A	N/A

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL September 1999
Point Must Be Typed

#### WELL COMPLETION FORM

#### **WELL HISTORY - DESCRIPTION OF WELL & LEASE**

	API No. 15 - 133-26383-0000
Operator: License # 33344  Name: Quest Cherokee, LLC RECEIVED	
Name: Quest Cherokee, LLC RECEIVED  Address: 211 W. 14th Street KANSAS CORPORATION COMMIS	County: Neosho SIONcneneSec20
Address:	
City/State/Zip: Chanute, KS 66720 APR 1 8 2006	660 feet from S N yoircle one) Line of Section
Purchaser: Bluestern Pipeline, LLC	660 feet from (E) W (circle one) Line of Section
Operator Contact Person: Gary Laswell CONSERVATION DIVISION WICHITA, KS	Footages Calculated from Nearest Outside Section Corner:
Phone: ( <u>620</u> ) <u>431-9500</u>	(circle one) NE SE NW SW
Contractor: Name: Well Refined Drilling Company, Inc.	Lease Name: Stich, William A. Well #: 20-3
License: 33072	Field Name: Cherokee Basin CBM
Wellsite Geologist: n/a	Producing Formation: Multiple
Designate Type of Completion:	Elevation: Ground: 922 Kelly Bushing: n/a
✓ New Weil Re-Entry Workover	Total Depth: 1000 Plug Back Total Depth: 998.37
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 21.4 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐Yes ☑No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeel
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 998.37
Operator:	feet depth to surface w/ 144 sx cmt.
Well Name:	ALT II WHM 8-28-06
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr/SWD	Chloride contentppm Fluid volumebbls
Plug Back Plug Back Total Depth	••
Commingled Docket No	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
Other (SAAD or Entires) Docket Mad	Lease Name: License No.:
12/23/05 12/26/05 1/4/06	Quarter Sec Twp S. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
	DOMO: NO.
INSTRUCTIONS: An original and two copies of this form shall be filed with t Kansas 67202, within 120 days of the spud date, recompletion, workover information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.  All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	or conversion of a well. Rule 82-3-130, 82-3-106 and 62-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-und geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
Signature: Ja January	KCC Office Use ONLY
Title: Head of Operations Date: 4/8/06	Letter of Confidentiality Received
at 1 1	
Subscribed and sworn to before me this	If Denied, Yes Date:
20 06.	Wireline Log Received
Notary Public: Sumper K. Ammann	Geologist Report Received
Date Commission Expires: Ouly 30, 2009	•
	JENNIFERR AMMANN  Notary Public - State of Kansas  Appt. Expires Queling Amm
<u> </u>	- Julya aus
<del></del>	, set

Operator Name: Qu	est Cherokee, LL	.C		Lease	Name:	Stich, William	A	_ Well #: _20-3	3	
Sec Twp2			t West	County	/: Neos	ho				
INSTRUCTIONS: S tested, time tool ope temperature, fluid re Electric Wireline Log	n and closed, flowin covery, and flow rate	g and shut s if gas to	t-in pressures, surface test, a	whether sh long with fi	nut-in pre	essure reached	static level, hydro	static pressure	es, botto	m hole
Drill Stern Tests Take			es <b>✓</b> No		<b>⊘</b> L	.og Formatio	on (Top), Depth a	and Datum		Sample
Samples Sent to Ge	ological Survey	□ <b>Y</b>	es 🗹 No		Nam See	e attached		Тор	J	Datum
Cores Taken Electric Log Run (Submit Capy)		□ Y ☑ Y					Kansas Co	RECEIVED REPORATION CO		v
List All E. Logs Run:							AF	PR 18200	b	
Comp. Density/Neutron Log Dual Induction Log Gamma Ray/Neutron Log							CON	SERVATION DIVI WICHITA, KS	510A-	
		Reno		RECORD	_	ew Used ermediate, produc	tion etc			
Purpose of String	Size Hote Drilled	St	ze Casing	Wei	ght	Setting	Type of Cement	# Sacks Used		and Percent
Surface	12-1/4"	8-5/8"	a (iii 0.0.)	20#	7 FL	21.4'	*A*	4		additives .
Production	6-3/4"	4-1/2		10.5#		998.37	"A"	144		
		<u> </u>					<u></u>	ļ		
		<del></del>	ADDITIONAL	CEMENTI	NG / SQ	UEEZE RECORD	)		<u>-</u>	
Purpose; Perforate Protect Casing Plug Back TD	Depth Top Bottom	Туре	of Cement	#Secks	cs Used Type a			Percent Additives	í 	
Plug Off Zone										
	DEDECRAT	ION DECOL	D. Delder Dive	. 0-45		A.14 E.1				
Shots Per Foot			RD - Bridge Plug Each Interval Per				cture, Shot, Cemen nount and Kind of M		<del></del>	Depth
4	471-475/459-46	3/616-61	8/633-635/57	77-580/55	52-554 400get 1:5% ICL. of 20 506; 25% of water, 50022 to water of 2% ICC., Diodoc, 112ets 20/40 aand				471-475/459-463	
4	875-879/820-82	2	<u> </u>			400psi 15%HCLss/21 bb	a 276 cel water, 667 bile water	w/ 2% KCL, Blocide, 98sk	d 2040 sand	616-618/633-635
			<del></del> .						ì	577-580/552-554
						450gai 15%HCLaw 17 bbi	s 256mi water, 378mbis water	w/ 2% KCL, Blockle, 29sk	3 20/40 sand	875-879/820-822
					-					
TUBING RECORD Size Set At 2-3/8" 990.16 1/			Packer A Na	\t	Liner Run	Yes ☑ No				
	d Production, SWD or I		Producing Met	hod	Flowin	I	<u> </u>		êr (Explain	 ))
Estimated Production Per 24 Hours	Oil n/a	Bbls.	Į.	Mcf	Wat		bls. 0	as-Oll Ratio		Gravity
Disposition of Gas	n/a METHOD OF	COMPLETIC	13.2 DN		118.	Production Inter				
Vented ✓ Sold	Used on Lease		Open Hole	<b></b> Perf.	. 🗆 1	Dually Comp.	Commingled _			
(if vented, Submit ACO-18.) Other (Specify)										

# BEFORE THE STATE CORPORATION COMMISSION OF THE STATE OF KANSAS NOTICE OF FILING APPLICATION

RE: In the Matter of Postrock Midcontinent Production, LLC Application for Commingling of Production in the Stitch, William A 20-3 located in Neosho County, Kansas.

TO: All Oil & Gas Producers, Unleased Mineral Interest Owners, Landowners, and all persons whomever concerned.

You, and each of you, are hereby notified that Postrock Midcontinent Production, LLC has fied an application to commingle the Riverton, Howe, Fleming, Crowoburg, Bevier, Mulky, Summit and Cattlemen producing formations at the Stich, William A 20-3, located in the SW NE, S20-T28S-R19E, Approximately 678 FNL & 555 FEL, Neosho County, Kensas.

Any persons who object to or protest this application shall be required to file their objections or protest with the Conservation Division of the State Otoporation Commission of the State of Kansas within fifteen (15) days from the date of this publication. These protests shall be filed pursuent to Commission regulations and must state specific reasons why greating the application may cause waste, violate correlative rights or politite the natural resources of the State of Kansas.

All persons interested or concerned shall take notice of the toregoing and shall govern themselves accordingly. All person and/or comparies wisting to protest this application are required to file a written protest with the Conservation Division of the Kansas Oil and Gas Commission.

Upon the receipt of any protest, the Commission will convene a hearing and protestants will be expected to enter an appearance either through proper legal counsel or as individuals, appearing on their own behalf.

Postrock Midcontinent Production, LLC 210 Park Avenue, Suite 2750 Oklahoma City, Oklahoma 73102 (405) 660-7704

A COPY OF THE AFFIDAVIT OF PUBLICATION MUST ACCOM-PANY ALL APPLICATIONS

### **№** Affidavit of Publication **⋄**

STATE OF KANSAS, NEOSHO COUNTY, ss: Rhonda Howerter, being first duly sworn, deposes and says: That she is Classified Manager of THE CHANUTE TRIBUNE, a daily newspaper printed in the State of Kansas, and published in and of general circulation in Neosho County, Kansas, with a general paid circulation on a daily basis in Neosho County, Kansas, and that said newspaper is not a trade, religious or fraternal publication.

Said newspaper is a daily published at least weekly 50 times a year: has been so published continuously and uninterruptedly in said county and state for a period of more than five years prior to the first publication of said notice; and has been admitted at the post office of Chanute, in said county as second class matter.

, 2012, 2012
, 2012, 2012
Bhonda Howerter
Subscribed and sworn to and before me this 19 day of 300 2012
My commission expires: January 9, 2015
Printer's Fee\$ 70.14
Affidavit, Notary's Fee\$ 3.00
Additional Copies\$
Total Publication Fees \$ 73.14



#### **AFFIDAVIT**

STATE OF KANSAS

SS.

County of Sedgwick

Mark Fletchall, of lawful age, being first duly sworn, deposeth and saith: That he is Record Clerk of The Wichita Eagle, a daily newspaper published in the City of Wichita, County of Sedgwick, State of Kansas, and having a general paid circulation on a daily basis in said County, which said newspaper has been continuously and uninterruptedly published in said County for more than one year prior to the first publication of the notice hereinafter mentioned, and which said newspaper has been entered as second class mail matter at the United States Post Office in Wichita, Kansas, and which said newspaper is not a trade, religious or fraternal publication and that a notice of a true copy is hereto attached was published in the regular and entire Morning issue of said The Wichita Eagle for \_1\_ issues, that the first

made as aforesaid on the 18th of

June A.D. 2012, with

publication of said n1tice was

subsequent publications being made on the following dates:

And affiant further says that he has personal knowledge of the statements above set forth and that they are true.

Fletchall

Subscribed and sworn to before me this

18th day of June, 2012

PENNY L. CASE Molary Public My Appt, Expires

Notary Public Sedgwick County, Kansas

Printer's Fee: \$132.40

#### LEGAL PUBLICATIONS

LEGAL PUBLICATIONS

PUBLISHEDINTHE WICHTA EAGLE
JUNE 18; 2012 (1919126)

BEFORE THE STATE CORPORATION

COMMISSION OF THE
STATE OF KANSAS

NOTICE OF FILING APPLICATION

RE In Ine Malterof Postrock Midcontinent
Production, LLC Application for
Commingling of Production in the
Stich, William A 20-3 located in Neashn
County, Kansas.

TO: All Oil & Gas Producers, Unleased
Miner al Interest Owners, Landowners,
and all persons winornever concerned.
You, and leach of you, are hereby
hotified. That Postrock Midcontinent
Production, LLC has flied an application to
commingle the Riverton, Rowe, Fleming,
Croweborg, Bovier, Mulky, Summit and
Cattleman producins; formallons, at the
Stich, William A 20-3, located in the SW NE,
S20-T28S. R19E, Approximately 678 FNL &
S56 FEL; Neashn County, Kansas.

Any persons wine object to or profest
this application of the State of Kansas within
inteen 155 days from the date of this
publication. These profests shall be filled
pursuant to Commission regulations and
must state specific reasons who consense
hall persons interested; or concerned
shall lake notice of the foregoing and shall
govern flemiselves accordingly. All person
and/or, companies wishing to protest this
application are required to the avertice
the Kansas of the State of Kansas.

All persons interested; or concerned
shall lake notice of the foregoing and shall
govern flemiselves accordingly. All person
and/or, companies wishing to protest this
application are required to file a written,
protest, with, the Conservation Division of
the Kansas of land Gas Commission.

Upon the receipt of env. protest, the
Commission will convene a hearing and
protestants will be expected to enter an
aippearence ellner (firough, proper legal
counset, or, as, individuals, aspearing on
their own behalf.
Postrock Midcontinent Production, LLC
216 Park Avenue, Suife 2750.

Oklahoma City, Oktahoma 73102.

(405) 660-7704

	CH PRODUCTION INTERVAL TO BE COM	IMIIMO	LED			
FORMATION: BEVIER	(PERFS):	552 -	554			
FORMATION: MULKY	(PERFS):	471 -	475			
FORMATION: SUMMIT	(PERFS):	459 -	463			
FORMATION: CATTLEMAN	(PERFS):	646 -	656			
FORMATION:	(PERFS):		,			
FORMATION:	(PERFS):					
FORMATION:	(PERFS):					
FORMATION:	(PERFS):					
FORMATION:	. (PERFS):					
FORMATION:	(PERFS):		·			
FORMATION:	(PERFS):		•			
FORMATION:	(PERFS):					
<ul> <li>2 ESTIMATED AMOUNT OF FLUID PRODU</li> </ul>	JCTION TO BE COMMINGLED FROM EAC	CH INT	ERVAL			
2 ESTIMATED AMOUNT OF FLUID PRODU	JCTION TO BE COMMINGLED FROM EAG BOPD:	CH INT O	ERVAL MCFPD:	6.63	BWPD:	5
				6.63 6.63	BWPD:	<u> </u>
FORMATION: BEVIER	BOPD:	0	MCFPD:			<u>5</u> 5
FORMATION: BEVIER FORMATION: MULKY	BOPD: BOPD:	0	MCFPD: MCFPD:	6.63	BWPD:	5
FORMATION: BEVIER FORMATION: MULKY FORMATION: SUMMIT	BOPD: BOPD: BOPD:	0 0	MCFPD: MCFPD: MCFPD:	6.63 6.63	BWPD: BWPD:	5 5
FORMATION: BEVIER FORMATION: MULKY FORMATION: SUMMIT FORMATION: CATTLEMAN	BOPD: BOPD: BOPD: BOPD:	0 0	MCFPD: MCFPD: MCFPD: MCFPD:	6.63 6.63	BWPD: BWPD: BWPD:	5 5
FORMATION: BEVIER FORMATION: MULKY FORMATION: SUMMIT FORMATION: CATTLEMAN FORMATION:	BOPD: BOPD: BOPD: BOPD: BOPD:	0 0	MCFPD: MCFPD: MCFPD: MCFPD: MCFPD:	6.63 6.63	BWPD: BWPD: BWPD: BWPD:	5 5
FORMATION: BEVIER FORMATION: MULKY FORMATION: SUMMIT FORMATION: CATTLEMAN FORMATION:	BOPD: BOPD: BOPD: BOPD: BOPD: BOPD:	0 0	MCFPD: MCFPD: MCFPD: MCFPD: MCFPD: MCFPD:	6.63 6.63	BWPD: BWPD: BWPD: BWPD:	5 5
FORMATION: BEVIER FORMATION: MULKY FORMATION: CATTLEMAN FORMATION: FORMATION: FORMATION:	BOPD: BOPD: BOPD: BOPD: BOPD: BOPD: BOPD: BOPD:	0 0	MCFPD: MCFPD: MCFPD: MCFPD: MCFPD: MCFPD: MCFPD:	6.63 6.63	BWPD: BWPD: BWPD: BWPD: BWPD:	5 5
FORMATION: BEVIER FORMATION: MULKY FORMATION: CATTLEMAN FORMATION: FORMATION: FORMATION: FORMATION:	BOPD:	0 0	MCFPD: MCFPD: MCFPD: MCFPD: MCFPD: MCFPD: MCFPD: MCFPD: MCFPD:	6.63 6.63	BWPD: BWPD: BWPD: BWPD: BWPD: BWPD:	5 5
FORMATION: BEVIER FORMATION: MULKY FORMATION: CATTLEMAN FORMATION: FORMATION: FORMATION: FORMATION: FORMATION: FORMATION: FORMATION:	BOPD:	0 0	MCFPD:	6.63 6.63	BWPD: BWPD: BWPD: BWPD: BWPD: BWPD: BWPD:	5 5

Affidavit of Notice Served						
Re: Application for: APPLICATION FOR COMMINGLING OF PRODUCTION OR FLUIDS - ACO-4						
Well Name: STICH, WILLIAM A 20-3	Legal Location: NWSENENE					
The undersigned hereby certificates that he / she is a duly authorized agent for the applicant, and that on the day 29th of JUNE.						
, a true and correct copy of the application referenced above was delivered or mailed to the following parties:						
Note: A copy of this atfidevit must be served as a part of the application	Da.					
Name	Address (Allach edditional sheets if necessary)					
JOSEPH W & REBECKA STICH	8740 150TH RD, CHANUTE, KS 66720					
ALEXANDER DAVID MIH	1927 BREWSTER ROAD, INDIANAPOLIS, IN 46260					
SHAW ENTERPRISES, INC	11600 160TH ROAD, CHANUTE, KS 66720					
ELK CREEK AGRICULTURAL LP	14 WOODSBOROUGH, HOUSTON, TX 77055					
GREAT OSAGE DEVELOPMENT	4300 ALPHA RD, STE 124, PO BOX 870414, DALLAS, TX 75244					
THE XENIA CORPORATION	24110 NE VERMONT RD, GARNETT, KS 66032					
I further attest that notice of the filing of this application was published in the CHANUTE TRIBUNE , the official county publication of NEOSHO						
	Applicant of Duly Authorized Agent					
DENISE V. VENNEMAN OFFICIAL MY COMMISSION EXPIRES SEAL MY 1, 2012	nn to before me this 29th day of JUNE , 2012  Notary Public 7-1-12  My Commission Expires: 7-1-12					

# STICH, WILLIAM A 20-3 - APPLICATION FOR COMMINGLING OF PRODUCTION OR FLUIDS Offset Operators, Unleased Mineral Owners and Landowners acreage (Attach edditional sheets if necessary) Legal Description of Leasehold: 21.2 ACRE TRACT IN SE \$17-T28\$-R19E JOSEPH W & REBECKA STICH S21-T28S-R19E TRACT IN W/2 ALEXANDER DAVID MIH TRACT IN W/2 S21-T28S-R19E SHAW ENTERPRISES, INC **ELK CREEK AGRIGULTURAL LP** TRACT IN W/2 S21-T28S-R19E SEE ATTACHED · I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. DENISE V. VENNEMAN MY COMMISSION EXPIRES July 1, 2012 My Commission Expires:

## STICH, WILLIAM A 20-3 OFFSET OPERATORS, UNLEASED MINERAL OWNERS AND LANDOWNERS ACREAGE

SPOT	LEGAL LOCATION	CURR_OPERA
E2 SE SW SW	S16-T28S-R19E	<b>Great Osage Development</b>
SW	S16-T28S-R19E	Xenia Corporation, The
SW	S16-T28S-R19E	Xenia Corporation, The
SW	S16-T28S-R19E	Xenia Corporation, The
SW	S16-T28S-R19E	Xenia Corporation, The
SW	S16-T28S-R19E	Xenia Corporation, The
SE	S16-T28S-R19E	Xenia Corporation, The
SE	\$16-T28S-R19E	Xenia Corporation, The

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner

July 16, 2012

Clark Edwards
PostRock Midcontinent Production LLC
Oklahoma Tower
210 Park Ave, Ste 2750
Oklahoma City, OK 73102

RE:

Approved Commingling CO071217

Stich, William A. 20-3 Sec.20-T28S-R19E, Neosho County

API No. 15-133-26383-00-00

Dear Mr. Edwards:

Your Application for Commingling (ACO-4) for the above described well, received by the KCC on July 2, 2012, has been reviewed and approved by the Kansas Corporation Commission (KCC) per K.A.R. 82-3-123. Notice was examined and found to be proper per K.A.R. 82-3-135a. No protest had been filed within the 15-day protest period.

Based upon the depth of the Riverton formation perforations, total oil production shall not exceed 100 BOPD and total gas production shall not exceed 50% of the absolute open flow (AOF).

#### File form ACO-1 upon re-completion of the well to commingle.

Commingling ID number CO071217 has been assigned to this approved application. Use this number for well completion reports (ACO-1) and other correspondence that may concern this approved commingling.

Sincerely,

Rick Hestermann Production Department