



KANSAS CORPORATION COMMISSION 1084797
OIL & GAS CONSERVATION DIVISION

Form ACO-4
Form must be typed
March 2009

APPLICATION FOR COMMINGLING OF **Commingling ID # CO071222**
PRODUCTION (K.A.R. 82-3-123) OR FLUIDS (K.A.R. 82-3-123a)

OPERATOR: License # 33343
Name: PostRock Midcontinent Production LLC
Address 1: Oklahoma Tower
Address 2: 210 Park Ave, Ste 2750
City: OKLAHOMA CITY State: OK Zip: 73102 + _____
Contact Person: CLARK EDWARDS
Phone: (620) 4324200

API No. 15 - 15-133-26914-00-00
Spot Description: _____
SE NW SE SW Sec. 17 Twp. 29 S. R. 19 East West
800 Feet from North / South Line of Section
1950 Feet from East / West Line of Section
County: Neosho
Lease Name: VAN CLEAVE, LELAND E. Well #: 17-3

1. Name and upper and lower limit of each production interval to be commingled:
- | | |
|-----------------------------|-------------------------|
| Formation: <u>RIVERTON</u> | (Perfs): <u>964-967</u> |
| Formation: <u>NEUTRAL</u> | (Perfs): <u>907-909</u> |
| Formation: <u>ROWE</u> | (Perfs): <u>910-903</u> |
| Formation: <u>FLEMING</u> | (Perfs): <u>677-679</u> |
| Formation: <u>CROWEBURG</u> | (Perfs): <u>644-647</u> |

2. Estimated amount of fluid production to be commingled from each interval:
- | | | | |
|-----------------------------|----------------|--------------------|----------------|
| Formation: <u>RIVERTON</u> | BOPD: <u>0</u> | MCFPD: <u>5.75</u> | BWPD: <u>5</u> |
| Formation: <u>NEUTRAL</u> | BOPD: <u>0</u> | MCFPD: <u>5.75</u> | BWPD: <u>5</u> |
| Formation: <u>ROWE</u> | BOPD: <u>0</u> | MCFPD: <u>5.75</u> | BWPD: <u>5</u> |
| Formation: <u>FLEMING</u> | BOPD: <u>0</u> | MCFPD: <u>5.75</u> | BWPD: <u>5</u> |
| Formation: <u>CROWEBURG</u> | BOPD: <u>0</u> | MCFPD: <u>5.75</u> | BWPD: <u>5</u> |

3. Plat map showing the location of the subject well, all other wells on the subject lease, and all wells on offsetting leases within a 1/2 mile radius of the subject well, and for each well the names and addresses of the lessee of record or operator.
4. Signed certificate showing service of the application and affidavit of publication as required in K.A.R. 82-3-135a.

For Commingling of PRODUCTION ONLY, include the following:

5. Wireline log of subject well. Previously Filed with ACO-1: Yes No
6. Complete Form ACO-1 (*Well Completion form*) for the subject well.

For Commingling of FLUIDS ONLY, include the following:


7. Well construction diagram of subject well.
8. Any available water chemistry data demonstrating the compatibility of the fluids to be commingled.

AFFIDAVIT: I am the affiant and hereby certify that to the best of my current information, knowledge and personal belief, this request for commingling is true and proper and I have no information or knowledge, which is inconsistent with the information supplied in this application.

Submitted Electronically

KCC Office Use Only	
<input type="checkbox"/> Denied	<input checked="" type="checkbox"/> Approved
15-Day Periods Ends: <u>7/18/2012</u>	
Approved By: <u>Rick Hestermann</u>	Date: <u>07/18/2012</u>

Protests may be filed by any party having a valid interest in the application. Protests must be in writing and comply with K.A.R. 82-3-135b and must be filed within 15 days of publication of the notice of application.



KGS STATUS	
◇	DA/PA
⊙	EOR
☼	GAS
△	INJ/SWD
●	OIL
✱	OIL/GAS
○	OTHER

Van Cleave, Leland E 17-3
 17-29S-19E
 1" = 1,000'

	A	B	C	D	E	F	G	H	I	J	K
1	Produced Fluids #		1	2	3	4	5				
2	Parameters	Units	Input	Input	Input	Input	Input				Click
3	Select the brines	Select fluid by checking the box(es),	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mixed brine:	Click here to run SSP Goal Seek SSP		Click
4	Sample ID	Row 3						Cell H28 is			Click
5	Date	3/19/2012	3/4/2012	3/14/2012	1/20/2012	1/20/2012		STP calc. pH.			Click
6	Operator	PostRock	PostRock	PostRock	PostRock	PostRock		Cells H35-38 are used in mixed brines calculations.			Click
7	Well Name	Ward Feed	Ward Feed	Clinesmith	Clinesmith	Clinesmith				Click	
8	Location	#34-1	#4-1	#5-4	#1	#2					Click
9	Field	CBM	CBM	Bartles	Bartles	Bartles					
10	Na ⁺	(mg/l)*	19,433.00	27,381.00	26,534.00	25689.00	24220.00	24654.20	Initial(BH)	Final(WH)	S/SR (Final-Initial)
11	K ⁺ (if not known =0)	(mg/l)						0.00	Saturation Index values		
12	Mg ²⁺	(mg/l)	1,096.00	872.00	1,200.00	953.00	858.00	995.91	Calcite		
13	Ca ²⁺	(mg/l)	1,836.00	2,452.00	2,044.00	1920.00	1948.00	2040.23	-0.73	-0.60	0.13
14	Si ²⁺	(mg/l)						0.00	Barite		
15	Ba ²⁺	(mg/l)						0.00			
16	Fe ²⁺	(mg/l)	40.00	21.00	18.00	82.00	90.00	50.21	Halite		
17	Zn ²⁺	(mg/l)						0.00	-1.77	-1.80	-0.03
18	Pb ²⁺	(mg/l)						0.00	Gypsum		
19	Cl ⁻	(mg/l)	36,299.00	48,965.00	47,874.00	45632.00	43147.00	44388.44	-3.19	-3.18	0.00
20	SO ₄ ²⁻	(mg/l)	1.00	1.00	8.00	1.00	1.00	2.40	Hemihydrate		
21	F ⁻	(mg/l)						0.00	-3.96	-3.90	0.06
22	Br ⁻	(mg/l)						0.00	Anhydrite		
23	SiO2	(mg/l) SiO2						0.00	-3.47	-3.36	0.12
24	HCO ₃ Alkalinity**	(mg/l as HCO3)	190.00	234.00	259.00	268.00	254.00	241.03	Celestite		
25	CO ₃ Alkalinity	(mg/l as CO3)									
26	Carboxylic acids**	(mg/l)						0.00	Iron Sulfide		
27	Ammonia	(mg/L) NH3						0.00	-0.16	-0.22	-0.06
28	Borate	(mg/L) H3BO3						0.00	Zinc Sulfide		
29	TDS (Measured)	(mg/l)						72781			
30	Calc. Density (STP)	(g/ml)	1.038	1.051	1.050	1.048	1.045	1.047	Calcium fluoride		
31	CO ₂ Gas Analysis	(%)	19.97	18.76	22.41	35.53	33.79	26.16			
32	H ₂ S Gas Analysis***	(%)	0.0289	0.0292	0.0296	0.0306	0.0151	0.0269	Iron Carbonate		
33	Total H2Saq	(mgH2S/l)	1.00	1.00	1.00	1.00	0.50	0.90	-0.74	-0.51	0.23
34	pH, measured (STP)	pH	5.67	5.76	5.72	5.54	5.55	5.63	Inhibitor needed (mg/L)		
35	Choose one option to calculate SI?	0-CCO2%+Alk, 1-pH+Alk, 2-CO2%+pH	0	0	0	0	0		Calcite	NTMP	
36	Gas/day(thousand cf/day)	(Mcf/D)						0	0.00	0.00	
37	Oil/Day	(B/D)	0	0	1	1	1	4	Barite	BHPMP	
38	Water/Day	(B/D)	100	100	100	100	100	500	0.00	0.00	
39	For mixed brines, enter values for temperatures and pressures in Cells (H40-H43)								(Enter H40-H43)		
40	Initial T	(F)	66.0	71.0	70.0	41.0	49.0	60.0	5.69	5.60	
41	Final T	(F)	66.0	71.0	70.0	41.0	49.0	89.0	Viscosity (CentiPoise)		
42	Initial P	(psia)	25.0	25.0	25.0	25.0	25.0	25.0	1.196	0.826	
43	Final P	(psia)	25.0	25.0	25.0	25.0	25.0	120.0	Heat Capacity (cal/ml/C)		
44	Use TP on Calcite sheet?	1-Yes;0-No							0.955	0.959	
45	API Oil Grav.	API grav.						30.00	Inhibitor needed (mg/L)		
46	Gas Sp.Grav.	Sp.Grav.						0.60	Gypsum	HDTMP	
47	MeOH/Day	(B/D)	0					0	0.00	0.00	
48	MEG/Day	(B/D)	0					0	Anhydrite	HDTMP	
49	Conc. Multiplier								0.00	0.00	
50	H ⁺ (Strong acid) †	(N)									
51	OH ⁻ (Strong base) †	(N)									
52	Quality Control Checks at STP:										
53	H ₂ S Gas	(%)									
54	Total H2Saq (STP)	(mgH2S/l)									
55	pH Calculated	(pH)									
56	PCO2 Calculated	(%)									
57	Alkalinity Calculated	(mg/l) as HCO3									
58	ECations=	(equiv./l)									
59	EAnions=	(equiv./l)									
60	Calc TDS=	(mg/l)									
61	Inhibitor Selection	Input	Unit	#	Inhibitor	Unit Converter (From metric to English)					
62	Protection Time	120	min	1	NTMP	From Unit	Value	To Unit	Value		
63	Have ScaleSoftPitizer			2	BHPMP	°C	80	°F	176		
64	pick inhibitor for you?	1	1-Yes;0-No	3	PAA	m ³	100	ft ³	3,531		
65	If No, inhibitor # is:	4	#	4	DTPMP	m ³	100	bb(42 US gal)	629		
66	If you select Mixed,			5	PPCA	MPa	1,000	psia	145,074		
67	1 st inhibitor # is:	1	#	6	SPA	Bar	496	psia	7,194		
68	% of 1 st inhibitor is:	50	%	7	HEDP	Torr	10,000	psia	193		
69	2 nd inhibitor # is:	2	#	8	HDTMP	Gal	10,000	bb(42 US gal)	238		
70	Display act. coeffs?	0	1-Yes;0-No	9	Average	Liters	10,000	bb(42 US gal)	63		
71				10	Mixed						

Saturation Index Calculations

Champion Technologies, Inc.
(Based on the Tomson-Oddo Model)

Brine 1: Ward Feed Yard 34-1

Brine 2: Ward Feed Yard 4-1

Brine 3: Clinesmith 5-4

Brine 4: Clinesmith 1

Brine 5: Clinesmith 2

Component (mg/L)	Ratio					Mixed Brine
	20% Brine 1	20% Brine 2	20% Brine 3	20% Brine 4	20 Brine 5	
Calcium	1836	2452	2044	1920	1948	1952
Magnesium	1096	872	1200	953	858	865
Barium	0	0	0	0	0	0
Strontium	0	0	0	0	0	0
Bicarbonate	190	234	259	268	254	253
Sulfate	1	1	8	1	1	1
Chloride	36299	48965	47874	45632	43147	43206
CO ₂ in Brine	246	220	264	422	405	401
Ionic Strength	1.12	1.48	1.46	1.38	1.31	1.31
Temperature (°F)	89	89	89	89	89	89
Pressure (psia)	50	50	120	120	120	119

Saturation Index

Calcite	-1.71	-1.41	-1.48	-1.68	-1.69	-1.69
Gypsum	-3.71	-3.64	-2.82	-3.73	-3.72	-3.69
Hemihydrate	-3.70	-3.65	-2.83	-3.74	-3.71	-3.69
Anhydrite	-3.89	-3.79	-2.97	-3.89	-3.88	-3.85
Barite	N/A	N/A	N/A	N/A	N/A	N/A
Celestite	N/A	N/A	N/A	N/A	N/A	N/A

PTB

Calcite	N/A	N/A	N/A	N/A	N/A	N/A
Gypsum	N/A	N/A	N/A	N/A	N/A	N/A
Hemihydrate	N/A	N/A	N/A	N/A	N/A	N/A
Anhydrite	N/A	N/A	N/A	N/A	N/A	N/A
Barite	N/A	N/A	N/A	N/A	N/A	N/A
Celestite	N/A	N/A	N/A	N/A	N/A	N/A

POSTROCK



Current Completion

WELL : Van Cleave, Leland E 17-3
FIELD : Cherokee Basin
STATE : Kansas
COUNTY : Neosho

SPUD DATE : 4/27/2007
COMP. Date : 4/30/2007
API: 15-133-26914

LOCATION: 17-29S-19E (SE SW)
ELEVATION: GL - 982'

8 5/8" 24 lb @ 22' Cement w/5 sks

Wellhead/Surface Equipment

Tree Connection	
Tree	
Tubing Head	
Bradenhead	
Pumping Unit	
Compressor	

Tubular Detail

Size	Weight	Grade	Cap(bb/ft)	Date	Depth
8 5/8"	24 lb		.0637	2007	22'
4 1/2"	10.5 lb		.0159	2007	1061'
2 3/8"				2007	998"

Downhole Equipment Detail

Completion Data

Original as GAS Well per ACO-1
900 gals 15% HCL
96 bbbls 2% KCL
26,100 lbs 20/40 sand

Perforations

Original Completion: 4 spf
532-536 (Summit)
545-549 (Mufky)
621-623 (Bevier)
644-647 (Croweburg)
677-679 (Fleming)
901-903 (Rowe)
907-909 (Neutral)
964-967 (Riverton)

2 3/8" tubing @ 998'

4.5" 10.5 lb @ 1061' Cement w/140 sks

PBTD @ 1061'

Drilled Depth @ 1074'

PREPARED BY: POSTROCK

DATE: June, 2012

APPROVED BY:


DATE:

POSTROCK



LEGEND

PostRock®



8/22/09

Form ACO-1
September 1999
Form Must Be Typed

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33344
Name: Quest Cherokee, LLC
Address: 211 W. 14th Street
City/State/Zip: Chanute, KS 66720
Purchaser: Bluestem Pipeline, LLC
Operator Contact Person: Jennifer R. Ammann
Phone: (620) 431-9500
Contractor: Name: TXD
License: 33837
Wellsite Geologist: Ken Recco

KCC
AUG 22 2009
CONFIDENTIAL

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

4/27/07	4/29/07	4/30/07
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 133-26914-0000
County: Neosho
_____ SE SW Sec. 17 Twp. 29 S. R. 19 East West
800 feet from (S) N (circle one) Line of Section
1950 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW (SW)
Lease Name: Van Cleave, Leland E. Well #: 17-3

Field Name: Cherokee Basin CBM
Producing Formation: Multiple
Elevation: Ground: 982 Kelly Bushing: n/a
Total Depth: 1074 Plug Back Total Depth: 1061.22
Amount of Surface Pipe Set and Cemented at 22 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 1061.22
feet depth to surface w/ 140 _____ sx cmt.

Drilling Fluid Management Plan AND NO 208-09
(Data must be collected from the Reserve Pit)

Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jennifer R. Ammann
Title: New Well Development Coordinator Date: 8/22/07
Subscribed and sworn to before me this 22nd day of August
2007.
Notary Public: Dorra Klauman
Date Commission Expires: 8-4-2010

TERRA KLAUMAN
Notary Public - State of Kansas
My Appt. Expires 8-4-2010

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION

AUG 23 2007

CONSERVATION DIVISION
WICHITA, KS

Operator Name: Quest Cherokee, LLC Lease Name: Van Cleave, Leland E. Well #: 17-3
 Sec. 17 Twp. 29 S. R. 19 East West County: Neosho

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	See attached	
Electric Log Run <i>(Submit Copy)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No		

List All E. Logs Run:

Compensated Density Neutron Log
 Dual Induction Log
 Gamma Ray Neutron Log

CASING RECORD New Used
 Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4	8-5/8"	22	22	"A"	5	
Production	6-3/4	4-1/2	10.5	1061.22	"A"	140	

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

PERFORATION RECORD - Bridge Plugs Set/Type
 Specify Footage of Each Interval Perforated

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4	964-967/907-909/901-903	300gal 15% HCL w/ 24 lbs 2% acid water, 416 bbls water w/ 2% KCL, Blastoc, 63000 20/40 sand	964-967/907-909
			901-903
4	677-679/644-647/621-623	300gal 15% HCL w/ 31 lbs 2% acid water, 416 bbls water w/ 2% KCL, Blastoc, 87000 20/40 sand	677-679/644-647
			621-623
4	545-549/532-536	300gal 15% HCL w/ 41 lbs 2% acid water, 516 bbls water w/ 2% KCL, Blastoc, 111000 20/40 sand	545-549/532-536

TUBING RECORD

Size	Set At	Packer At	Liner Run
2-3/8"	998	n/a	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enh. 5/31/07 Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	n/a	158.8mcf	55.9bbls		

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

QUEST

Resource Corporation



211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

KCC

AUG 22 2007

CONFIDENTIAL

TICKET NUMBER 2199

FIELD TICKET REF: ~~XXXXXXXXXX~~

FOREMAN Joe B

620
621220

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	WELL NAME & NUMBER			SECTION	TOWNSHIP	RANGE	COUNTY
4.30.07	VAN Cleave Island 17-3			17	29	19	NO
FOREMAN / OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Joe B	11:15	1:45		903427		2.5	<i>Joe B</i>
MAURICK D	↓	↓		903197			<i>Maurick D</i>
Russell A	↓	↓		903103			<i>Russell A</i>
Paul H	↓	↓		903142	932452		<i>Paul H</i>
Gary C	↓	↓		931500			<i>Gary C</i>

JOB TYPE Longstring HOLE SIZE 6 3/4 HOLE DEPTH 1073.50 CASING SIZE & WEIGHT 4 1/2 10.5
 CASING DEPTH 1061.22 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 14.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 16.92 DISPLACEMENT PSI _____ MIX PSI _____ RATE 46pm

REMARKS:

Installed cementhead Ran 1 sk gel + 11 bbl dye + 140 SKS of cement
To get dye to surface. flush pump - Pump wipe plug to bottom + set float shoe

1061.22	Ft 4 1/2 Casing	
6	Centralizers	
1	4 1/2 float shoe	

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
903427	2.5 hr	Foreman Pickup	
903197	2.5 hr	Cement Pump Truck	
903103	2.5 hr	Bulk Truck	
1104	130 SK	Portland Cement	
1124	2	50/50 POZ Blend Cement <u>Baffle 3 1/2 H 3</u>	
1126	1	QWC Blend Cement <u>4 1/2 wipe plug</u>	
1110	14 SK	Gilsonite	
1107	1.5 SK	Flo-Seal	
1118	1 SK	Premium Gel	
1215A	1 gal	KCL	
1111B	3 SK	Sodium Silicate <u>Calc chloride</u>	
1123	7000 gal	City Water	
903142	2.5 hr	Transport Truck	
932452	2.5 hr	Transport Trailer	
931500	2.5 hr	80 Vac	

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 23 2007

CONSERVATION DIVISION
WICHITA, KS

TXD SERVICES LP

DRILLERS LOG

TXD SERVICES LP

RIG #	101	S. 17	T. 29	R. 19		
API #	133-26914	County:	Neosho		374'	no blow
Elev:	982'	Location	Kansas		436'	no blow
					467'	no blow
Operator:	Quest Cherokee, LLC				498'	no blow
Address:	9520 N. May Ave, Suite 300				529'	no blow
	Oklahoma City, OK. 73120				622'	7 - 1/2" 16.7
Well #	17-3	Lease Name	Van Cleave, Leland E.		653'	7 - 1/2" 16.7
Footage Location	800 ft from the		S	Line	684'	3 - 3/4" 24.5
	1950 ft from the		W	Line	777'	3 - 3/4" 24.5
Drilling Contractor:	TXD SERVICES LP				932'	3 - 3/4" 24.5
Spud Date:	NA	Geologist:			994'	8 - 3/4" 40
Date Comp:	4/30/2007	Total Depth:	1077'			
Exact spot Location:	SE SW					
	Surface	Production				
Size Hole	12-1/4"	6-3/4"				
Size Casing	8-5/8"	4-1/2"				
Weight	24#					
Setting Depth	21'					
Type Cement	portland					
Sacks						

KCC
AUG 22 2007
CONFIDENTIAL

Formation	Top	Btm.	Formation	Top	Btm.	Formation	Top	Btm.
top soil	0	1	lime	372	375	lime	641	643
clay,shale	1	21	sand	372	375	shale	643	646
shale	21	62	sand	375	396	b.shale	646	648
lime	62	108	shale	396	426	coal	648	649
b.shale	108	110	lime	426	432	shale	649	678
shale	110	113	coal	432	433	coal	678	679
lime	113	115	shale	433	436	shale	679	713
shale	115	141	lime	436	456	sand	713	730
lime	141	155	b.shale	456	458	shale	730	739
shale	155	199	lime	458	466	sand	739	750
lime	199	214	shale	466	478	coal	750	751
shale	214	233	coal	478	479	shale	751	880
lime	233	236	shale	479	508	sand	880	890
shale	236	291	coal	508	509	shale	890	902
lime	291	295	shale	509	510	coal	902	903
shale	295	307	lime	510	545	shale	903	908
lime	307	311	shale	545	550	coal	908	909
shale	311	321	lime	550	554	shale	909	960
lime	321	349	shale	554	565	sand	960	965
shale	349	351	sand	565	571	coal	965	966
lime	351	353	shale	571	619	shale	966	970
shale	353	371	coal	619	620	lime	970	1077
coal	371	372	shale	620	641			

533' added water, 713-730' odor, 735-750' odor

KANSAS CORPORATION COMMISSION

AUG 23 2007

CONSERVATION DIVISION
WICHITA, KS

BEFORE THE STATE CORPORATION COMMISSION OF THE STATE OF KANSAS
NOTICE OF FILING APPLICATION

RE: In the Matter of Postrock Midcontinent Production, LLC Application for Commingling of Production in the Van Cleave, Leland E 17-3 located in Neosho County, Kansas.

TO: All Oil & Gas Producers, Unleased Mineral Interest Owners, Landowners, and all persons whomsoever concerned.

You, and each of you, are hereby notified that Postrock Midcontinent Production, LLC has filed an application to commingle the Riverton, Neutral, Rowe, Fleming, Croweburg, Beaver, Mulky, Summit and Squirrel producing formations at the Van Cleave, Leland E 17-3, located in the SE SW, S17-T28S-R19E, Approximately 800 FSL & 1850 FWL, Neosho County, Kansas.

Any persons who object to or protest this application shall be required to file their objections or protest with the Conservation Division of the State Corporation Commission of the State of Kansas within fifteen (15) days from the date of this publication. These protests shall be filed pursuant to Commission regulations and must state specific reasons why granting the application may cause waste, violate correlative rights or pollute the natural resources of the State of Kansas.

All persons interested or concerned shall take notice of the foregoing and shall govern themselves accordingly. All persons and/or companies wishing to protest this application are required to file a written protest with the Conservation Division of the Kansas Oil and Gas Commission.

Upon the receipt of any protest, the Commission will convene a hearing and protesters will be expected to enter an appearance either through proper legal counsel or as individuals, appearing on their own behalf.

Postrock Midcontinent Production, LLC
210 Park Avenue, Suite 2750
Oklahoma City, Oklahoma 73102
(405) 660-7704

A COPY OF THE AFFIDAVIT OF PUBLICATION MUST ACCOMPANY ALL APPLICATIONS

Affidavit of Publication

STATE OF KANSAS, NEOSHO COUNTY, ss:

Rhonda Howerter, being first duly sworn, deposes and says: That she is Classified Manager of THE CHANUTE TRIBUNE, a daily newspaper printed in the State of Kansas, and published in and of general circulation in Neosho County, Kansas, with a general paid circulation on a daily basis in Neosho County, Kansas, and that said newspaper is not a trade, religious or fraternal publication.

Said newspaper is a daily published at least weekly 50 times a year: has been so published continuously and uninterruptedly in said county and state for a period of more than five years prior to the first publication of said notice; and has been admitted at the post office of Chanute, in said county as second class matter.

That the attached notice is a true copy thereof and was published in the regular and entire issue of said newspaper for 1 masscom time, the first publication thereof being made as aforesaid on the 16 day of June 2012, with subsequent publications being made on the following dates:

_____, 2012 _____, 2012

_____, 2012 _____, 2012

Rhonda Howerter

Subscribed and sworn to and before me this 19 day of June 2012

[Signature]
Notary Public

My commission expires: January 9, 2015
Printer's Fee \$ 70.14
Affidavit, Notary's Fee \$ 3.00
Additional Copies \$ _____
Total Publication Fees \$ 73.14

SHANNA L. GUIOT
Notary Public - State of Kansas
My Appt. Expires 1-9-15

Affidavit of Notice Served

Re: Application for: APPLICATION FOR COMMINGLING OF PRODUCTION OR FLUIDS - ACO-4
Well Name: VAN CLEAVE, LELAND E 17-3 Legal Location: SESW S17-T29S-R19E


The undersigned hereby certifies that he / she is a duly authorized agent for the applicant, and that on the day 3RD of JULY, 2012, a true and correct copy of the application referenced above was delivered or mailed to the following parties:

Note: A copy of this affidavit must be served as a part of the application.

Name	Address (Attach additional sheets if necessary)
POSTROCK MIDCONTINENT PRODUCTION, LLC	210 PARK AVENUE, SUTIE 2750, OKLAHOMA CITY, OK 73102

I further attest that notice of the filing of this application was published in the CHANUTE TRIBUNE, the official county publication of NEOSHO county. A copy of the affidavit of this publication is attached.

Signed this 3 day of JULY, 2012



[Signature]
Applicant or Duly Authorized Agent

Subscribed and sworn to before me this 3 day of JULY, 2012

[Signature]
Notary Public
My Commission Expires: 5/13/13



VAN CLEAVE, LELAND E 17-3 - APPLICATION FOR COMMINGLING OF PRODUCTION OR FLUIDS

Offset Operators, Unleased Mineral Owners and Landowners acreage
(Attach additional sheets if necessary)

Name:
POSTROCK MIDCONTINENT PRODUCTION, LLC

Legal Description of Leasehold:
POSTROCK HAS LEASED ALL ACREAGE IN THE 1/2
MILE RADIUS

I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.




[Signature]
Applicant or Duly Authorized Agent

Subscribed and sworn before me this 3 day of JULY, 2012

[Signature]
Notary Public

My Commission Expires: 5/13/13



AFFIDAVIT

STATE OF KANSAS \
- SS.
County of Sedgwick /

Mark Fitchall, of lawful age, being first duly sworn, deposeth and saith: That he is Record Clerk of The Wichita Eagle, a daily newspaper published in the City of Wichita, County of Sedgwick, State of Kansas, and having a general paid circulation on a daily basis in said County, which said newspaper has been continuously and uninterruptedly published in said County for more than one year prior to the first publication of the notice hereinafter mentioned, and which said newspaper has been entered as second class mail matter at the United States Post Office in Wichita, Kansas, and which said newspaper is not a trade, religious or fraternal publication and that a notice of a true copy is hereto attached was published in the regular and entire Morning issue of said The Wichita Eagle for 1 issues, that the first publication of said notice was

made as aforesaid on the 18th of

June A.D. 2012, with

subsequent publications being made on the following dates:

And affiant further says that he has personal knowledge of the statements above set forth and that they are true.

Mark Fitchall

Subscribed and sworn to before me this

18th day of June, 2012

PENNY L. CASE
Notary Public, State of Kansas
My Appt. Expires 5/28/2014

Penny L. Case
Notary Public Sedgwick County, Kansas

Printer's Fee : \$132.40

LEGAL PUBLICATION
PUBLISHED IN THE WICHITA EAGLE
ON JUNE 18, 2012 (3191303)
BEFORE THE STATE CORPORATION
COMMISSION OF THE
STATE OF KANSAS
NOTICE OF FILING APPLICATION
RE: In the Matter of Postrock Midcontinent
Production, LLC Application for
Commining of Production in the Van
Cleave, Leland E 17-3 located in Neosho
County, Kansas.
TO: All Oil & Gas Producers, Unleased
Mineral Interest Owners, Landowners,
and all persons whomsoever concerned.
You, and each of you, are hereby notified
that Postrock Midcontinent Production
LLC has filed an application to commingle
the Riverton, Neutral, Rows, Fleming,
Crowberry, Bavier, Mulky, Summit, and
Squirrel producing formations of the Van
Cleave, Leland E 17-3, located in the SE SW
S17-T29S-R19E, Approximately 1000 FSL &
1950 FWL, Neosho County, Kansas.
Any persons who object to or protest
this application shall be required to file their
objections or protest with the Conservation
Division of the State Corporation Commission
of the State of Kansas within fifteen (15)
days from the date of this publication.
These protests shall be filed pursuant to
Commission regulations, and must state
specific reasons why granting the application
may cause waste, violate correlative rights
or pollute the natural resources of the State
of Kansas.
All persons interested or concerned shall
take notice of the foregoing and shall govern
themselves accordingly. All person and/or
companies wishing to protest this application
are required to file a written protest with the
Conservation Division of the Kansas Oil and
Gas Commission.
Upon the receipt of any protest, the
Commission will convene a hearing and
protestants will be expected to enter an
appearance, either through proper legal
counsel or as individuals, appearing on their
own behalf.
Postrock Midcontinent Production, LLC
210 Park Avenue, Suite 2750
Oklahoma City, Oklahoma 73102
(405) 660-7704

Conservation Division
Finney State Office Building
130 S. Market, Rm. 2078
Wichita, KS 67202-3802



Phone: 316-337-6200
Fax: 316-337-6211
<http://kcc.ks.gov/>

Mark Sievers, Chairman
Thomas E. Wright, Commissioner

Sam Brownback, Governor

July 18, 2012

Clark Edwards
PostRock Midcontinent Production LLC
Oklahoma Tower
210 Park Ave, Ste 2750
Oklahoma City, OK 73102

RE: Approved Commingling CO071222
Van Cleave, Leland E. 17-3, Sec.17-T29S-R19E, Neosho County
API No. 15-133-26914-00-00

Dear Mr. Edwards:

Your Application for Commingling (ACO-4) for the above described well, received by the KCC on July 12, 2012, has been reviewed and approved by the Kansas Corporation Commission (KCC) per K.A.R. 82-3-123. Notice was examined and found to be proper per K.A.R. 82-3-135a. No protest had been filed within the 15-day protest period.

Based upon the depth of the Riverton formation perforations, total oil production shall not exceed 100 BOPD and total gas production shall not exceed 50% of the absolute open flow (AOF).

File form ACO-1 upon re-completion of the well to commingle.

Commingling ID number CO071222 has been assigned to this approved application. Use this number for well completion reports (ACO-1) and other correspondence that may concern this approved commingling.

Sincerely,

Rick Hestermann
Production Department