RECEIVED

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test: | | | | (5 | See Instructions | on Reverse Side | е) | | • | | | | | |
|--|---------------------------------|--|--------------------------|----------------------------|--------------------------|--------------------------|---|--|--|-----------------|---------------------------|--------------------------|---------------------------|--|
| Open F | Flow | | | | | | | | | | | | | |
| Deliverability | | | | Test Date: | | | | API No. 15 | | | | | | |
| | | | | 5/7/ <u>20</u> 1 | 14 | | 15-025-21187 - 6 000 Well Number | | | | | | | |
| Company | Docouron | Company | Lease Theis W | | | | | | | | | | | |
| Samson Resources Company County Location | | | | Section TWP | | | | RNG (E/W) | | | | 3-5 Acres Attributed | | |
| Clarke C SW | | | | | | 35S 25W | | | | | 710103 | , italibatea | | |
| Field | | | | Reservoir | | | Gas Gathering Connection | | | | | | | |
| McKinney | | | _Chester | | | DCP Midstream_ | | | | | ream | | | |
| Completion Date | | | _ | Plug Back Tota | Packer Set at | | | | | | | | | |
| 12/21/1999 | | | | 6089 | | | | | | | | | | |
| - | asing Size Weight | | | Internal Diame | Set at | | | Perforations | | | To | | | |
| 4.5 Tubing Size | | | | 4.000 Internal Diameter | | 6130 Set at | 5922 Perforations | | | | 5973 To | | | |
| - | 2.375 4.7 | | | 1.995 | 5917 | | | 1 01107000113 | | | 10 | | | |
| Type Completion (Describe) | | | | Type Fluid Pro | | | | Pump Un | it or T | raveling Plunge | ? Yes / No | | | |
| Single | | | | Oil-Water | | | | | | | | Yes | | |
| Producing Thru (Annulus / Tubing) | | | | % Carbon Dioxide | | | % Nitrogen | | | | | Gas Gravity - Gg | | |
| Casing | | | | | | | | | | | | | .65 | |
| | ertical Depth (H) Pressure Taps | | | | | | | (Meter R | un) (Prover) Si | ze | | | | |
| 6130 | | | | | Pipe | _ | | _ | | | | 3.068 | | |
| Pressure Bui | | Shut-in Ma | | 14 at | | _(AM/PM) Taker | | Ma | <u>y-8</u> | 20 | | | (AMPM) | |
| Well on Line: | | Started | 20 |)at | | _(AM/PM) Takei | at | | | at | (AM/PM) | | | |
| | Τ. | | | OBSI | ERVED SURF | | | _ | | | n of Shut-in | Hours | | |
| Static / Orifice | | Circle one: Meter or | Pressure Differential | Elouina | | Casing Wellhead Press | | | | | oing | Decemble - | | |
| Dynamic | Size | Prover Pressure | in (h) | Flowing Temperature | Well Head Temperature | (Pw) or (I | | | | | l Pressure Pt) or (Pc) | Duration (hours) | quid Produce (Barrels) | |
| Property | inches | psig | Inches H2O | t | t | psig | | sia | psig | | psia | (110015) | (Darreis) | |
| Shut-in | | | _ | | | 207 | 22 | 1.4 | | | | 24 | _ | |
| Flow | [| | | _ | | | | | | | | | · - | |
| | | | | FLOV | V STREAM A | TTRIBUTES | • | | <u>. </u> | | <u> </u> | · | • | |
| Plate | | Circle one: | | | | Flowing | | | | | | | Flowing | |
| Coeffied | | Meter or Press Prover Pressure Extensi | | | | Temperature | | Deviation | | Me | etered Flow | GOR | Fluid | |
| (Fb)(F Mcfd | ., | | | | Factor Fg. | Factor Ft. | | Factor Fpv | | R (Mcfd) | | (Cubic Feet/ "Barrel) | Gravity Gm | |
| | | | (Pm x Hw)^2 | | | 1 | | | | 1 | | 54.10.7 | <u> </u> | |
| | | | | (OPEN FLOV | V) (DELIVERA | ABILITY) CAL | CULAT | IONS | | | | 1 | <u> </u> | |
| | | | | (0 | ., (| 15.2.11, 57.2. | | | | | | (Pa)2= 0.207 | | |
| (Pc)2 49.018 (Pw)2= | | | | % (Pc-14.4)+14.4= | | | | | (Pd)2= | | | | | |
| | | <u>-</u> | | | | - Tin | | | | | _ | · · — | | |
| (Pc)2 - (| Pa) | (Pc)2 - (Pw)2 | Pc2 - Pat | 2 | Г ¬ | Backpressure Slope=" | | | Г | ٦ | ANTILOG | Open | Flow | |
| or or | | (| Pc2 - Pd | | | | | nxLOG | | | 7 | Deliverability | | |
| (Pc)2 - (Pd)2 | | | Pc2 - Pw | 2 | Assigned | | | [] | | | | Equals R x Antilog | | |
| | | | | | | Standard S | lope | | | | | _ Mo | fd | |
| | | _ | | | _ | 0.700 | | | | ł | L | l | | |
| | | | | | | 0.700 | | | | <u>t</u> | | | | |
| Once Flaur | | | U-E- @ 44 00 | | | D-15 2006 | | | | • | | V-61 0 44 6 | | |
| Open Flow Mcfd @ | | | | 14.65 psia Deliverbility | | | | | | | | Mcfd @ 14.6 | oo psia | |
| The w | ndersigned a | authority, on beh | alf of the Com | nanv. states ti | hat he is duly : | authorized to r | nake th | ie ahov | e renort : | and ti | nat he has | | | |
| | | stated therein, ar | | - | • | | | o abor | o | | iai iio iiao | | | |
| om.ougo | | | | port to true art | u 001100t. | N | n | | | | | | | |
| Executed this the | | | day of | | | _ ///du | | | | | $_{20}$ $/$ 2 | 7. | | |
| | | | | | • | | | $\overline{\lambda}$ | 11 | 1 st | | | 0 ~ | |
| | | | | | | | | | H// [| | \mathcal{U}_{\sim} | | | |
| | - | Witness (if any) | | | | | | | - 47 - 6 | Fo | Company | | _ | |
| | | | | | | | | | | | | KCC W | CHIT | |
| | | | | | | | | | | Com | puter | 100 11 | | |
| - | | or Commission | | וכלו | 1780 | | | | | C | necked by | JUN 0 | 2 2014 | |
| '/0/ | 0-07 | 80 - 0 | <i>90 1</i> -0 | 101- | 1300 | | | | | | | 3011 0 | | |

| I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request | | | | | | | | | | |
|--|--------------------------|--|--|--|--|--|--|--|--|--|
| exempt status under Rule K.A.R. 82-3-304 on behalf of the operator | Samson Resources Company | | | | | | | | | |
| and that the foregoing information and statements contained on this application form | are true and correct to | | | | | | | | | |
| the best of my knowledge and belief based upon gas production records and records of equipment installa- | | | | | | | | | | |
| tion and/or type completion or upon use of the gas well herein named. | | | | | | | | | | |
| I hereby request a permanent exemption from open flow testing for the | Theis W 3-5 | | | | | | | | | |
| gas well on the grounds that said well: | | | | | | | | | | |
| | | | | | | | | | | |
| (Check one) | | | | | | | | | | |
| is a coalbed methane producer | | | | | | | | | | |
| is cycled on plunger lift due to water | | | | | | | | | | |
| is a source of natural gas for injection into an oil reservoir undergoing ER | | | | | | | | | | |
| is on vacuum at the present time; KCC approval Docket No. | | | | | | | | | | |
| X is incapable of producing at a daily rate in excess of 250 mcf/D | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | • | | | | | | | | | |
| Date:5/23/2014 | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Signature: Das Mean | Greatest. | | | | | | | | | |
| | | | | | | | | | | |

Instruction All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.

