

EFFECTIVE DATE: 11-3-90

FORM MUST BE TYPED
FORM C-1 4/90

State of Kansas 15-151-22,017-00-00
NOTICE OF INTENTION TO DRILL

FORM MUST BE SIGNED
ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date 10 28 90
month day year

SE. NW. SW. Sec. 19 Twp 26 S, Rg. 13 East West

OPERATOR: License # 5435
Name: Bowers Drilling Co., Inc.
Address: 125 N. Market, Suite 1425
City/State/Zip: Wichita, KS 67202
Contact Person: Jack L. Partridge
Phone: (316) 262-1841

1650 feet from South line of Section
4290 feet from East line of Section
(Note: Locate well on Section Plat on Reverse Side)

CONTRACTOR: License #: 5422 316-242-1841
Name: Abercrombie Drilling, Inc.

County: Pratt
Lease Name: McMannis Well #: 1
Field Name: Unknown

Well Drilled For: Well Class: Type Equipment:

Oil ... Inj ... Infield Mud Rotary
... Gas ... Storage ... Pool Ext. ... Air Rotary
... OAWO ... Disposal Wildcat ... Cable
... Seismic; ... # of Holes

Is this a Prorated Field? ... yes no
Target Formation(s): Simpson
Nearest lease or unit boundary: 990'
Ground Surface Elevation: Unknown feet MSL

If OAWO: old well information as follows:
Operator: N/A
Well Name: _____
Comp. Date: _____ Old Total Depth _____

Domestic well within 330 feet: ... yes no
Municipal well within one mile: ... yes no
Depth to bottom of fresh water: 130'
Depth to bottom of usable water: 200'

Directional, Deviated or Horizontal wellbore? ... yes no
If yes, total depth location: _____

Surface Pipe by Alternate: ... 1 2
Length of Surface Pipe Planned to be set: 265'
Length of Conductor pipe required: None
Projected Total Depth: 4450'
Formation at Total Depth: Simpson

Water Source for Drilling Operations:
 well ... farm pond ... other

DWR Permit #: Will File
Will Cores Be Taken?: ... yes no
If yes, proposed zone: _____

Exp. 4/29/91

AFFIDAVIT

220' Alt. I Req.

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101,

Pusher Harvey Moore INIT. CM

SPUD DATE 11-8-90 LENGTH SURFACE PLANNED 300'

RESERVE PIT STATUS- REMOVE FLUID LINED
after salt sect. bbls. when done bbls.

RATHOLED AHEAD? Y N SIZE HOLE _____
SURFACE PIPE 3 1/2" CONDUCTOR _____
ANHYDRITE T- 569 B- 582 ELEVATION NA

TD 4477 FORMATION Kinderhook

RAN PIPE @	DV TOOL	ALT II DONE
SX	SX	Y N
Arbuckle Plug @	Ft. W/	SX
Hug./Council @	Ft. W/	SX
<u>1870</u> Anhydrite Base @	Ft. W/ <u>50'</u>	SX SX
1/2 Base Anhydrite @	Ft. W/	SX
1/2, 1/2 Plug @	Ft. W/ <u>50'</u>	SX SX
<u>2950</u> Bottom Subst. @	Ft. W/ <u>10'</u>	SX
<u>3</u> 40' Plug @	Ft. W/ <u>10'</u>	SX

RAT HOLE CIRC/W 15 SX MOUSE HOLE W/10 SX

WATER WELL 10 SX (Irr. Well Pond Hauling)

TECHNICIAN R.L. DATE 11-15-90

TYPE OF CEMENT 60/40 6%

STARTING TIME 9:00 (AM/PM) DATE 11-16-90

COMPLETION TIME 10:30 (AM/PM) DATE 11-16-90

CEMENT COMPANY Halliburton DG

STATE CORPORATION COMMISSION
NOV 20 1990
RECEIVED
CONSERVATION DIVISION
KANSAS