

CONFIDENTIAL

ORIGINAL

FORM MUST BE TYPED

SIDE ONE

STATE CORPORATION COMMISSION OF KANSAS. OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM ACO-1 WELL HISTORY DESCRIPTION OF WELL AND LEASE

Operator: License # 30128

Name: Kenneth S. White

Address 200 E. First, Suite 405

City/State/Zip Wichita, Kansas 67202

Purchaser: NCRA

Operator Contact Person: Kenneth S. White

Phone (316)263-4007

Contractor: Name: Dickrell Drilling Co., Inc.

License: 5123

Wellsite Geologist: Tom Robinson

Designate Type of Completion X New Well Re-Entry Workover

X Oil SWD SIGW Temp. Abd. X Gas ENHR SIGW Dry Other (Core, MSW, Expl., Cathodic, etc)

If Workover/Re-Entry: old well info as follows:

Operator:

Well Name:

Comp. Date Old Total Depth

Deepening Re-perf. Conv. to Inf/SWD Plug Back PSTD Commingled Docket No. Dual Completion Docket No. Other (SWD or In?) Docket No.

7/31/95 8/5/95 8/24/95 Spud Date Date Reached TD Completion Date

API NO. 15- 151-221370000

County Pratt

NW SE SE Sec. 4 Twp. 26 Rge. 11 E

990 Feet from (circle one) Line of Section

990 Feet from (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner: NE, (SE), NW or SW (circle one)

Lease Name Zink Well # 1

Field Name Bauman

Producing Formation Mississippi

Elevation: Ground 1835 KB 1840

Total Depth 4170 PSTD 4145

Amount of Surface Pipe Set and Cemented at 263 Feet

Multiple Stage Cementing Collar Used? Yes X No

If yes, show depth, set Feet

If Alternate II completion, cement circulated from

feet depth to w/ sx cnt.

Drilling Fluid Management Plan ALT 1 JH 12-3-96 (Data must be collected from the Reserve Pit)

Chloride content 48,000 ppm Fluid volume 965 bbls

Dewatering method used Water Hauled

Location of fluid disposal if hauled offsite:

Operator Name Bullseye Roustabout

Lease Name Clark License No. 31056

Quarter Sec. 10 Twp. 26 Rge. 12 E

County Pratt Docket No. D21-405

RELEASED

DEC 1 8 1995

CONFIDENTIAL

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-11 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Kenneth S. White

Title Operator Date 10/24/95

Subscribed and sworn to before me this 24th day of October 1995.

Notary Public Karen E. Houseberg

Date Commission Expires 9/5/98

KAREN E. HOUSEBERG NOTARY PUBLIC STATE OF KANSAS My Appt. Exp. Sept. 5, 1998

OCT 30 1995

STATE CORPORATION COMMISSION OFFICE USE ONLY Letter of Confidentiality Attached Wireline Log Received Geologist Report Received Distribution KCC SWD/Rep NGPA KGS Plug Other (Specify)

ORIGINAL

SIDE TMD

Operator Name Kenneth S. White Lease Name Zink Well # 1

Sec. 4 Twp. 26 Rge. 11 East West
County Pratt

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets.)
Samples Sent to Geological Survey Yes No
Cores Taken Yes No
Electric Log Run Yes No
(Submit Copy.)
List All E.Logs Run:
Dual Induction
Compensated Neutron/Density
Frac Finder

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Heebner	3386	-1546
Brown Lime	3569	-1729
Lansing	3598	-1758
BKC	3926	-2086
Cherokee SH	4003	-2163
Mississippi	4006	-2166
Kinderhook Sh	4096	-2256

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	10 3/4"	32.75#	255	60/40 Poz Mix	225	2% gel 3% CC
Production	7 7/8"	5 1/2"	14#	4166	100 sacks 60/40 and 75 sacks standard with 10% salt	6# Gilsonite	.5% Halad
Sack of LAP 1							

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth
	See Attachment	See Attachment			

TUBING RECORD		Size	Set At	Packer At	Liner Run		
		2 3/8"	4070		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Date of First, Resumed Production, SVD or Inj.			Producing Method				
8/24/95			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	Bbls.	Gas-Oil Ratio
	35		115		130		3.2:1
							Gravity
							40

Disposition of Gas: Vented Sold Used on Lease (If vented, submit ACO-18.)

METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval: 4010-4044

ORIGINAL

CONFIDENTIAL

Attachment to ACO-1 Form for
KENNETH S. WHITE
#1 ZINK
NW SE SE Section 4-26S-11W
Pratt County, Kansas
API# 15-151-221370000

Drill Stem Test #1 4014' - 4071' (Mississippi)

45"-60"-60"-90"

1st Open: Fair to Strong Blow off bottom of bucket in 12-1/2 minutes

2nd Open: Fair to Strong Blow off bottom of bucket in 12-1/2 minutes

Rec: 375' of Gas in Pipe, 60' Oil Cut Mud (9% oil, 91% mud) with Clean Oil on top of test tool

IHP: 1986# FHP# 1953# ISIP: 366#

FP: 18# - 21#, 23# - 28# FSIP: 597#

Perforation Record

1 Shot per Foot at the following depths, total of 31 holes:

4010' - 4030', 4032', 4034', 4036', 4038' - 4044'

Acid/Fracture Treatment Record

Acidized with 2000 gallons 7-1/2% MCA/FE Acid

Frac'd with 100,000 gallons Boragel 35# Crosslinked Gel, 20,000# of 100 Mesh Sand, 28,000# of 20/40 Sand, 130,000# of 12/20 Sand and 12,000# of 12/20 Resin Coated Sand (and additives)

RELEASED

DEC 18 1996

REMOVED FROM CONFIDENTIAL

RECEIVED
STATE CORPORATION COMMISSION

OCT 30 1995

REMOVED FROM CONFIDENTIAL
WICHITA, KANSAS

INVOICE

CONFIDENTIAL



REMIT TO: P.O. BOX 951046 DALLAS, TX 75395-1046

INVOICE NO.	DATE
835293	08/06/1995

WELL/LEASE NO./PROJECT	WELL/PROJECT LOCATION	STATE	OWNER
LINK 1	PRATT	KS	SAME
SERVICE LOCATION	CONTRACTOR	JOB/PURPOSE	TICKET DATE
PRATT	PICKRELL DRILLING	CEMENT PRODUCTION CASING	08/06/1995
ACCT NO.	CUSTOMER AGENT	VENDOR NO.	CUSTOMER CO NUMBER
61550	H A DURANT		
SHIPPED WAY			FILE NO.
COMPANY TRUCK			94951

KENNETH S. WHITE
200 E FIRIST SUITE 405
WICHITA, KS 67202

DIRECT CORRESPONDENCE TO:
P.O. BOX 1598
LIBERAL, KS 67905-0000

REFERENCE NO.	DESCRIPTION	QUANTITY	UNIT PRICE	AMOUNT
RICING AREA - MID CONTINENT				
000-117	MILEAGE CEMENTING ROUND TRIP	20 MI	2.75	55.00
		1 UNT		
001-016	CEMENTING CASING	4167 FT	1,670.00	1,670.00
		1 UNT		
030-016	CEMENTING PLUG 5W ALUM TOP	5 1/2 IN	60.00	60.00 *
		1 EA		
018-317	SUPER FLUSH	10 SK	100.00	1,000.00
12A	GUIDE SHOE - 5 1/2" 8RD THD.	1 EA	121.00	121.00 *
825.205				
24A	INSERT FLOAT VALVE - 5 1/2" 8RD	1 EA	110.00	110.00 *
815.19251				
40	CENTRALIZER-5-1/2 X 7-7/8	7 EA	60.00	420.00 *
806.60022				
27	FILL-UP UNIT 5 1/2"-6 5/8" RECEIVED STATE CORPORATION COMMISSION	1 EA	55.00	55.00 *
815.19313				
350	HALLIBURTON WELD-A	1 EA	14.50	14.50 *
890.10802				
504-136	CEMENT - 40/60 POZMIX STANDARD	100 SK	7.16	716.00 *
508-291	GILSONITE BULK	600 LB	.40	240.00 *
509-968	SALT	500 LB	.15	75.00
507-775	HALAD-322	42 LB	7.00	294.00 *
504-308	CEMENT - STANDARD	75 SK	8.86	664.50 *
507-613	LAP-1	75 LB	8.60	645.00 *
500-207	BULK SERVICE CHARGE	197 CFT	1.35	265.95 *
500-306	MILEAGE CMTG MAT DEL OR RETURN	84.97 TMI	.95	80.72 *

NOV - 1 1995

CONSERVATION DIVISION
WICHITA, KANSAS

INVOICE SUBTOTAL	6,486.67
DISCOUNT - (BID)	1,427.05 -
INVOICE BID AMOUNT	5,059.62

FROM CONFIDENTIAL

***** CONTINUED ON NEXT PAGE *****

TERMS: If Customer does not have an approved open account with Halliburton, all sums due are payable in cash at the time of performance of services or delivery of equipment, products or materials. If customer has an approved open account, invoices are payable on the twentieth day after date of invoice. Customer agrees to pay interest on any unpaid balance from the date payable until paid at the highest lawful contract rate applicable, but never to exceed 18% per annum.

INVOICE



REMIT TO:
P.O. BOX 951046
DALLAS, TX 75395-1046

INVOICE NO.	DATE
835293	08/06/1995

WELL/LEASE NO./PROJECT	WELL/PROJECT LOCATION	STATE	OWNER
INK 1	PRATT	KS	SAME
SERVICE LOCATION	CONTRACTOR	JOB PURPOSE	TICKET DATE
PRATT	PICKRELL DRILLING	CEMENT PRODUCTION CASING	08/06/1995
ACCT NO.	CUSTOMER AGENT	VENDOR NO.	CUSTOMER CO NUMBER
61550	H A DURANT		
SHIPPED VIA	FILE NO.		
COMPANY TRUCK	94951		

CONFIDENTIAL

KENNETH S. WHITE
200 E FIRIST SUITE 405
WICHITA, KS 67202

DIRECT CORRESPONDENCE TO:
P.O. BOX 1598
LIBERAL, KS 67905-0000

REFERENCE NO.	DESCRIPTION	QUANTITY	UNIT PRICE	AMOUNT
DRILLING AREA - MID CONTINENT				
000-117	MILEAGE CEMENTING ROUND TRIP	20 MI	2.75	55.00
		1 UNT		
001-016	CEMENTING CASING	4167 FT	1,670.00	1,670.00
		1 UNT		
030-016	CEMENTING PLUG SW ALUM TOP	5 1/2 IN	60.00	60.00 *
		1 EA		
018-317	SUPER FLUSH	10 SK	100.00	1,000.00
12A	GUIDE SHOE - 5 1/2" 8RD THD.	1 EA	121.00	121.00 *
825.205				
24A	INSERT FLOAT VALVE - 5 1/2" 8RD	1 EA	110.00	110.00 *
815.19251				
40	CENTRALIZER-5-1/2 X 7-7/8	7 EA	60.00	420.00 *
806.60022				
27	FILL-UP UNIT 5 1/2"-6 5/8"	1 EA	55.00	55.00 *
815.19313				
350	HALLIBURTON WELD-A	1 EA	14.50	14.50 *
890.10802				
504-136	CEMENT - 40/60 POZMIX STANDARD	100 SK	7.16	716.00 *
508-291	GILSONITE BULK	600 LB	.40	240.00 *
509-968	SALT	500 LB	.15	75.00
507-775	HALAD-322	42 LB	7.00	294.00 *
504-308	CEMENT - STANDARD	75 SK	8.86	664.50 *
507-613	LAP-1	75 LB	8.60	645.00 *
500-207	BULK SERVICE CHARGE	197 CFT	1.35	265.95 *
500-306	MILEAGE CMTG MAT DEL OR RETURN	84.97 TMI	.95	80.72 *

INVOICE SUBTOTAL	RELEASED	6,486.67
DISCOUNT-(BID)	DEC 1 8 1996	1,427.05-
INVOICE BID AMOUNT	FROM CONFIDENTIAL	5,059.62

***** CONTINUED ON NEXT PAGE *****

TERMS: If Customer does not have an approved open account with Halliburton, all sums due are payable in cash at the time of performance of services or delivery of equipment, products or materials. If customer has an approved open account, invoices are payable on the twentieth day after date of invoice. Customer agrees to pay interest on any unpaid balance from the date payable until paid at the highest lawful contract rate applicable, but never to exceed 18% per annum.

INVOICE

HALLIBURTON
ORIGINAL *Received 8/23/95*

REMIT TO:
 P.O. BOX 951046
 DALLAS, TX 75395-1046

INVOICE NO.	DATE
835293	08/06/1995

WELL/LEASE NO./PROJECT	WELL/PROJECT/LOCATION	STATE	OWNER		
LINK 1	PRATT	KS	SAME		
SERVICE LOCATION	CONTRACTOR	JOB DESCRIPTION	TICKET DATE		
PRATT	PICKRELL DRILLING	CEMENT PRODUCTION CASING	08/06/1995		
ACCOUNT NO.	CUSTOMER AGENCY	VENDOR NO.	CUSTOMER PO NUMBER	SHIPPED VIA	FILE NO.
61550	H A DURANT			COMPANY TRUCK	94951

CONFIDENTIAL

KENNETH S. WHITE
 200 E FIRIST SUITE 405
 WICHITA, KS 67202

DIRECT CORRESPONDENCE TO:
 P.O. BOX 1598
 LIBERAL, KS 67905-0000

REFERENCE NO.	DESCRIPTION	QUANTITY	UNIT	PRICE	AMOUNT
CEMENTING AREA - MID CONTINENT					
000-117	MILEAGE CEMENTING ROUND TRIP	20 MI		2.75	55.00
		1 UNT			
001-016	CEMENTING CASING	4167 FT		1,670.00	1,670.00
		1 UNT			
030-016	CEMENTING PLUG SW ALUM TOP	5 1/2 IN		60.00	60.00 *
		1 EA			
018-317	SUPER FLUSH	10 SK		100.00	1,000.00
12A	GUIDE SHOE - 5 1/2" 8RD THD.	1 EA		121.00	121.00 *
825.205					
24A	INSERT FLOAT VALVE - 5 1/2" 8RD	1 EA		110.00	110.00 *
815.19251					
40	CENTRALIZER-5-1/2 X 7-7/8	7 EA		60.00	420.00 *
806.60022					
27	FILL-UP UNIT 5 1/2"-6 5/8"	1 EA		55.00	55.00 *
815.19313					
350	HALLIBURTON WELD-A	1 EA		14.50	14.50 *
890.10802					
504-136	CEMENT - 40/60 POZMIX STANDARD	100 SK		7.16	716.00 *
508-291	GILSONITE BULK	600 LB		.40	240.00 *
509-968	SALT	500 LB		.15	75.00
507-775	HALAD-322	42 LB		7.00	294.00 *
504-308	CEMENT - STANDARD	75 SK		8.86	664.50 *
507-613	LAP-1	75 LB		8.60	645.00 *
500-207	BULK SERVICE CHARGE	197 CFT		1.35	265.95 *
500-306	MILEAGE CMTG MAT DEL OR RETURN	84.97 TMI		.95	80.72 *

INVOICE SUBTOTAL

RELEASED

6,486.67

DISCOUNT-(BID)
 INVOICE BID AMOUNT

DEC 1 8 1996

1,427.05-
 5,059.62

FROM CONFIDENTIAL

***** CONTINUED ON NEXT PAGE *****

TERMS: If Customer does not have an approved open account with Halliburton, all sums due are payable in cash at the time of performance of services or delivery of equipment, products or materials. If customer has an approved open account, invoices are payable on the twentieth day after date of invoice. Customer agrees to pay interest on any unpaid balance from the date payable until paid at the highest lawful contract rate applicable, but never to exceed 18% per annum.

ALLIED CEMENTING CO., INC.

2059

P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: Med. Lodge

DATE <u>7-31-95</u>	SEC. <u>4</u>	TWP. <u>26S</u>	RANGE <u>11W</u>	CALLED OUT <u>8:00 AM</u>	ON LOCATION <u>10:45 AM</u>	JOB START <u>1:25 PM</u>	JOB FINISH <u>1:45 PM</u>
LEASE <u>ZINK</u>	WELL # <u>1</u>	LOCATION <u>FRESTON 3N, 2E, 1/2N, 1/4S</u>		COUNTY <u>TRATT</u>	STATE <u>KANSAS</u>		

OLD OR NEW (Circle one)

CONFIDENTIAL

CONTRACTOR FRICKELL # OWNER KENNETH S. WHITE

TYPE OF JOB SURFACE

HOLE SIZE 12 3/4" T.D. 274'

CASING SIZE 10 3/4" 405# DEPTH 264'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 20'

PERFS. _____

AMOUNT ORDERED 225x 60:40:2 + 3/4" CRUZ

COMMON	<u>135</u>	@	<u>6.10</u>	<u>823.50</u>
POZMIX	<u>90</u>	@	<u>3.15</u>	<u>283.50</u>
GEL	<u>4</u>	@	<u>9.50</u>	<u>38.00</u>
CHLORIDE	<u>7</u>	@	<u>28.00</u>	<u>196.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>225</u>	@	<u>1.05</u>	<u>236.25</u>
MILEAGE	<u>225 x 15</u>		<u>.04</u>	<u>135.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER B. BRUNGADE

233-234 HELPER R. BRUNGADE

BULK TRUCK

227 DRIVER T. JENPLE

BULK TRUCK

_____ DRIVER _____

DEC 1 8 1996

TOTAL \$1712.25

REMARKS:

FROM CONFIDENTIAL SERVICE

Ran 10 3/4" to 264' CEMENT

WITH 225x 60:40:2 + 3/4" CC

CEMENT DID CURRATE

DEPTH OF JOB	<u>274'</u>		
PUMP TRUCK CHARGE	<u>0-300'</u>		<u>445.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>15</u>	@	<u>2.35</u> <u>35.25</u>
PLUG	<u>10 3/4" TOP WOOD</u>	@	<u>5.50</u> <u>55.00</u>
		@	
		@	

TOTAL \$535.25

CHARGE TO: KENNETH S. WHITE

STREET 200 EAST FIRST, #405

CITY WICHITA STATE KANSAS ZIP 67202

FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	

TOTAL _____

TAX _____

TOTAL CHARGE \$2247.50

DISCOUNT \$449.50 IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

Net \$ 1798.00

RECEIVED STATE CORPORATION COMMISSION

NOV 1 1995

CONSERVATION

ALLIED CEMENTING CO., INC.

2059

P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: Med. 6006E

DATE <u>7-31-95</u>	SEC. <u>4</u>	TWP. <u>26S</u>	RANGE <u>11W</u>	CALLED OUT <u>8:00 AM</u>	ON LOCATION <u>10:45 AM</u>	JOB START <u>1:25 PM</u>	JOB FINISH <u>1:45 PM</u>
LEASE <u>ZINK</u>	WELL# <u>1</u>	LOCATION <u>FRESTON 3N, 2E, 1/2N, 1/5</u>			COUNTY <u>FRATT</u>	STATE <u>KANSAS</u>	

OLD OR NEW (Circle one)

CONTRACTOR FRICURELL #

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 274'

CASING SIZE 10 3/4" 405# DEPTH 264'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 20'

PERFS. _____

OWNER KENNETH S. WHITE

CEMENT

CONFIDENTIAL

AMOUNT ORDERED 225 x 60:40:2 + 3/4 CRUZ

COMMON	<u>135</u>	@	<u>6.10</u>	<u>823.50</u>
POZMIX	<u>90</u>	@	<u>3.15</u>	<u>283.50</u>
GEL	<u>4</u>	@	<u>9.50</u>	<u>38.00</u>
CHLORIDE	<u>7</u>	@	<u>28.00</u>	<u>196.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>225</u>	@	<u>1.05</u>	<u>236.25</u>
MILEAGE	<u>225 x 15</u>		<u>.04</u>	<u>135.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER B. FRUNGBADT

233-234 HELPER R. FRUNGBADT

BULK TRUCK

227 DRIVER T. SIPLE

BULK TRUCK

_____ DRIVER _____

DEC 1 8 1996

TOTAL \$1712.25

REMARKS:

FROM CONFIDENTIAL

SERVICE

Run 10 3/4" to 264' CEMENT

WITH 225 x 60:40:2 + 3/4 C

CEMENT DID CURRATE

DEPTH OF JOB	<u>274'</u>		
PUMP TRUCK CHARGE	<u>0-300'</u>		<u>445.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>15</u>	@	<u>2.35</u> <u>35.25</u>
PLUG <u>10 3/4" TOP WOOD</u>		@	<u>5.50</u> <u>55.00</u>
		@	
		@	

TOTAL \$535.25

CHARGE TO: KENNETH S. WHITE

STREET 300 EAST FIRST, #405

CITY WICHITA STATE KANSAS ZIP 67202

FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	

TOTAL _____

TAX _____

TOTAL CHARGE \$2247.50

DISCOUNT \$449.50 IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner, or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

Net \$ 1798 RECEIVED STATE CORPORATION COMMISSION

NOV - 1 1995

CONSOLIDATED WICHITA KANSAS

ALLIED CEMENTING CO., INC.

2052

P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: Med. Lodge

DATE <u>7-31-95</u>	SEC <u>4</u>	TWP. <u>26S</u>	RANGE <u>11W</u>	CALLED OUT <u>8:00 AM</u>	ON LOCATION <u>10:45 AM</u>	JOB START <u>1:25 PM</u>	JOB FINISH <u>1:45 PM</u>
LEASE <u>ZINK</u>	WELL # <u>1</u>	LOCATION <u>FRESTON 3N, 2E, 1/2N, N/5</u>		COUNTY <u>FRATI</u>	STATE <u>KANSAS</u>		

OLD OR NEW (Circle one) NEW

CONFIDENTIAL

CONTRACTOR FRURELL #

TYPE OF JOB SURFACE

HOLE SIZE 12 3/4" T.D. 274'

CASING SIZE 10 3/4" 405# DEPTH 264'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 20'

PERFS. _____

OWNER KENNETH S. WHITE

CEMENT

AMOUNT ORDERED 225x 60:40:2 + 3/4 CRUZ

EQUIPMENT

PUMP TRUCK CEMENTER B. BUNBARDT

233-234 HELPER K. BUNBARDT

BULK TRUCK DRIVER T. JENPLE

227

BULK TRUCK DRIVER _____

COMMON	<u>135</u>	@	<u>6.10</u>	<u>823.50</u>
POZMIX	<u>90</u>	@	<u>3.15</u>	<u>283.50</u>
GEL	<u>4</u>	@	<u>9.50</u>	<u>38.00</u>
CHLORIDE	<u>7</u>	@	<u>28.00</u>	<u>196.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>225</u>	@	<u>1.05</u>	<u>236.25</u>
RE MILEAGE	<u>225 x 15</u>	@	<u>.04</u>	<u>135.00</u>

DEC 18 1996

TOTAL \$1712.25

REMARKS:

FROM CONFIDENTIAL

SERVICE

RUN 10 3/4" TO 264' CEMENT
WITH 225x 60:40:2 + 3/4 CC
CEMENT DTD PERMATE

DEPTH OF JOB	<u>274'</u>		
PUMP TRUCK CHARGE	<u>0-300'</u>		<u>445.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>15</u>	@	<u>2.35</u> <u>35.25</u>
PLUG <u>10 3/4" TOP WOOD</u>		@	<u>5.00</u> <u>55.00</u>
		@	
		@	

TOTAL \$535.25

CHARGE TO: KENNETH S. WHITE

STREET 300 EAST FIRST, #405

CITY WICHITA STATE KANSAS ZIP 67202

FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TAX _____

TOTAL CHARGE \$2247.50

DISCOUNT \$449.50 IF PAID IN 30 DAYS

Net \$ 1798.00

RECEIVED
STATE CORPORATION COMMISSION

NOV - 1 1995

WICHITA KANSAS