

15-151-19059-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA 2, KANSAS

Orig. - KCC
1 - Shackelford
1 - File

RECEIVED
STATE CORPORATION COMMISSION
8-28-68
AUG 28 1968
CONSERVATION DIVISION
Wichita, Kansas

WELL PLUGGING APPLICATION FORM
File One Copy

Lease Owner GETTY OIL COMPANY Address P. O. Box 752, Drumright, Okla.
(Applicant)

Lease (Farm Name) V. E. Miskimen Well No. 1 A

Well Location APP NE NW SW 927' EWL and 330' SNL of SW/4 Sec. 32 Twp. 26S Rge. 12 (E) (W) X

County Pratt Field Name (if any) Iuka - Carmi

Total Depth 4305' Oil X Gas X Dry Hole X

Was well log filed with application? Yes If not, explain: _____

Date and hour plugging is desired to begin August 29, 1968 1000 AM

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of person on the lease in charge of well for owner M. E. Whaley

Address P.O. Box 66, Turon, Kansas

Plugging Contractor Kerr Well Service

Plugging Contractor's License No. ?

Address Pratt, Kansas

Invoice covering assessment for plugging this well should be sent to _____

GETTY OIL COMPANY Address P. O. Box 752, Drumright, Okla. 74030

and payment will be guaranteed by applicant.

W. H. McPhail by C. W. [Signature]
Applicant or Acting Agent
W. H. McPhail, Area Superintendent

Date August 27, 1968

Proposed Plugging Procedure on Reverse Side

PROPOSED PLUGGING PROCEDURE:

- 1 - 5 1/2" casing set at 4290' with 250 sacks of cement. Arbuckle completed in Open Hole at 4290' to 4305'. Spot 50 sacks of regular cement with 3% HAO5 and 1/4% Flocele. (Plug spotted on 8-21-68 - top of cement inside 5 1/2" casing at 3976')
- 2 - Cut off 5 1/2" casing at 1100' and pull same.
- 3 - 8 5/8" surface pipe set at 465' with 200 sacks of cement. Cement circulated to the surface. Set 8 5/8" cast iron bridge plug in surface pipe at 350' and dump 1 sack of Calseal on plug to yield PBTD of 347'.
- 4 - Shallow fresh water sand between 347' and surface are to be perforated and this well is to be completed as a water supply well.



ROBERT B. DOCKING Governor
 DALE E. SAFFELS Chairman
 JULES V. DOTY Commissioner
 JAMES O. GREENLEAF Commissioner
 RAYMOND B. HARVEY Secretary
 JACK GLAVES Gen. Counsel

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)

500 Insurance Bldg. 212 N. Market
WICHITA, KANSAS 67202

August 27, 1968

WELL PLUGGING AUTHORITY

| | |
|---------------------|------------------------|
| Well No. | 1-A |
| Lease | V. E. Miskimen |
| Description | App NE NW SW 32-26-12W |
| County | Pratt |
| Total Depth | 4305 |
| Plugging Contractor | ? |

Getty Oil Company
Box 752
Drumright, Oklahoma 74030

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

J. Lewis Brock
J. Lewis Brock, Administrator

Mr. R. J. Warren Box 322 Pratt, Kansas
is hereby assigned to supervise the plugging of the above named well.