

15-151-10555-0000

LOG

Top	Bottom	Formation and Remarks
0	45	sand rock & gravel
45	205	sand & shell
	250	rat hole to 250
250	260	sand shells & red bed
260	715	red bed and shells
715	750	lime
740	760	red & shale
760	1145	red bed & shells
1145	1320	red bed, shale & shells
1320	1350	shale
1350	1400	shale & salt
1400	1450	gyp, lime & shale
1450	1630	shale & salt
1630	1720	red bed & shale
1720	1765	lime & shale
1765	1825	gyp
1825	1930	gyp & lime
1930	2100	gyp & shale
2100	2110	lime
2110	2210	broken lime
2210	2235	lime & gyp
2235	2355	broken lime
2355	2395	lime
2395	2442	shale
2442	2495	b. lime & shale
2495	2520	lime
2520	2550	shale & salt
2550	2785	shale & lime
2785	2840	broken lime & shale
2840	2895	broken lime
2895	3065	shale & lime
3065	3110	shale
3110	3165	lime & shale
3165	3250	lime
3250	3270	lime & shale
3270	3465	lime
3465	3500	lime & shale
3500	3550	shale & lime shells
3550	3569	shale
3569	3600	sandy lime
3600	3635	shale & lime
3635	3655	sticky shale
3655	4005	lime

DESCRIPTION

State Kansas		Company E. W. Hamilton	
County Pratt		Farm Holland Well No. 1	
Survey SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 6-26-12			
T.	R.	Contractor Pem Drilling Co., Inc.	
		Commenced October 20, 1937	
		Completed November 27, 1937	
		Remarks Ran Schlumberger test 11/30/37. Dry hole.	
Altitude			
Production			

CASING RECORD

10 "
8 $\frac{1}{4}$ "
20 "
6 $\frac{5}{8}$ "
15 $\frac{1}{2}$ "
12 $\frac{1}{2}$ "
Shot

58/10"
PLUGGING
 FILED 10-1-37 Between
 BOOK PAGE 118-LINE 49

Log-Continued

Top	Bottom	Formation and Remarks
4005	4035	lime & shale
4035	4053	chert & lime
4053	4055	shale
4055	4065	shale & lime
4065	4085	shale, lime & chert
4085	4095	chert
4095	4097	chert & lime
4097	4112	chert
4112	4119	lime & shale
4119	4129	shale & chert shells
4129	4137	shale & chert
4137	4141	chert
4141	4148	shale
4148	4155	shale & chert shells
4155	4168	lime & shale
4168	4176	chert & lime
4176	4190	chert lime & shale
4190	4200	lime & shale
4200	4210	chert lime & shale
4210	4230	sandy lime & shale
4230	4257	lime & shale
4257	4267	lime
4267	4273	shale & lime
4273	4282	cored
4282	4292	sandy shale

STANDARD [189] FORM FOR SALE BY MID-WEST PTG. CO. TULSA, OKLAHOMA

