## Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Test:				(	See Instruc	ions on Re	verse Side	)				
<b>✓</b> Ope	n Flow			Tool Date				A Di	I No. 15			
Deliverability				Test Date: 06/05/2014			API No. 15 119-21228-0000					
Company DAYSTAR PETROLEUM, INC.			).			Lease KIGER A			Well Number 1-17			
-		Locatio 330'FSL	on & 2310"FWL	Section 17		TWP 31S		RNG (E/W) 30W		Acres Attributed		
Field HOSS LAKE			· · · · · · · · · · · · · · · · · · ·	Reservoir CHESTER		· · ·		Gas Gathering C DAYSTAR TO				
Completion Date 12/17/09			Plug Back Total De		k Total Dep	h	Packer Set at NONE		-			
		Weight	t	Internal Diameter 4.052		Set at 5821		Perforations 5431		то 5629		
Tubing Size Weig 2.375 4.7		Weight	t	Internal Di 1.995		ter Set at 5370		Perforations		То		
Type Comp SINGLE		escribe)		Type Flui NONE	d Production	1		Pump U NO	nit or Traveling	Plunger? Yes	/ No	
Producing Thru (Annulus / Tubing) TUBING			3)	% c 0.809	arbon Dioxi	le % Nitrogen 12.063			_	Gas Gravity - G <sub>g</sub> 0.7286		
Vertical De 5530'	epth(H)				Pres FLA	sure Taps	·			(Meter I	Run) (Prover) Si	
Pressure E	Buildup:	Shut in 06/0	04	14 at 1			Taken_06	8/05	20	14 at 10.00	(AM) (PN	
Well on Lir	ne:	Started	20	) at		(AM) (PM)	Taken		20	at	(AM) (PM	
_					OBSERVE	D SURFACI	E DATA	,		Duration of Shut-	-inH	
Static / Orifice Dynamic Size Property (inches		e Prover Pressure		Temperature Temperatur		(P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Duration (Hours)	Liquid Produce (Barrels)	
Shut-In		poig (i m)	mones Ti <sub>2</sub> G			405	psia	psig	psla	24		
Flow						-						
			<del></del>		FLOW STF	EAM ATTR	IBUTES		<del></del>			
Plate Coefficcie (F <sub>b</sub> ) (F <sub>p</sub> Mcfd	1	Circle one: Meter ot rover Pressure psia	Press Extension	Grav Fac F	tor	Flowing Devia femperature Factor F <sub>1</sub>		ctor R		w GOR (Cubic-Fe Barrel)	l Gravit	
(P <sub>c</sub> ) <sup>2</sup> =	:	(P <sub>w</sub> )² ≃	:	(OPEN FL P <sub>d</sub> =	OW) (DELIV		) CALCUL <sup>2</sup> 14.4) +		:	(P <sub>a</sub> ) (P <sub>d</sub> )	<sup>2</sup> = 0.207 <sup>2</sup> =	
(P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> )		$(P_c)^2 - (P_w)^2$ $(P_c)^2 - (P_w)^2$ $(P_c^2 - F_c^2 - F_c$		LOG of formula 1. or 2. and divide   p 2 p 2		Backpressure Curve Slope = "n" Assigned Standard Slope		n x LOG		Antilog	Open Flow Deliverability Equals R x Antilo (Mcfd)	
				-								
Open Flow Mo		Mcfd @ 14.	ofd @ 14.65 psia			Deliverability		Mcfd @ 14.65 psia				
	•	•	n behalf of the			-			he above repo SEPTEMBER	ort and that he ha	as knowledge of	
		,		,				-	ETROLE	JM, INC.	,	
, .	· ; -	Witness (ii	fany)			-	11/1		1 14	Отрапу	····	
	·	For Comm	ission			=	1 400	V <b>-V</b> [/	Che	cked by		

Received KANSAS CORPORATION COMMISSION

SEP 17 2014

CONSERVATION DIVISION WICHITA, KS

	der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator <u>DAYSTAR PETROLEUM, INC.</u>							
and that the fore	going pressure information and statements contained on this application form are true and stop of my knowledge and belief based upon available production summaries and lease records							
• •	allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the KIGER A 1-17							
gas well on the g	rounds that said well:							
(Chec	one) is a coalbed methane producer							
	is cycled on plunger lift due to water							
	is a source of natural gas for injection into an oil reservoir undergoing ER							
	is on vacuum at the present time; KCC approval Docket No							
$\checkmark$	is not capable of producing at a daily rate in excess of 250 mcf/D							
_	e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.							
Date: <u>09/10/201</u>	1							
	Signature:							

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.