KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

Type Test:

	en Flow				Test Date):			API	No. 15			
De	eliverabi	ty			06/06/20					-22058-000	0		
Company DAYSTA		roleu	M, INC.				Lease SAUNDI	ERS TRU	JST A		2-26	Well Number	
County SEWAR	RD.	١	Location IW NW		Section 26		TWP 31 \$		RNG (E/ 31W	W)		Acres Attributed	
Field THIRTY	-ONE	SW			Reservoir MORRO					nering Conn AR TO NNO			
Completi 10/21/06					Plug Bac 5910	k Total Dep	th		Packer S NA	et at			
Casing S 4.50	Size		Weight 10.5		Internal Diameter 1.052		Set at 5997		Perforations 5457		то 5463		
Tubing S 2.375	iize		Weight 4.7		Internal II 1.995	Diameter	Set at 5456		Perforations		То		
Type Cor			e)	•	Type Flui	d Production	n		Pump Un	it or Traveling	Plunger? Yes	/ No	
Producing TUBIN	-	(Annulus / Tubing)			% C	arbon Dioxi	de	e % Nitro 6.76		en	Gas Gravity - G _g 0.6794		
Vertical D	Depth(H))				Pres	sure Taps					Run) (Prover) Siz-	
Pressure	Buildup	: Shut i	06/0	5 2	0_14_at_1	0:00	(AM) (PM)	Taken_06	6/06	20	14 _{at} 10:00	(AM) (PM)	
Well on L	_ine:	Starte	d	20) at		(AM) (PM)	Taken		20	at	(AM) (PM)	
						OBSERVE	D SURFACE	DATA			Duration of Shut-	-inHou	
Static / Dynamic Property	Orific Size (inche	e Prove	rcie one: Meter r Pressure ig (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Temperature t	Well Head Temperature t	Casi Wellhead F (P _w) or (P _t	ressure	Wellhe	ubing ad Pressure (Pt) or (Pa) osla	Duration (Hours)	Liquid Produced (Barrels)	
Shut-In		,		2			138	psia	psig	psia	24		
Flow							İ		-				
		~~				FLOW STE	EAM ATTRI	BUTES		•			
Plate Coeffied (F _b) (F Mcfd	cient =_,)	Circle of Meter Prover Pre psia	or essure	Press Extension ✓ P _m xh	Grav Fact F _s	tor	Flowing Femperature Factor F ₁₁	Fa	ation ctor pv	Metered Flor R (Mcfd)	W GOR (Cubic Fe Barrel)	I Gravity	
(P _c)² =		<u>:</u>	(P _w) ² =	.:	(OPEN FLO		ERABILITY) % (P	CALCUL - 14.4) +		:	(P _a) (P _d)	$r^2 = 0.207$	
(P _c) ² -(or (P _c) ² -((P _c) ²⁻ (F	(Ch	1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ 2. $P_c^2 - P_d^2$ 1. $P_c^2 - P_d^2$	LOG of formula 1. or 2. and divide	P.2-P.2	Šlop Ass	sure Curve e = "n" or igned ird Slope	nxt	.og [Antilog	Open Flow Deliverability Equals R x Antild (Mcfd)	
Open Flo	ow .	Mcfd @ 14.65 psia				Deliverability			Mcfd @ 14.65 psia				
The	undersi	ned auth	ority, on	behalf of the	Company, s	tates that h	e is duly au	thorized to		•	ort and that he ha	as knowledge of	
the facts s	stated th	erein, and	I that said	I report is true	and correc	t. Executed	this the 10	TH	day of S	EPTEMBEF	₹	, 20 14	
. 34	1		Witness (if a	пу)		<u></u>	<u> </u>	AYSTA	AR PE	TROLEM	M. INC.		
			For Commiss	ion			7	"IN	eres C	>-U5	cked by		

Received KANSAS CORPORATION COMMISSION

SEP 17 2014

CONSERVATION DIVISION WICHITA, KS

	der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator DAYSTAR PETROLEUM, INC.
and that the fore correct to the bes of equipment ins I hereby requ	egoing pressure information and statements contained on this application form are true and st of my knowledge and belief based upon available production summaries and lease records stallation and/or upon type of completion or upon use being made of the gas well herein named. Lest a one-year exemption from open flow testing for the SAUNDERS TRUST A 2-26 grounds that said well:
(Chec	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D
_	ee to supply to the best of my ability any and all supporting documents deemed by Commission ry to corroborate this claim for exemption from testing.
Date: 09/10/201	4
	Signature: MMM A Signature: VICE-PRESIDENT

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

Received KANSAS CORPORATION COMMISSION

• • •

SEP 17 2014

CONSERVATION DIVISION WICHITA, KS