## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test:   |  |   | (Se  | e Instruct   | ions on Reve                           | erse Side                                    | <del>)</del> )  |  |  |                              |            |
|--|--|---|--|--|--|--|---|--|--|------------------------------|------------|
| Open Flo   |  |   | Test Date:   |  |  |  | API   | No. 15 -023  | 3-20795-00-00  | l                            |            |
| Company  |  |   |  |  | Lease                                  | `  | <del></del>   | -  | <u> </u>   | Well Number<br>14-29         |            |
|  |  | nagement, LLC   |  |  | SCHLEPF                                |  | DNO /E  | 240  |  |                              | _          |
| County Location Cheyenne SW-SW                                       |  | Section TWP 3S  |  |  |  | ACTES Attributed 41W                         |   |  |  |                              |            |
| Field<br>CHERRY CI   | REEK   |   | Reservoir<br>NIOBRAF                               | RA   |  |  |   | hering Conn<br>ern Star/Ki                             | ection<br>nder Morgan  |                              |            |
| Completion Dat<br>10/10/2007   | te   |   | Plug Back 1<br>1605'                               | Total Dept   | h                                      |  | Packer §  | Set at   |  | -                            |            |
| Casing Size  |  |   | rations  | То   |  | _  |   |  |  |                              |            |
| 7", 4 ½"   |  | 17# 9.5#  | 91/4, 61/4"  |  | 321', 1652'                            |  | 1460'   |  | 1500'  | 1500'                        |            |
| Tubing Size 2 3/8"   | Tubing Size Weight                                 |   | Internal Diameter<br>1.995                         |  | Set at<br>1532                         |  | Perforations  |  | То   | То                           |            |
| Type Completion  | n (Describe)                                       |   | Type Fluid I                                       | Production   |  |  | Pump U  | nit or Traveling                                       | -  | / No<br>YES                  |            |
| SINGLE<br>Producing Thru   | (Annulus / Tub                                     | ping)   | SALTW/<br>% Carl                                   | bon Dioxid   | de                                     |  | % Nitrog  | en   |  | avity - G                    | _          |
| TUBING   |  |   |  |  |  |  |   |  |  |                              |            |
| Vertical Depth(F   | <del>1</del> )                                     |   |  | Press  | sure Taps                              |  |   |  | (Meter I   | Run) (Prover) Siz            | že         |
| Pressure Buildu  | p: Shut in   | 6/17 20   | 14 at 4:0  | 00 PM  | (AM) (PM) 1                            | Taken  | •   | 20   | at   | (AM) (PM                     | —<br>)     |
| Well on Line:  | Started  | 6/18 20   | 14 at 4:1  | 15 PM  | (AM) (PM) 1                            | ľaken  |   | 20   | at   | (AM) (PM)                    | )          |
|  |  |   |  |  | D SURFACE                              |  | _   |  | Duration of Shut-  |                              |            |
| Static / Orifi   | Circle on  | e: Pressure   |  | Vell Head  | Casin                                  |  | Π.  | <br>Tubing   | Duration of Shut-  | <u> </u>                     | urs        |
| Dynamic Siz<br>Property (inch  | e Prover Pre                                       | Meter Differential  |  | mperature<br>t                                     |  |  | Wellhead Pressure (P <sub>+</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia |  | Duration<br>(Hours)  | Liquid Produced<br>(Barrels) |            |
| Shut-In  |  |   |  |  | 110                                    | poid   | parg  | psia   |  |                              |            |
| Flow   |  | _   |  |  |  |  |   |  |  |                              |            |
|  |  |   | FI   | LOW STR  | EAM ATTRIE                             | UTES   |   |  |  |                              |            |
| Plate<br>Coeffiecient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mcfd | Circle one:<br>Meter or<br>Prover Pressure<br>psia | or Extension Factor Te  |  | Flowing<br>emperature<br>Factor<br>F <sub>II</sub> | Deviation<br>Factor<br>F <sub>pv</sub> |  | Metered Flov<br>R<br>(Mcfd)   | v GOR<br>(Cubic Fe<br>Barrel)                          | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub>                    | •                            |            |
|  |  | _   |  |  |  |  |   |  |  |                              |            |
| (P <sub>c</sub> ) <sup>2</sup> =                                     | _: (P <sub>w</sub> )                               | ² = :   | OPEN FLOW  | /) (DELIVI   | •                                      | CALCUL<br>- 14.4) +                          |   | :  | (P <sub>a</sub> ) <sup>2</sup><br>(P <sub>d</sub> ) <sup>2</sup> | = 0.207                      |            |
| $(P_c)^2 - (P_g)^2$<br>or<br>$(P_c)^2 - (P_d)^2$                     | (P <sub>c</sub> )²- (P <sub>w</sub> )²             | Choose formula 1 or 2:  1. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> | LOG of<br>formula<br>1, or 2.<br>and divide<br>by: | 22-P <sub>2</sub> 2                                | Slope<br>                              | sure Curve<br>= "n"<br>or<br>gned<br>d Slope | nxi   | LOG Open Flow Deliverability Equals R x Antilog (Mcfd) |  |                              |            |
|  |  |   |  |  |  | -  |   |  |  |                              |            |
|  |  |   |  |  |  |  |   |  |  |                              |            |
| Open Flow  |  | Mcfd @ 14.6   | 5 psia   |  | Deliverabili                           | ty   |   |  | Mcfd @ 14.65 psi   | a                            |            |
|  |  | on behalf of the (  | and correct.                                       | Executed<br>Red                                    |  | 11   | o make th   |  | rt and that he ha<br>TEMBER                                      | s knowledge of, 20           | <b>_</b> · |
| -  | Witnes   | s (if any)  |  |  | 1 5 2014                               |  | -   | For C  | отралу   |                              |            |
|  | For Co   | nmission  | C  | ONSERVAT   | ION DIVISION                           | ļ  | <u> </u>  | Chec   | ked by   |                              |            |

| exempt status under Rule K.A.R. 82-3-<br>and that the foregoing pressure inform<br>correct to the best of my knowledge an | 304 on behalf of the nation and statement of belief based upor period of completion of the foundation of the form open flow | the state of Kansas that I am authorized to request operator Foundation Energy Management, LLC ents contained on this application form are true and available production summaries and lease records rupon use being made of the gas well herein named.  SCHLEPP 14-29 |
|---|---|--|
| is on vacuum at the is not capable of pr  | or lift due to water<br>al gas for injection<br>present time; KCC<br>oducing at a daily r                                   | into an oil reservoir undergoing ER approval Docket No rate in excess of 250 mcf/D and all supporting documents deemed by Commission of from testing.  |
| 9/11/2014<br>Date:  |   |  |
| Received KANSAS CORPORATION COMMISSION SEP 15 2014 CONSERVATION DIVISION WICHITA, KS                                      | Signature:<br>Title:  | OPERATIONS ASSISTANT   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.