## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test   | :                          |   |   | (s  | See Instruc                         | tions on Re   | verse Side                              | )                         |   |                                    |  |
|---|----------------------------|---|---|---|-------------------------------------|---|---|---------------------------|---|------------------------------------|--|
| Open Flow   |                            |   | Test Date   | :   |                                     |   | API                                     | l No. 15                  |   |                                    |  |
| Del   | iverabilt                  | /<br><u></u> -  |   | 06/13/20  | 014                                 | ····  |   | 097                       | 7-21283 <b>– 0</b> (  | 000                                |  |
| Company<br>J. MARK f  |                            | SON FAMILY  | TRUST DBA RIG   | CHARDSON  | OIL                                 | Lease<br>NEIER  | Α                                       |                           |   | 1                                  | Well Number  |
| County Location KIOWA C NE SW                               |                            |   | Section<br>8  |   | TWP<br>29S                          |   |   | /W)                       |   | Acres Attributed                   |  |
| Field<br>WESTLAND   |                            |   | Reservoir<br>MISSISSIPPI  |   |                                     |   | Gas Ga<br>ONEO                          | thering Conne             | ection  |                                    |  |
| Completion Date 01/03/90                                    |                            |   |   | Plug Back<br>5139   | k Total Dep                         | th  |   | Packer                    | Set at  |                                    |  |
| Casing Si<br>4.5  | ze                         | Weigh<br>10.5   | t   | Internal D<br>3.927   | Internal Diameter<br>3.927          |   | Set at 5149                             |                           | orations<br>2   | то<br>5104                         |  |
| Tubing Si<br>2.375  | ubing Size Weight          |   |   | Internal Diameter<br>1.995  |                                     | Set at 5120   |   | Perforations<br>OPEN HOLE |   | То                                 |  |
| Type Completion (Describe) SINGLE                           |                            |   | Type Fluid<br>GAS   | d Productio   | P                                   |   | Pump U                                  | nit or Traveling          | Plunger? Yes / No   |                                    |  |
| Producing Thru (Annulus / Tubing) TUBING                    |                            |   | % C   | arbon Diox  | ide                                 | e % Nitro   |   | , ,                       |   | avity - G <sub>g</sub>             |  |
| Vertical Depth(H)<br>5103                                   |                            |   |   |   | sure Taps<br>NGE TAF                | •   |   | (Meter Run) (Prover) Size |   |                                    |  |
| Pressure  | Buildup:                   | Shut in _06/  | 12 20   | 14 at 10  | 0.00                                | (AM) (PM)   | Taken 06                                | 3/13                      | 20  | 14 <sub>at</sub> 10.00             | (AM) (PM)  |
| Well on L   | ine:                       | Started   |   | ) at  | <del></del>                         | (AM) (PM)   | Taken                                   |                           | 20  | at                                 | (AM) (PM)  |
|   |                            |   |   |   | OBSERVE                             | D SURFAC  | E DATA                                  |                           |   | Duration of Shut-                  | inHours  |
| Static /<br>Dynamic<br>Property                             | Orifice<br>Size<br>(inches | e Prover Pressure in  |   | Flowing Well Head<br>Temperature<br>t t   |                                     | (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> ) |   | Wellho                    | Tubing ead Pressure or (P <sub>1</sub> ) or (P <sub>c</sub> ) | Duration<br>(Hours)                | Liquid Produced<br>(Barrels)                       |
| Shut-In   |                            |   | 1   |   |                                     | psig<br>62  | psia                                    | psig                      | psia  | 24                                 |  |
| Flow  |                            |   |   |   |                                     |   |   | <u> </u>                  | <u></u>   |                                    |  |
|   |                            | _ <del>_</del>  | <del></del>   | <del></del>   | FLOW STI                            | REAM ATT  | RIBUTES                                 |                           | <del></del>   | <del></del>                        | <del></del>  |
| Plate Coefficeient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd |                            | Circle one:<br>Meter or<br>Prover Pressure<br>psia  | Meter or Extension rover Pressure                                     |   | Gravity<br>Factor<br>F <sub>g</sub> |   | Flowing Deviated Factor Factor $F_{pv}$ |                           | Metered Flov<br>R<br>(Mcfd)                                   | v GOR<br>(Cubic Fe<br>Barrel)      | Gravity  |
|   |                            |   |   |   |                                     |   |   | _                         |   | <u> </u>                           |  |
| (P \2   |                            | : (P <sub>w</sub> ) <sup>2</sup> =  |   | -   |                                     | /ERABILITY<br>% (I  | /) CALCUL<br>P <sub>e</sub> - 14.4) +   |                           |   | (P <u>"</u> )<br>(P <sub>a</sub> ) | p <sup>2</sup> = 0.207                             |
| $\frac{P_c)^2}{(P_c)^2 - (P_a)^2}$ or $(P_c)^2 - (P_d)^2$   |                            | (P <sub>o</sub> ) <sup>2</sup> - (P <sub>a</sub> ) <sup>2</sup> Choose formula 7 or 2:  1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> |   | P <sub>d</sub> = LOG of formula 1. or 2. and divide P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> |                                     | Backpressure Curve Slope = "n" Assigned                     |   |                           | LOG   | Antilog                            | Open Flow Deliverability Equals B x Antilog (Mcfd) |
|   |                            |   | divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup> | by:   | <u> </u>                            | Stand   | dard Slope                              |                           |   |                                    | (,   |
|   |                            |   |   |   |                                     |   |   |                           | _   |                                    |  |
| Open Flow Mcfd @ 14.65 psia                                 |                            |   |   |   | Deliverability                      |   |   |                           | Mcfd @ 14.65 psia   |                                    |  |
|   | •                          | ned authority, o  |   |   |                                     |   |   |                           | -   | ort and that he ha                 | as knowledge of                                    |
|   |                            | Witness (   | if any)   |   |                                     |   | J.MARK                                  | RICHAR                    |   | Y TRUST DBA R                      | ICHARDSON OIL                                      |
|   |                            | For Comm  | nission   |   |                                     |   | _ By                                    | <u> کمر</u>               | antett  | KANSA<br>cked by                   | Received<br>SCORPORATION COMM                      |

SEP 1 1 2014

| exempt status<br>and that the fo | under penalty of perjury under the laws of the state of Kansas that I am authorized to request under Rule K.A.R. 82-3-304 on behalf of the operator RICHARDSON OIL pregoing pressure information and statements contained on this application form are true and pest of my knowledge and belief based upon available production summaries and lease records   |
|----------------------------------|---|
| I hereby re                      | nstallation and/or upon type of completion or upon use being made of the gas well herein named. equest a one-year exemption from open flow testing for the NEIER A 1 e grounds that said well:  |
| [<br>[<br>[<br>]<br>I further a  | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D  gree to supply to the best of my ability any and all supporting documents deemed by Commission sary to corroborate this claim for exemption from testing. |
|                                  | Signature: <u>Em Santitle</u> , <u>7 nustee</u> Title: <u>MANAGER, TRUSTEE</u>  |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

KANSAS CORPORATION COMMISSION