## Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

| Type Test:   | ONE  | E POINT ST   |  |                | FLOW<br>is on Reve             |   |   | KABILII                     | YIESI                         |  |  |  |
|--|--|--|--|----------------|--------------------------------|---|---|-----------------------------|-------------------------------|--|--|--|
| ✓ Open Fi  | ow   |  | Tool Date:   |                |                                |   | 401   | l= 45                       |                               |  |  |  |
| Delivera   | bilty  |  | Test Date:<br>8-27-14  |                |                                |   |   | 10. 15<br>81-22047-1        | 00-00                         |  |  |  |
| Company<br>MCCOY PE1   | ROLEUM COF   | RPORATION  | · • • • • • • • • • • • • • • • • • • •                                      |                | Loase<br>SCHMID                | T 'C'                                   |   |                             | 7-29                          | Well Nu  | mber   |  |
| County Location HASKELL NE NE NW   |  | Section<br>29  |  |                |                                | RNG (E/W)<br>31W                        |   |                             | Acres Attribute               |  |  |  |
| Field<br>LETTE SE  |  |  | Reservoir<br>CHESTER   |                |                                |   |   | oring Conn<br>IRCHASIN      |                               |  |  |  |
| Completion Date 3-25-14  |  | Plug Back Total Depth<br>5594  |  |                |                                | Packer Se<br>NONE                       | et at   | ·                           |                               |  |  |  |
| Casing Size Weight 5.5 15.5  |  | Internal Diameter<br>4950  |  | Set at 5675    |                                | Perforations<br>5454                    |   | т <sub>о</sub><br>5466      |                               |  |  |  |
| Tubing Size Weight 2.375 4.7   |  | Internal Diameter<br>1.995   |  | Set at 5398    |                                | Perfora                                 | ations  | То                          | To                            |  |  |  |
| Type Completi<br>SINGLE GA   |  |  | Type Fluid Produ<br>OIL  | ction          |                                | Ĭ                                       | Pump Uni<br>NO  | or Traveling                | g Plunger? Yes                | / Ño   |  |  |
| Producing Thru (Annulus / Tubing) TUBING   |  | % Carbon Dioxide<br>0.162  |  |                | •                              | % Nitrogen<br>10.142                    |   | Gas Gr<br>.706              | Gas Gravity - G<br>.706       |  |  |  |
| Vertical Dopth(H) 5460   |  |  | Pressure Taps<br>FLANGE  |                |                                |   |   |                             | •                             | (Meter Run) (Prover) Size 3.068"                   |  |  |
| Pressure Build   | lup: Shut in   | 23-14 20   | 0845   | (A             |                                | Taken 8-2                               | 26-14   | 20                          | 0845                          |  | (AM) (PM)  |  |
| Well on Line:  | Started 8-   |  |  |                |                                | Taken 8-2                               |   |                             | 0845                          |  | (AM) (PM)  |  |
| -  |  |  | OBSE   | RVED 9         | SURFACE                        | DATA                                    |   |                             | Duration of Shut-             | in 72.   | 0 Hours  |  |
| Dynamic Size Prover Pressure in  |  | Differential I   | Flowing Vell Hoad Casing Wellhead Pressure (P, ) or (P, ) or (P, ) psig psia |                |                                | ressure                                 | Tubing Wellhoad Pressure (P_) or (P,) or (Pc) psig psia |                             | • •                           |  | d Produced<br>Barrels)                                       |  |
| Shul-In  | 10-7 (M 11 11 1 1 1 1 M 11 M 1 |  |  | 1              |                                | 1105.6                                  | 1089.9  | 1104.3                      | 72.0                          |  |  |  |
| Flow 1.7   | 50 60.5  | 141.4  | 56 75  | 9              | 78.9                           | 993.3                                   | 925.9   | 940.3                       | 24.0                          | 1.0  | 1  |  |
|  |  |  | FLOW   | STREA          | M ATTRI                        | BUTES                                   |   |                             |                               |  |  |  |
| Plate<br>Coefficcient<br>(F <sub>p</sub> ) (F <sub>p</sub> )<br>Mofd   | Circle una<br>Maler or<br>Prover Pressure<br>psia  | Press<br>Extension   | Gravity<br>Factor<br>F <sub>g</sub>  | Tem<br>P       | owing<br>perature<br>factor    | Deviation<br>Factor<br>F <sub>p</sub> , |   | Metered Flor<br>R<br>(Mcfd) | w GOR<br>(Cubic Fe<br>Barrel) |  | Flowing<br>Fluid<br>Gravity <sup>1</sup><br>G <sub>n</sub> i |  |
| 16.0088  | 74.90  | 102.91   | 1.1901   | 1.00           | 39                             | 1.007                                   |   | 1982.2                      | NONE                          |  | 0.706  |  |
| <sub>(P<sub>c</sub>)² =</sub> 1222.  | .4 : (P <sub>w</sub> ) <sup>2</sup>  |  | (OPEN FLOW) (DE  |                |                                | CALCULA<br>- 14,4) + 1                  |   | 105.6                       | (P <sub>a</sub> )             | ² = 0.2  | 07   |  |
| (b <sup>2</sup> ) <sub>2</sub> - (b <sup>2</sup> ) <sub>2</sub> ot (b <sup>2</sup> ) <sub>2</sub> - (b <sup>2</sup> ) <sub>3</sub> | (15,15 - (15,1)2   | Chanse familia 1 or 2  1. P <sub>c</sub> <sup>2</sup> - P <sub>r</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>c</sub> <sup>2</sup> Unided by P <sub>c</sub> <sup>2</sup> - P <sub>c</sub> <sup>2</sup> | LOG of formula 1. or 2 and divide   p 2   p by:                              | 2              | Backprossure Curve Slope = "n" |   | n x L(  |                             | Antilog                       | Open Flow Delivorability Equals R x Antilog (Mctd) |  |  |
| 1222.14  | 235.71   | 5.185  | 0.7148   |                | 0.796                          |   | 0.56  | <br>89                      | 3.7063                        | 7346   | :<br>6.6 <sub>[</sub>  |  |
| Open Flow 7347 Mcfd @ 14.6   |  | 5 psia   |  | Deliverability |                                |   | Mcfd @ 14.65 psia                                       |                             |                               | ·  |  |  |
|  |  | on behalf of the C   | -  |                | •                              |   |   | · ·                         | ort and that he ha            |  | •  |  |
|  |  | said report is true :  |  |                |                                |   |   |                             |                               |  | 20 14 .  |  |
| Copu   | to ECC   | Wichit   | KANSAS COF   | RPORATI        | ON COMMIS                      | Howeco                                  | 560   | Wile                        | Line 47                       | 45 F   | ng   |  |

CONSERVATION DIVISION WICHITA, KS

SEP 1 0 2014

Wilness (il any)

For Commission

| 1, 1, 1, 2, 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,  | I declare under penalty of perjury under the Jaws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.  I hereby request a one-year exemption from open flow testing for the gas well on the grounds that said well: |
|--|---|
| the major arrive common numerous accommon to the state of | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D  |
|  | Signature:  |
| 3 44   | Title:  |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it'was a verified report of annual test results.